

Directional Search for Dark Matter Using Nuclear Emulsion

Saturday 7 July 2018 15:40 (20 minutes)

A variety of experiments have been developed over the past decades, aiming at the detection of Weakly Interactive Massive Particles (WIMPs) via their scattering in an instrumented medium. The sensitivity of these experiments has improved with a tremendous speed, thanks to a constant development of detectors and analysis methods. Detectors capable of reconstructing the direction of the nuclear recoil induced by the WIMP scattering are opening a new frontier to possibly extend Dark Matter searches beyond the neutrino background. Exploiting directionality would also give a proof of the galactic origin of dark matter making it possible to have a clear and unambiguous signal to background separation. The NEWSdm experiment, based on nuclear emulsions, is a new experiment proposal intended to measure the direction of WIMP-induced nuclear recoils with a solid-state detector, thus with a high sensitivity. We discuss the discovery potential of a directional experiment based on the use of a solid target made of newly developed nuclear emulsions and novel read-out systems achieving nanometric resolution. We also report results of a technical test conducted in Gran Sasso.

Primary authors: GULER, Murat Ali (Middle East Technical University (TR)); NEWSDM COLLABORATION; NEWSDM COLLABORATION; Dr NAKA, Tatsuhiro (Nagoya University)

Presenter: Dr NAKA, Tatsuhiro (Nagoya University)

Session Classification: Dark Matter Detection

Track Classification: Dark Matter Detection