



Canadian Association  
of Physicists

Association canadienne  
des physiciens et physiciennes

Contribution ID: 2328

Type: **Invited Speaker / Conférencier(ère) invité(e)**

## Hyperfine spectroscopy (and more) of antihydrogen (I)

*Tuesday, 12 June 2018 16:15 (30 minutes)*

The hydrogen atom has played a fundamental role in the development of our understanding of the universe and of quantum mechanics. This makes antihydrogen a natural candidate for testing symmetries between matter and antimatter. The goal of the ALPHA (Antihydrogen Laser PHysics Apparatus) collaboration is to synthesize, trap, and study antihydrogen atoms. ALPHA has made significant progress recently in measuring the 1S - 2S transition in antihydrogen [1], exciting the 1S - 2P transition (a laser cooling transition), and is currently constructing a new apparatus designed to measure the gravitational free fall of antihydrogen.

In addition, ALPHA is working towards high precision measurements of antihydrogen's ground-state hyperfine splitting frequency. Following an initial proof-of-principle experiment in 2012 [2], ALPHA has recently measured the hyperfine splitting in antihydrogen to be  $1420.4 \pm 0.5$  MHz [3]. In this talk, I will present a brief overview of ALPHA's physics program and a detailed summary of our hyperfine splitting experiments.

[1] M. Ahmadi et al. (ALPHA collaboration), Nature 541, 506 (2017).

[2] C. Amole et al. (ALPHA collaboration), Nature 483, 439 (2012).

[3] M. Ahmadi et al. (ALPHA collaboration), Nature 548, 66 (2017).

**Primary author:** Prof. FRIESEN, Tim (University of Calgary)

**Presenter:** Prof. FRIESEN, Tim (University of Calgary)

**Session Classification:** T4-5 Neutrinoless Double Beta Decay (DNP) | Double désintégration bêta sans neutrinos (DPN)

**Track Classification:** Nuclear Physics / Physique nucléaire (DNP-DPN)