



Contribution ID: 186

Type: Poster submission

About heavy neutrinos: Violation of lepton flavor in neutrinoless decays of leptons

Monday, August 5, 2019 3:40 PM (20 minutes)

Summary

The fundamental description of nature, beyond the Standard Model (SM), may include heavy neutrinos that mix and thus allow processes in which lepton flavor is not preserved. We investigate the impact of charged currents that couple heavy gauge bosons to heavy neutrinos and SM leptons on neutrinoless lepton-flavor-violating decays of SM leptons into three charged leptons. We implement our expressions for the leading contributions to $\text{Br}(l_\alpha - l_\beta l_\sigma l_\sigma)$, which hold for either Dirac or Majorana neutrinos, to the neutrinoless trilepton decay $\mu - 3e$, of the muon, and so determine sets of masses of heavy neutrinos and the heavy gauge boson, within GeVs to few TeVs, that are consistent with the upper bounds provided by the SINDRUM Collaboration. We utilize such parameters to find that the contributions to tau decays are the order of 10^{-14} - 10^{-13} , well below bounds from B factories.

Primary authors: Dr NOVALES SÁNCHEZ, Héctor (Benemérita Universidad Autónoma de Puebla); Dr TOSCANO CHÁVEZ, J. Jesús (Benemérita Universidad Autónoma de Puebla); Ms SALINAS IBAÑEZ, Mónica (Benemérita Universidad Autónoma de Puebla)

Presenter: Ms SALINAS IBAÑEZ, Mónica (Benemérita Universidad Autónoma de Puebla)

Session Classification: Poster Session (Mon/Tue)