

Introduction to Flair

FLUKA Beginner's Course





Request input by names W/cm

that y in Pall Froduction test

n [U,C] natural or instinctive ability (to do something well, /fleə(r)/ to select or recognize what is best, more useful, etc. [Oxford Advanced Dictionary of Current English]

What is flair

FLUKA Advanced Interface [http://www.fluka.org/flair]

- All-in-one User friendly graphical Interface
- Minimum requirements on additional software
- Working in an intermediate level
 Not hiding the inner functionality of FLUKA

Front-End interface:

- Fully featured Input file Editor
 - Mini-dialogs for each card, allows easy and almost error free editing
 - Uniform treatment of all FLUKA cards
 - Card grouping in categories and card filtering
 - Error checking and validation of the input file during editing
- Geometry: interactive visualization editing, transformation, optimizations and debugging
- Compilation of the FLUKA Executable
- Running and monitoring of the status of a/many run(s)

What is flair

Back-End interface:

- Inspection of the output files (core dumps and directories)
- Output file(s) viewer divided in sections
- Post processing (merging) the output data files
- Plot generation through an interface with gnuplot (matplotlib under development)

Other Goodies:

- Access to FLUKA manual as hyper text
- Checking for release updates of FLUKA and flair
- Import export to various formats: MCNP/X, GDML, Povray...
- Nuclear wallet cards
- Library of materials
- Database of geometrical objects (Not yet completed)
- Programming python API
- Everything is accessible with keyboard shortcuts

Concepts: Flair Project

- Store in a single file all relevant information:
 - Project notes
 - Links to needed files: input file, source routines, output files ...
 - Multiple runs from the same input file, as well as running status
 - Procedures on how to run the code
 - Rules on how to perform data merging
 - Information on how to post process and create plots of the results
- You can consider Flair as an editor for the project files.
- Can handle any FLUKA input format (reading & writing), but internally it works using the names format for the input, free format with names for the geometry (Recommended way of working)
- The format is plain ASCII file with extension: .flair

Note: If you want to copy a project you need to copy also all linked files especially the input and source routines!

Installation

Flair web site to download code and documentation

http://www.fluka.org/flair

- Installation procedures:
 - RPM/DEB method (Linux): strongly recommended! on systems that support the RPM/DEB. The package will create all file association, menu items and keep track of updates and files installed. The package will install the program to: /usr/local/flair and will create the following launcher programs:

/usr/local/bin/flair
 /usr/local/bin/fm
 /usr/local/bin/pt
 /usr/local/bin/fless
 FLUKA manual
 Periodic Table
 FLUKA output viewer

tar.gz method (MacOS, MS-Windows). Please follow the instructions on:
 http://www.fluka.org/flair/download.html
 and for special instruction on the FAQ:
 http://www.fluka.org/flair/faq.html

Starting flair

Programs Menu (Linux)

- Click the icon of Flair from the programs menu;
- Flair is registered under the Science/Physics category but depending your Linux distribution and window manager it might appear in different submenus (i.e. Applications, Education, Science or Others).

Window Manager (Linux, only via RPM or DEB installation)

Flair makes an association of the following extensions:



*.flair



*.fluka *.inp

Console

• Type the command flair. Remember to add to your **\$PATH** the directory where flair is installed!




Unless you specify any option during startup flair will perform the following operation:

- Check for the existence of a FLUKA installation (FLUPRO environment variable), and if not found will open the Preferences dialog to set explicitly the FLUKA path;
 WARNING: Window managers (GNOME, KDE...), as well command shells (bash, tcsh, ash...) have a different configuration file where they expect the environment variable.
- Open the "Check for Updates" dialog (every 30 days interval).

Input Templates

reavy ion Pair production test

 When requesting a new input or a new project flair will prompt to select an input template:



```
Default template: basic.inp
TITLE
GLOBAL
                                                1.0
                                                          1.0
DEFAULTS
                                                                       NEW-DEFA
BEAM
BEAMPOS
GEOBEGIN
                                                                       COMBNAME
* Black body
SPH blkbody
               0.0 0.0 0.0 10000000.0
* Void sphere
               0.0 0.0 0.0 1000000.0
SPH void
* Cylindrical target
               0.0 0.0 0.0 0.0 0.0 10.0 5.0
RCC target
END
* Black hole
             5 +b1kbody -void
BLKBODY
* Void around
             5 +void -target
VOID
* Target
             5 +target
TARGET
END
GEOEND
           ...+....2....+....3....+....4....+....5....+....6....+....7.
                       BLKBODY
ASSIGNMA
            BLCKHOLE
ASSIGNMA
              VACUUM
                          VOID
ASSIGNMA
              COPPER
                        TARGET
RANDOMIZ
                 1.0
START
STOP
```

The user can create his own set of input templates. They are normal FLUKA input files and they have to be placed in the directory ~/.flair/templates (create the directory if not existing)

Input Editor

- With the input editor the user can manipulate the input cards:
 - Add card to input
 - Edit existing ones
 - Copy & Paste
 - Clone (Duplicate)
 - Import from other input files
 - Validate the correctness of the cards
 - Error filtering
 - Rearrange order
- The editor will try to rearrange the input cards (if needed) to create a valid FLUKA input file
 e.g. body cards outside the GEOBEGIN/GEOEND parts will be moved inside

Note: Automatic rearranging of cards cannot work if "#include" cards are present. The user have to do it manually

Card Categories

For easier access, cards are grouped in the following categories:

- General General purpose (TITLE, DEFAULTS, GLOBAL...)
- Primary
 Definition of the primary starting particles
- Geometry Cards related to the definition of the geometry bodies/regions/lattices plotting and rotations/translations
 - Bodies Subcategory containing only the bodies definition
 - Transformations Subcategory containing only the geometrical directives
- Media
 Definition and assignment of materials
- Physics Setting physics properties of the simulation
- Transport
 Modify the way particles are transported in FLUKA
- Biasing Cards for importance biasing definition
- Scoring Cards related to scoring
- Flair flair special cards
- Preprocessor Definitions for creating conditional input files

Concepts: Extended Cards

- Flair is treating the input file as a list of extended cards;
- Each extended card contains:
 - Comment: All commented lines preceding the card(s) as well the inline comments
 - Tag: The 8 character word identifying the card. All tags not recognized by flair will be converted to #error
 - WHATs: Multiple number of WHATs (0=sdum, 1-6 first line, 7-12 continuation line...)
 - Extra: multi line string of extra information for special cards like REGION, TITLE, PLOTGEOM etc.
 - State (Enable/Disable)
- Flair recognize automatically (and separates them from the comments) all the disabled valid FLUKA cards

Concepts: Extended Cards

- The region definition in the in geometry is emphasized by the presence of a card named "REGION"
- All COMPOUND cards related to one material are joined in one card
- Cards are edited with the flair editor through the use of the minidialogs, forcing the user to enter a proper information
- The user gets full control of the card using the Edit dialog (See button at lower right corner)
- Flair will try to find the best floating point representation of each number, to ensure the maximum accuracy; number of digits that fits in the specific width (10 for the fixed format, 22 for the free format)
- Function evaluation: a field value starting with = will force flair to evaluate its content as a function e.g.

BEAMPOS x: =2*10+length

Flair will create a valid fluka input containing the evaluation of the formula and keep the formula inside the comments as


!@what.1 = 2*10 + length

WARNING: If you edit with an external editor the input flair will overwrite the changes of the functions if any!

Anatomy of a card mini-dialog

For each extended card flair has a mini dialog (currently in 4 columns), interpreting all information stored in the card

```
* Beam characteristics
BEAM -20.0 -0.082425 -1.7
1.0PROTON
```



editing item

Anatomy of a card mini-dialog

```
* Energy deposition in 3D binning
```

USRBIN	10.0	ENERGY	-50.0	45.0	54.0	36.0EneDep
USRBIN	-45.0	-54.0	-33.0	100.0	100.0	100.0&

USRBIN		∪nit: 50 BIN ▼	Name: EneDep
Type: X-Y-Z ▼	Xmin: -45.0	Xmax: 45.0	NX: 100.0
Part: ENERGY ▼	Ymin: -54.0	∨max: 54.0	NY: 100.0
	Zmin: -33.0	Zmax: 36.0	NZ: 100.0

Anatomy of a card mini-dialog

risary ion Pair production test

```
* Polypyromellitimide Polyimide, Kapton
  Chemical
                     0 = C
                              H-C
  Formula
                                                H-C - C-H
                                                                     H-C - C-H
*
*
                                                          C - O -
*
                            /C
   C H N O
                                                H-C = C-H
                                                                     H-C = C-H
    22 10 2 5
                               H-C
                     0 = C
                                        C = 0
                                             1.43
MATERIAL
    Polyimid
                                             22.0
                                                                       2.0
COMPOUND
                    10.0
                           HYDROGEN
                                                       CARBON
    NITROGENPolyimid
                     5.0
COMPOUND
                             OXYGEN
MATERIAL MATERIAL
                           Name: Polyimid
                                                                           \rho: 1.43
                                                    A:
                            Am:
                                                                         dE/dx
                                                                       Elements: 6 ▼
COMPOUND
                           Name: Polyimid *
                                                   Mix: Atom ▼
      f1: 10.0
                            M1: HYDROGEN ▼
                                                    f2: 22.0
                                                                          M2: CARBON ▼
      f3: 2.0
                                                    f4: 5.0
                                                                          M4: OXYGEN ▼
                            M3: NITROGEN ▼
                            M5: ▼
      f5:
                                                    f6:
                                                                          M6: ▼
```

Editing Cards

While in input editor you can work in two modes:

- 1. Card mode: manipulate the cards as a unit (e.g. to copy, paste, delete, change order of cards)
- 2. Edit mode: manipulate the contents of the card

Edit mode is activated immediately after adding a new Card, by hitting Enter or with the mouse click

To leave edit mode click the Esc or with the mouse click somewhere else

The active item (what) is highlighted with a grey rectangle and highlighted also in the card viewer below the editor

A range of cards can be selected with:

- Shift + Mouse
- Shift + Up/Down arrows

Validating input and Error correction

- Flair validates the input file while loading and each card during editing
- Errors are highlighted in red
- For the moment only syntactical errors are checked, and a few logical errors
- Popup-menu option "Show errors" displays a short message on what is expected as correct value
- Menu item "Input / Filter Invalid" shows only the invalid cards from the last filtered view

Material Database

- Flair contains an internal database of ~500 predefined materials and/or compounds
- Some (~300) with the Sternheimer parameters

Please use these data as Reference only!

- Validate <u>always</u> the correctness of the data
- If errors found please contact the author
- The database can be edited, and populated with your own materials. In this case a local copy of the database will be made in ~/.flair directory

Starting a Run

- Flair can start a simulation (single run) based on the input file
- Multiple runs can be started by overriding some options, like #defines, title, random number seed and number of starting particles (primaries)
- Flair will try to "attach" to a run. Using only the information from the output files generated by FLUKA, flair will try to identify the directory where the run takes place and monitor the progress of the selected run
- During the execution of the run the user can view the output files in the "Files Frame" under the "Run Tab"

Other goodies

Flair has a lot of functionalities that are not shown in this tutorial

Most of these will be shown during the exercises of the course

We would advice the users to go through the various menus and help page and try it out

Tips & Tricks

- Mouse
 - right-click
- Keyboard
 - Ctlr-Enter

- Ctrl-Space
- Listboxes

+, -, Ins

opens the popup-menu with the most important actions

Check the accelerators on the menus
Performs the default action in every frame.
e.g. Add a card in the Input Editor
start a run in the Run Frame

Access popup-menu (like right-clicking)

All listboxes in flair are searchable and case insensitive. Type the first characters of the string you are searching and the closest match will be highlighted Ctrl-G repeats the search. Space selects/deselect item

While editing the **REGION** expression shows a list of all available bodies

Known Bugs / Limitations

- Unicode / International characters do not work well and should be avoided
- Gnuplot:
 - <4.2 has a bug in the number of palette colors, and on the cblabel for the wxt terminal
 - 4.4.3 has a non linear behavior on the palette colors for the xterm terminal
- Inline comments, and comments inside REGION definition are treated as one comment preceding the input card

REMEMBER always that the .flair and .inp are different thing
 Do not save the project as .inp or the input file as .flair