Applications of Accelerators

APPEAL-9
30th June 2018

Dr. Suzie Sheehy
John Adams Institute for Accelerator Science
University of Oxford

- *“A beam of particles is a very useful tool...”*

-Accelerators for Americas Future Report, pp. 4, DoE, USA, 2011



There are roughly 35,000 accelerators in the world
(Above 1 MeV…)

Outline

1. Medical imaging and treatment
2. Industrial uses of accelerators
3. Synchrotron light sources
4. Neutron sources
5. Energy and security applications
6. Historical & cultural applications

1. Medical Applications

- Around 1/3 of people in the will die from cancer…
- But diagnosis is no longer a death sentence!



X-ray radiotherapy

Linac

Foil to produce x-rays

Collimation system



Image: copyright Varian medical systems


72.000 Gy
72.0
65.000 Gy
60.000 Gy
55.000 Gy
50.000 Gy
45.000 Gy
40.000 Gy
35.000 Gy
30.000 Gy
25.000 Gy
20.000 Gy
15.000 Gy
7.2
7.200 Gy
R

(a)


72.600 Gy
72.6
65.000 Gy
60.000 Gy
55.000 Gy
50.000 Gy
45.000 Gy
40.000 Gy
35.000 Gy
30.000 Gy
25.000 Gy
20.000 Gy
15.000 Gy
7.2
7.200 Gy
R

(b)



(c)



(d)

Radiotherapy access around the world

The annual global incidence of cancer is expected to rise from 15 million cases in 2015 to as many as 25 million cases in 2035.

Of these, it is estimated that 65–70% will occur in low-and middle- income countries (LMICs)

“There is a shortfall of more than 5000 radiotherapy machines in low-to-middle income countries, with patients in some countries in Africa and Asia having almost no access to radiation therapy, much less modern technology and expertise” - IAEA, DIRAC



“…as many as 12,600 megavolt-class treatment machines will be needed to meet radiotherapy demands in LMICs by 2035. Based on current staffing models, it was estimated that an additional 30,000 radiation oncologists, more than 22,000 medical physicists and almost 80,000 radiation technologists will be required.”

X

CERN hosted workshop on:
"Design Characteristics of a Novel Linear Accelerator for Challenging Environments"

Norman Coleman, David Pistenmaa (ICEC) Manjit Dosanjh (CERN)
International Cancer Expert Corps &CERN

European Organization for Nuclear Research (CERN)
International Atomic Energy Agency (IAEA)
James Martin Center for Nonproliferation Studies (CNS)
National Aeronautics and Space Administration (NASA)
National Nuclear Security Administration (NNSA)

Task Forces

- **TF1: Technology (Bury the Complexity)**
  a) near term b) long term
- **TF2: Education, Training and Mentoring**
- **TF3: Global Connectivity and Development**

https://indico.cern.ch/event/560969/

https://home.cern/about/updates/2017/11/combatting-cancer-challenging-environments

Slides: Manjit Dosanjh, CERN

Can we made a medical LINAC that is: cheaper, more robust, easier to maintain, modular, reliable while providing state-of-the-art treatment?

Uganda's only (now broken) radiotherapy unit

STFC & Global Challenges Research Fund

1. Study of Accelerator Technology Options
2. **Robust permanent magnet beam delivery systems**
3. RF Power Systems and Optimized RF Structures for Electron Beam Acceleration
4. Linear Accelerator Simulations for Stable and Sustainable Operation of Developing Country Radiotherapy Linear Accelerators
5. Cloud-based Electronic Infrastructure in Support of Linac-based Radiotherapy in Challenging Environments

+ Student (L. Wroe, MPhys) independently awarded funding by Laidlaw Scholarship to study failure modes of medical LINACs (will visit Africa during summer).

X

A modern radiotherapy unit…

Charged Particle Therapy



- Greater dose where needed
- Less morbidity for healthy tissue
- Less damage to vital organs

Energy loss in materials

The relativistic version of the formula reads:

$$-\frac{dE}{dx} = \frac{4\pi}{m_e c^2} \cdot \frac{nz^2}{\beta^2} \cdot \left(\frac{e^2}{4\pi\varepsilon_0}\right)^2 \cdot \left[\ln\left(\frac{2m_e c^2 \beta^2}{I \cdot (1-\beta^2)}\right) - \beta^2\right]$$

$$-\frac{dE}{dx} = \frac{4\pi n z^2}{m_e v^2} \cdot \left(\frac{e^2}{4\pi\varepsilon_0}\right)^2 \cdot \left[\ln\left(\frac{2m_e v^2}{I}\right)\right] .$$

High speed -> small energy loss
Low speed -> high energy loss

where

- β $= v / c$
- v velocity of the particle
- E energy of the particle
- x distance travelled by the particle
- c speed of light
- $z\,e$ particle charge
- e charge of the electron
- m_e rest mass of the electron
- n electron density of the target
- I mean excitation potential of the target
- ε_0 vacuum permittivity

Proton therapy

- "Hadron therapy" = Protons and light ions

- Used to treat localised cancers
- Less morbidity for healthy tissue
- Less damage to vital organs
- Particularly for childhood cancers





A few developments



Spot Scanning

Proton Radiography



Gantries



FFAG Accelerators

Dielectric Wall Accelerators



Laser Plasma Accelerators

HEP community can contribute accelerators AND other expertise!

Radioisotope production

- Accelerators (compact cyclotrons or linacs) are used to produce radio-isotopes for medical imaging.
- 7-11MeV protons for short-lived isotopes for imaging
- 70-100MeV or higher for longer lived isotopes



- Positron emission tomography (PET) uses Fluorine-18, half life of ~110 min





- Fluorodeoxyglucose or FDG carries the F18 to areas of high metabolic activity
- 90% of PET scans are in clinical oncology

Radiopharmaceuticals

p, d, 3He, 4He beams

Isotopes used for PET, SPECT and Brachytherapy etc…

TABLE 2.1. THE RADIOISOTOPES THAT HAVE BEEN USED AS TRACERS IN THE PHYSICAL AND BIOLOGICAL SCIENCES

Isotope	Isotope	Isotope
Actinium-225	**Fluorine-18**	**Oxygen-15**
Arsenic-73	**Gallium-67**	**Palladium-103**
Arsenic-74	**Germanium-68**	**Sodium-22**
Astatine-211	Indium-110	**Strontium-82**
Beryllium-7	**Indium-111**	Technetium-94m
Bismuth-213	Indium-114m	**Thallium-201**
Bromine-75	Iodine-120g	Tungsten-178
Bromine-76	Iodine-121	Vanadium-48
Bromine-77	**Iodine-123**	Xenon-122
Cadmium-109	**Iodine-124**	Xenon-127
Carbon-11	Iron-52	**Yttrium-86**
Chlorine-34m	Iron-55	Yttrium-88
Cobalt-55	**Krypton-81m**	Zinc-62
Cobalt-57	Lead-201	Zinc-63
Copper-61	Lead-203	Zirconium-89
Copper-64	Mercury-195m	
Copper-67	**Nitrogen-13**	

2. Industrial accelerators

Ion implantation







Images courtesy of Intel

- Electrostatic accelerators are used to deposit ions in semiconductors.

Electron beam processing

In the US, potential markets for industrial electron beams total $50 billion per year.

33% Wire cable tubing
32% Ink curing
17% shrink film
7% service
5% tires
6% other

http://rsccnuclearcable.com/capabilities.htm



When polymers are cross-linked, can become:

- stable against heat,
- increased tensile strength, resistance to cracking
- heat shrinking properties etc

Equipment sterilisation

Manufacturers of medical disposables have to kill every germ on syringes, bandages, surgical tools and other gear, without altering the material itself.

E-beam sterlisation works best on simple, low density products.

Advantages: takes only a few seconds (gamma irradiation can take hours)

Disadvantages: limited penetration depth, works best on simple, low density products (syringes)

The IBA rhodotron – a commercial accelerator used for e-beam sterilisation

Food irradiation



‘Cold pasteurisation’ or ‘electronic pasteurisation’

Uses electrons (from an accelerator) or X-rays produced using an accelerator.

The words ‘irradiated’ or ‘treated with ionising radiation’ must appear on the label packaging.

In the US all irradiated foods have this symbol

Foods authorised for irradiation in the EU:

Lower dose → Higher dose

Other uses in industry…

- Hardening surfaces of artificial joints
- Removal of NO_x and SO_x from flue gas emissions
- Scratch resistant furniture

Treating waste water or sewage
Purifying drinking water
(Without additional chemicals…)





Irradiating topaz and other gems with electron beams to change the colour

http://www.nrc.gov/reading-rm/doc-collections/fact-sheets/irradiated-gemstones.html

http://www.symmetrymagazine.org/article/october-2009/cleaner-living-through-electrons

3. Synchrotron Light Sources



Image courtesy of ESRF

Synchrotron radiation is emitted by charged particles when accelerated radially







Produced in synchrotron radiation sources using bending magnets, undulators and wigglers



Synchrotron radiation: microwaves to hard x-rays (user can select)

High flux = quick experiments!

Pulsed structure = resolution of processes down to picoseconds

X-Ray crystallography

2014 was the International Year of Crystallography

Protein crystallography is a standard technique at synchrotron light sources (Diamond light source has 5 beamlines devoted to it)

The hardest part is forming the crystal…



For some great overview videos of crystallography, see:
http://www.richannel.org/collections/2013/crystallography

Hard condensed matter science
Applied material science
Engineering
Chemistry
Soft condensed matter science
Life sciences
Structural biology
Medicine
Earth and science
Environment
Cultural heritage
Methods and instrumentation



Diffraction pattern from pea lectin

Synchrotron Radiation Science

Biology

Reconstruction of the 3D structure of a nucleosome (DNA packaging) with a resolution of 0.2 nm





In 1990 scientists determined the structure of a strain of foot & mouth virus using Daresbury SRS.

Archeology/Heritage

A synchrotron X-ray beam at the SSRL facility illuminated an obscured work erased, written over and even painted over of the ancient mathematical genius Archimedes, born 287 B.C. in Sicily.

Using X-Ray induced fluorescence

4. Neutron Spallation Sources

https://youtu.be/VESMU7JfVHU?t=21

'Neutrons tell you where atoms ***are*** and what atoms ***do***'



ISIS Accelerators and Targets





- H^- ion source (17 kV)
- 665 kV H^- RFQ
- 70 MeV H^- linac
- 800 MeV proton synchrotron
- Extracted proton beam lines
- Targets
- Moderators



Pulsed beam of 800 MeV (84% speed of light) protons at 50 Hz

Average beam current is 230 muA (2.9×10^{13} ppp)

184 kW on target (148 kW to TS-1 at 40 pps, 36 kW to TS-2 at 10 pps).

$$P = 800[MV] \times 230[mA] = 184[kW]$$

Calculating beam power

- Power = Work/time $$P = \frac{W}{T}$$
- Work = force x distance $$W = Fd$$
- Force on particle in an electric field $F = qE$
- We know the electric field is (voltage/distance) and the protons (charge +1) have gained 800 MeV, so V=800MV.
- Also know current = charge/time

$$P = 800[MV] \times 230[\mu A] = 184[kW]$$





Image courtesy ISIS, STFC.

Unblocking oil pipes

- **Asphaltenes** are a complex mixture of molecules that can sometimes **block oil pipes**
- Research to more easily **predict** and **prepare** for the formation of asphaltene deposits
- Result in **fewer blockages** and **big savings** for the oil industry.



"ISIS allowed us to understand more clearly how asphaltenes aggregate, an important observation from a flow assurance point of view and should allow more efficient extraction of hydrocarbons in the future."

–Edo Boek, Schlumberger Cambridge Research, Senior Research Scientist

Schlumberger

Stresses in Airbus A380 Wing

- **Aircraft manufacturer Airbus has used ISIS since 2006**
- Research into **aluminium alloy weld integrity** for aircraft programmes
- **Residual stresses** from welding cause weaknesses and the possibility of cracks
- ISIS **neutrons look deep inside engineering components** to measure stress fields





AIRBUS

"Residual stress measurement at ISIS has been invaluable in researching and developing existing and novel material manufacturing and processing techniques ."
– Richard Burguete, Airbus
Experimental Mechanics Specialist

Understanding infant lung structure

- Natural **lung surfactant** allows **oxygen** into the bloodstream
- Absence in **premature babies** causes **breathing difficulties**
- ISIS mimicked change in lung capacity to discover how **proteins** and **phospholipids act together**
- Helping to **develop synthetic lung surfactants** which can be more **precisely targeted** at clinical needs to help **save babies'** lives

"ISIS is the premier place in the world to work with neutrons and liquid surfaces. In collaboration with the University of Queensland we were able to discover how proteins and phospholipids act together to enable lung function."

- Dr Stephen Holt, ISIS neutron scientist



THE UNIVERSITY OF QUEENSLAND AUSTRALIA

Fast neutron testing for the semiconductor industry

- **Atmospheric neutrons** collide with microchips and **upset microelectronic devices** every few seconds
- **300 x greater** effect at **high altitude**
- **ISIS enables manufacturers to mitigate against the problem** of cosmic radiation
- **Increased confidence** in the quality and safety of aerospace electronic systems



MBDA | BAE SYSTEMS | smiths | GOODRICH | uclan | LANCASTER UNIVERSITY | SURREY SPACE CENTRE | QinetiQ

"ISIS is one of few facilities in the world capable of producing enough very high energy neutrons to perform accelerated testing."

–Andrew Chugg, MBDA, SEEDER consortium

5. Energy and Security Applications

Cargo scanning



Cargo containers scanned at ports and border crossings

Accelerator-based sources of X-Rays can be far more penetrating (6MV) than Co-60 sources.

Container must be scanned in 30 seconds.

Image source: Varian medical systems



Image: dutch.euro

Materials testing for fusion

Source: IFMIF.org

"deuterium-tritium nuclear fusion reactions will generate neutron fluxes in the order of 10^{18} $m^{-2}s^{-1}$ with an energy of 14.1 MeV that will collide with the first wall of the reactor vessel"

International Fusion Material Irradiation Facility (IFMIF)

40 MeV
2 x 125mA linacs
CW deuterons, 5MW each
Beams will overlap onto a liquid Li jet
To create conditions similar to in a fusion reactor

To de-risk IFMIF, first a test accelerator 'LIPAc' is being built



Installation of 'LIPAc' test accelerator has started in Japan

Accelerator Driven Systems

Transmutation of nuclear waste isotopes or energy generation



Thorium

Major challenges for accelerator technology in terms of beam power (>10MW) and reliability

6. Historical and cultural applications

Radiocarbon Dating







For more accuracy, isolate C-14 from other isotopes
“AMS” = Accelerator Mass Spectrometry

Accelerators can study art



Patch of Grass, spring 1887, F583/JH1263, KM 105.264 (30,8 x 39,7 cm), Kröller-Müller Museum
(Photo: Rik Klein Gotink)

This painting "Patch of grass" by Vincent van Gogh was the first one analysed by a particle accelerator

Used X-ray fluorescence technique
Distribution of Hg and Sb pigment allowed a reconstruction of underlying image

It showed a portrait of a woman underneath

http://www.javno.com/en-bestseller/van-gogh-first-victim-of-particle-bombarding_185316

Accelerators can help spot art forgeries

Ion Beam Analysis shows us the chemical composition of pigments used in paint

This allows art historians to compare them with paints available to artists like Leonardo da Vinci



Accelerators in archaeology

The interior of samples can be studied using accelerators without destroying them



Pottery from Armenia, dating back to 1300 BC,
is set up for a synchrotron experiment

Image: Argonne National Laboratory

Accelerators can make food taste better

Cadbury used X-rays from a particle accelerator to study how cocoa crystallises

Of the six possible crystal forms, the fifth (form V) produces the best quality chocolate



Finally, just one more application…

Detecting wine fraud

Use ion beam to test the bottle of "antique" wine – chemical composition of the bottle compared to a real one.

"In a recent and spectacular case, American collector William Koch sued a German wine dealer, claiming four bottles – allegedly belonging to former U.S. president Thomas Jefferson – purchased for 500,000 dollars, were fake. The case has yet to be settled."

- http://www.cosmosmagazine.com


HOME » NEWS » SCIENCE » SCIENCE NEWS

Atomic boffins spot fake wines

0 0 0 0 Email

Bottles are zapped with beams of charged ions generated by a particle accelerator

Bottles are zapped with beams of charged ions generated by a particle accelerator

By Roger Highfield, Science Editor
7:25PM BST 03 Sep 2008

A rare wine merchant has joined forces with nuclear scientists to develop a 21st-century tool for unmasking counterfeit vintage wines.

Next time someone asks you what accelerators are for…

"A beam of the right particles with the right energy at the right intensity can shrink a tumor, produce cleaner energy, spot suspicious cargo, make a better radial tire, clean up dirty drinking water, map a protein, study a nuclear explosion, design a new drug, make a heat-resistant automotive cable, diagnose a disease, reduce nuclear waste, detect an art forgery, implant ions in a semiconductor, prospect for oil, date an archaeological find, package a Thanksgiving turkey or…

…discover the secrets of the universe."

-Accelerators for Americas Future Report, pp. 4, DoE, USA, 2011

Accelerators in the world >24000





Engines of Discovery. A Century of Particle Accelerators. Andrew Sessler, Edmund Wilson

Source (2007):
http://www.worldscientific.com/worldscibooks/10.1142/6272