

Contribution ID: 41

Type: not specified

The dipole picture and the non-relativistic expansion

Wednesday 18 September 2019 17:20 (25 minutes)

Exclusive quarkonium production offers one of the best ways to obtain information about gluon distributions at small x, in ultraperipheral heavy-ion collisions and deep inelastic scattering. The quarkonium light-cone wave functions needed in the dipole picture have typically been available only at tree level, either in phenomenological models or in the nonrelativistic limit. In this talk, we discuss the compatibility of the dipole approach and the non-relativistic expansion and compute NLO relativistic corrections to the quarkonium light-cone wave function in light-cone gauge. Using these corrections we recover results for the NLO decay width of quarkonium to e^+e^- and we check that the non-relativistic expansion is consistent with ERBL evolution and with B-JIMWLK evolution of the target. The results presented here will allow computing the exclusive quarkonium production rate at NLO once the one loop photon wave function with massive quarks, currently under investigation, is known.

Author: ESCOBEDO, Miguel A. (IGFAE-Universidade de Santiago de Compostela)
Co-author: Prof. LAPPI, Tuomas (University of Jyväskylä)
Presenter: ESCOBEDO, Miguel A. (IGFAE-Universidade de Santiago de Compostela)
Session Classification: Parallel 2

Track Classification: Small-x physics and heavy ions