

KY electroproduction at CLAS12

Thursday, 13 June 2019 17:00 (30 minutes)

An experimental program has been approved at the Thomas Jefferson National Accelerator Facility to measure the $(ep,e^+K^+)Y$ reactions using the CLAS12 setup in Hall B.

Data have been obtained using electron beams with energies of 6.5, 7.5, and 10.2 GeV, impinging upon a liquid hydrogen target in the CLAS12 center. Scattered electrons have been detected in an angle range of 2.5° to 4.5° by the Forward Tagger (FT) and at angles greater than 6° in the CLAS12 Forward Detector, allowing to measure the KY electro-production differential cross section and to probe the Q^2 evolution of the N resonances electro-couplings in the Q^2 range from 0.05 GeV^2 to 3 GeV^2 .

The study of the Q^2 dependence of the electro-couplings will provide a crucial tool to investigate the possible hybrid nature of the N resonances. Preliminary results from CLAS12 data are compared with simulated data using a realistic Gent Regge plus resonance event generator.

Primary author: LANZA, Lucilla (INFN - National Institute for Nuclear Physics)

Presenter: LANZA, Lucilla (INFN - National Institute for Nuclear Physics)

Session Classification: Parallel Session C

Track Classification: Baryon structure through meson electroproduction, transition form factors, and time-like form factors