

# The Asian Network School and Workshop on Complex Condensed Matter Systems 2018



Contribution ID: 12

Type: not specified

## Electronic transport properties of sawtooth penta-graphene nanoribbons under edge passivation by non-metallic atoms

The transport properties of sawtooth penta-graphene nanoribbons (SS-PGNRs) are investigated using density functional theory in combination with nonequilibrium Green function. The configurations are theoretically studied in terms of a bare edge and edges terminated by non-metallic atoms (H, P, Si) such as : symmetrical edge terminations (HH-SS-PG NR, PP-SS-PG NR and SiSi-SS-PG NR) and alternate edge terminations (PH-SS-PG NR and SiH-SS-PG NR). It is found that SS-PG NR band gap can be controlled through changing various edge termination, which leads to the transition from a semiconductor to a half-metal or to a metal. In effect on transport properties, P and Si atoms improve significantly the current intensity in alternate cases. The obvious reduction of current is observed in HH-SS-PG NR and PP-SS-PG NR. Interestingly, oscillation current-voltage characteristic appears when PG NR is passivated symmetrically by Si atoms. These outcomes derive from the strong dependence of SS-PGNRs on type of terminated atom at the edge of ribbon and could be used to design novel nano-electronic devices.

**Primary authors:** Mr TRUNG PHUC, Vo (Can Tho University); Dr BICH THAO, Pham Thi (Can Tho University); Prof. THANH TIEN, Nguyen (Can Tho University)

**Presenter:** Mr TRUNG PHUC, Vo (Can Tho University)