






Scientific Motivation Overview

Giovanni Villadoro










Still So Much to be Explained

- Dark Matter
- Neutrino Masses
- Quantum Gravity




(WIMPS?, axions?, etc...)

(RH neutrinos?, extra scalars?, etc...)

(String Theory?)

Still So Much to be Explained

- Dark Matter
- Neutrino Masses
- Quantum Gravity




(WIMPS?, axions?, etc...)

(RH neutrinos?, extra scalars?, etc...)

(String Theory?)

- Baryogenesis
- CMB (homogeneity/flatness)




(Leptogenesis? extra EW scalar? etc...)

(Inflaton?)

Still So Much to be Explained

- Dark Matter
- Neutrino Masses
- Quantum Gravity




(WIMPS?, axions?, etc...)

(RH neutrinos?, extra scalars?, etc...)

(String Theory?)

- Baryogenesis
- CMB (homogeneity/flatness)



(Leptogenesis? extra EW scalar? etc...)

(Inflaton?)


- Strong CP Problem: $\theta \lesssim 10^{-10}$ (QCD Axion?)
- Hierarchy Problems: $\Lambda_{CC}^{1/4} \ll m_h \ll M_{Pl}$ (SUSY?, compositeness?, ...)
- Flavour Problem: $m_e \sim 10^{-6} m_t$ (flavons? extra-dim?)



















Precision Physics




$$\mathcal{O} = \mathcal{O}_{SM} + \sum_n c_n \frac{E^n}{M^n}$$





Precision Physics
$$\mathcal{O} = \mathcal{O}_{SM} + \sum_n c_n \frac{E^n}{M^n}$$


Many SM particles discovered in this way























$$N \sim \frac{\rho_{DM}}{m^4 v^3}$$












$$(\square + m^2)\phi = 0$$



$$\mathcal{L} = \sqrt{g} \left\{ R - \frac{1}{4} F^{mn} F_{mn} + \theta F^{mn} \tilde{F}_{mn} \right. \\ \left. + \bar{\Psi} \not{D} \Psi + Y_{ij} H \Psi_i \Psi_j + \text{h.c.} \right. \\ \left. - |D_m H|^2 - V(H) \right\}$$

$$\theta \lesssim 10^{-10}$$

$$\mathcal{L} = \sqrt{g} \left\{ R - \frac{1}{4} F^{\mu\nu} F_{\mu\nu} + \theta F^{\mu\nu} \tilde{F}_{\mu\nu} \right.$$

$$+ \bar{\Psi} \not{D} \Psi + Y_{ij} H \Psi_i \Psi_j + \text{h.c.}$$

$$\left. - |D_\mu H|^2 - V(H) \right\}$$

$$\theta \lesssim 10^{-10}$$

$$\theta \rightarrow \frac{\phi(x)}{M}$$

Axion

$$\mathcal{L} = \sqrt{g} \left\{ R - \frac{1}{4} F_{\mu\nu}^2 + \theta F_{\mu\nu} \tilde{F}_{\mu\nu} \right. \\ \left. + \bar{\Psi} \not{D} \Psi + Y_{ij} H \Psi_i \Psi_j + \text{h.c.} \right. \\ \left. - |D_\mu H|^2 - V(H) \right\}$$

$$\theta \lesssim 10^{-10}$$

$$\theta \rightarrow \frac{\phi(x)}{M}$$

Axion

$$m_\phi \simeq \frac{(75 \text{ MeV})^2}{M}$$

$$\mathcal{L} = \sqrt{g} \left\{ R - \frac{1}{4} F_{\mu\nu}^2 + \theta F_{\mu\nu} \tilde{F}_{\mu\nu} \right. \\ \left. + \bar{\Psi} \not{D} \Psi + Y_{ij} H \Psi_i \Psi_j + \text{h.c.} \right. \\ \left. - |D_\mu H|^2 - V(H) \right\}$$


$$\theta \lesssim 10^{-10}$$




$$\theta \rightarrow \frac{\phi(x)}{M}$$




Axion

$$m_\phi \simeq \frac{(75 \text{ MeV})^2}{M} \sim (10^{-11} \div 10^{-1}) \text{ eV} \\ \sim (10^8 \div 10^{17}) \text{ GeV}$$


$$g_{a\gamma\gamma} a \mathbf{E} \cdot \mathbf{B}$$













$$g_{a\psi} \frac{\partial_\mu a}{2m_\psi} \bar{\psi} \gamma^\mu \gamma_5 \psi$$





Axion-Like Particles (ALPs) [pseudo-Nambu Goldstone bosons]

derivative couplings: $\partial_\mu \phi j_{\text{SM}}^\mu$ $\phi F \tilde{F}$ \dots

Axion-Like Particles (ALPs) [pseudo-Nambu Goldstone bosons]

derivative couplings: $\partial_\mu \phi j_{\text{SM}}^\mu$ $\phi F \tilde{F}$ \dots



Axion-Like Particles (ALPs) [pseudo-Nambu Goldstone bosons]

derivative couplings: $\partial_\mu \phi j_{\text{SM}}^\mu$ $\phi F \tilde{F}$...



Moduli [scalar couplings to matter]

non-derivative couplings: $\phi \bar{\psi} \psi$ ϕF^2 ...

Axion-Like Particles (ALPs) [pseudo-Nambu Goldstone bosons]

derivative couplings: $\partial_\mu \phi j_{\text{SM}}^\mu$ $\phi F \tilde{F}$ \dots



Moduli [scalar couplings to matter]

non-derivative couplings: $\phi \bar{\psi} \psi$ ϕF^2 \dots $g \propto m$

Axion-Like Particles (ALPs) [pseudo-Nambu Goldstone bosons]

derivative couplings: $\partial_\mu \phi j_{\text{SM}}^\mu$ $\phi F \tilde{F}$...



Moduli [scalar couplings to matter]

non-derivative couplings: $\phi \bar{\psi} \psi$ ϕF^2 ... $g \propto m$

Dark Photons [massive spin-1 fields]

$$m^2 A'_\mu{}^2 \quad A'_\mu j_{\text{SM}}^\mu$$

Fundamental Theory?

$$\mathcal{L} = \sqrt{g} \left\{ R - \frac{1}{4} F^{\mu\nu} F_{\mu\nu} + \theta F^{\mu\nu} \tilde{F}_{\mu\nu} \right. \\ \left. + \bar{\Psi} \not{D} \Psi + Y_{ij} H \Psi_i \Psi_j + \text{h.c.} \right. \\ \left. - |D_m H|^2 - V(H) \right\}$$

Fundamental Theory?

$$\mathcal{L} = \sqrt{g} \left\{ R - \frac{1}{4} F^{\mu\nu} F_{\mu\nu} + \theta F^{\mu\nu} \tilde{F}_{\mu\nu} \right. \\ \left. + \bar{\Psi} \not{D} \Psi + \gamma_{ij} H \Psi_i \Psi_j + h.c. \right. \\ \left. - |D_m H|^2 - V(H) \right\}$$

$$e = 0.3028221208\dots$$


$$g_s = 1.21875\dots$$

$$y_e = 0.0000020753784\dots$$

⋮



Fundamental Theory?


$$\mathcal{L} = \sqrt{g} \left\{ R - \frac{1}{4} F^{\mu\nu} F_{\mu\nu} + \theta F^{\mu\nu} \tilde{F}_{\mu\nu} \right. \\ \left. + \bar{\Psi} \not{D} \Psi + Y_{ij} H \Psi_i \Psi_j + h.c. \right. \\ \left. - |D_\mu H|^2 - V(H) \right\}$$

$$e = 0.3028221208\dots$$

$$g_s = 1.21875\dots$$

$$y_e = 0.0000020753784\dots$$


⋮



single unique theory

no free parameters

Fundamental Theory?


$$\mathcal{L} = \sqrt{g} \left\{ R - \frac{1}{4} F^{\mu\nu} F_{\mu\nu} + \theta F^{\mu\nu} \tilde{F}_{\mu\nu} \right. \\ \left. + \bar{\Psi} \not{D} \Psi + Y_{ij} H \Psi_i \Psi_j + h.c. \right. \\ \left. - |D_\mu H|^2 - V(H) \right\}$$

$$e = 0.3028221208\dots$$

$$g_s = 1.21875\dots$$

$$y_e = 0.0000020753784\dots$$

⋮




single unique theory

no free parameters

e.g. ~ General Relativity (+Maxwell), massless QCD, ...

Fundamental Theory?


$$\mathcal{L} = \sqrt{g} \left\{ R - \frac{1}{4} F^{\mu\nu} F_{\mu\nu} + \theta F^{\mu\nu} \tilde{F}_{\mu\nu} + \bar{\Psi} \not{D} \Psi + Y_{ij} H \Psi_i \Psi_j + h.c. - |D_\mu H|^2 - V(H) \right\}$$

$$e = 0.3028221208\dots$$

$$g_s = 1.21875\dots$$

$$y_e = 0.0000020753784\dots$$


⋮




single unique theory

no free parameters

e.g. ~ General Relativity (+Maxwell), massless QCD, ...





String Theory



$$g_i \rightarrow \phi_i(x) \quad \langle \phi_i(x) \rangle = g_i$$


$$g_i \rightarrow \phi_i(x)$$

$$\langle \phi_i(x) \rangle = g_i$$




$$g_i \rightarrow \phi_i(x)$$

$$\langle \phi_i(x) \rangle = g_i$$




(e.g. Higgs)




$$g_i \rightarrow \phi_i(x)$$

$$\langle \phi_i(x) \rangle = g_i$$




$$E \ll m_\phi$$



(e.g. Higgs)





$$E > m_\phi$$

(e.g. Axion)






Multiverse



Multiverse



Fundamental question for fundamental constants...

$$e = 0.3028221208\dots$$

$$g_s = 1.21875\dots$$

$$y_e = 0.0000020753784\dots$$




Fundamental question for fundamental constants...

$$e = 0.3028221208\dots$$

$$g_s = 1.21875\dots$$

$$y_e = 0.0000020753784\dots$$



by consistency?

$$f(e, g_s, y_e, \dots) = 0$$



Fundamental question for fundamental constants...

$$e = 0.3028221208\dots$$

$$g_s = 1.21875\dots$$

$$y_e = 0.0000020753784\dots$$

by consistency?

$$f(e, g_s, y_e, \dots) = 0$$

by dynamics?

$$\langle \phi_i(x) \rangle = g_i$$



Fundamental question for fundamental constants....

$$e = 0.3028221208\dots$$

$$g_s = 1.21875\dots$$


$$y_e = 0.0000020753784\dots$$

by consistency?

$$f(e, g_s, y_e, \dots) = 0$$

by dynamics?

$$\langle \phi_i(x) \rangle = g_i$$



A new Copernican revolution?

How can we tell?

