



Contribution ID: 916

Type: **Poster Presentation**

M2Po2E-01 [49]: Assessment of current-sharing of fully-excited Nb₃Sn Rutherford cable with modified ICR at 4.2 K using a superconducting transformer

Tuesday, July 23, 2019 1:30 PM (2 hours)

Current-sharing was measured for fully-excited Nb₃Sn Rutherford cable at 4.2 K and various I/I_c , using a superconducting transformer. Interstrand contact resistance was modified by different preparation conditions: as-is and low temperature vacuum diffusion bonding. Measurements were performed in pool boiling liquid helium in background fields of up to 15 T with magnetic fields applied parallel to the flat face of the cable. Normal-zones were initiated with surface mounted graphite epoxy heaters. Normal-zone formation was monitored using voltage taps and Type-E thermocouples. The results were correlated with interstrand contact resistance values, themselves a function of the cable preparation protocol. These experimental results are discussed in terms of a stability diagram, and interpreted in terms of a model discussing the importance of minimum quench power and different quench behaviors.

Primary author: KOVACS, Chris (The Ohio State University)

Co-authors: SUMPTION, Mike (The Ohio State University); BARZI, Emanuela (Fermilab); Dr ZLOBIN, Alexander (Fermilab); MAJOROS, Milan (The Ohio State University)

Presenter: KOVACS, Chris (The Ohio State University)

Session Classification: M2Po2E - LTS Cables - Fabrication and Characterization