



MT 26
International Conference
on Magnet Technology
Vancouver, Canada | 2019

Contribution ID: 650

Type: **Poster Presentation**

Wed-Af-Po3.18-04 [40]: Electromagnetic properties of REBCO coated conductor with multi-superconducting layers

Wednesday 25 September 2019 14:00 (2 hours)

The enhancement of engineering current density, J_e is one of important issues in conductors for high performance superconducting magnets. In order to obtain the higher J_e of high temperature superconducting (HTS) REBCO conductor, we adopted the laminate structure consisting of three REBCO superconducting layers on one common IBAD processed substrate. In this study, we have fabricated various conductor samples with three HTS layers by using two types of REBCO tapes supplied from different companies, where one was HTS layer with artificial pinning centers, L_REBCO (APC) and the other was that without APC, L_REBCO. We evaluated in-field critical current density, J_c property of 3-HTS layered REBCO conductor samples in the magnetic field range of 0 to 6 T. And also investigated the influence of REBCO layer with APC on the improvement of in-field J_c property for samples with four different layer structures of L_REBCO(APC)/L_REBCO/L_REBCO(APC), L_REBCO(APC)/L_REBCO/L_REBCO, L_REBCO/L_REBCO/L_REBCO and L_REBCO(APC)/L_REBCO(APC)/L_REBCO(APC). Detailed results will be presented in the conference.

Author: Dr OH, Sang-Soo (Korea Electrotechnology Research Institute)

Co-authors: Dr HA, Hongsoo (Korea Electrotechnology Research Institute); Dr KIM, Ho-Sup (Korea Electrotechnology Research Institute); Mr KIM, Gwan Tae (Korea Electrotechnology Research Institute); Mr NO, Hyunwoo (Korea Electrotechnology Research Institute)

Presenter: Dr OH, Sang-Soo (Korea Electrotechnology Research Institute)

Session Classification: Wed-Af-Po3.18 - REBCO Wires & Cables III