MT26 Abstracts, Timetable and Presentations



Contribution ID: 773

Type: Poster Presentation

Wed-Af-Po3.25-04 [108]: Performance of MgB2 Superconductor developed for high-efficiency Klystron Applications

Wednesday 25 September 2019 14:00 (2 hours)

The performance of MgB2 wire (O.D. = 0.67 mm, Length = 8 km) made for a prototype solenoid magnet for X-band (12 GHz) klystron are presented. This solenoid magnet is fabricated by using Wind & React method and is operated as a cryogen-free magnet at 20 K. In this paper, tensile- and bending-stress tolerances of the non-reacted wire and the properties (Ic-B-T, RRR and homogeneity) of the reacted wire are presented. These properties are used for designing a small test coil and the magnet for the klystron application. In addition, to realize the MgB2 coils by using React & Wind method in future, the minimum bending radius of the reacted wire is discussed.

Primary authors: Dr TANAKA, Hideki (Hitachi, Ltd.); Mr SUZUKI, Takaaki (Hitachi, Ltd.); Dr KODAMA, Motomune (Hitachi, Ltd.); Mr KOGA, Tomoyuki (Hitachi, Ltd.); Mr WATANABE, Hiroyuki (Hitachi Co. Ltd.); MICHIZONO, Shinichiro (KEK)

Presenter: Dr TANAKA, Hideki (Hitachi, Ltd.)

Session Classification: Wed-Af-Po3.25 - MgB2 and Iron-Based