

# CephFS: looking for the Swiss Army knife of POSIX filesystems

Mattia Belluco

mattia.belluco@uzh.ch S3IT - Services and Support for Science IT

## What is S3IT?



A partner for data and compute-intensive science:

- ▶ **Enable** researchers and projects to run simulations and data analysis.
- ▶ **Develop** tools to integrate, automate and scale scientific use cases.
- ▶ **Provide** access to *innovative* infrastructures and technologies.

#### Infrastructure

## We currently provide access to:

- ► An openstack deployment with 420 compute nodes.
- ▶ 2 Ceph clusters of 5 and 1.7 PB of raw capacity respectively.
- ► Several HPC-like resources.
- ▶ A time share on the CSCS Piz Daint super computer in Lugano.

#### More detailed information at:

https://www.zi.uzh.ch/en/teaching-and-research/science-it/infrastructure.html

## **Evolution of our HPC resources**

#### 2014-2016

- ► SGI UV 200
  - 96 cores
  - 4 TB of RAM

- ► HA NFS fileserver
  - 72 × 2TB disks
  - FC connection

## **Evolution of our HPC resources**

#### 2017-2018

- ▶ 6 nodes
  - 384 cores
  - 18 TB of RAM
- ▶ 5 nodes
  - 40 nVidia K80 GPUs

- ► HA NFS fileserver exporting /home
  - 72 × 2TB disks
  - FC connection
- ➤ ZFS fileserver w JBOD exporting /scratch
  - 192 × 8TB disks
  - SAS expander

Additional nodes were expected for the end of 2018: it was increasingly clear that our Storage System needed an overhaul.

# Requirements for a new data storage system

- ► POSIX compliance
- ► Reliability
  - at least comparable to RAID 6
- ► Expandability/scalability
  - the main pain point of the previous system
- ▶ Performance
  - HPC users have certain expectations
- ► Cheap
  - avoid expensive licenses

#### Nice-to-have

- ► Decoupled
  - a surge of traffic to a specific filesystem (or directory) should not cause a degradation in other parts of the system.
- ▶ Quota support
  - to avoid users filling up the whole filesystem.
- ► Have a mechanism to give users access to their shares from machines we don't directly control

# The most important requirement: flexibility



Our requirements are constantly changing: we need a flexible tool to keep up with them.

## Why Ceph

We have been using Ceph since 2015: proven track record. Reliability and expandability/scalability are not a concern.

New Luminous release packed with features

- ▶ BlueStore backend:
  - Full data and metadata checksums of all data stored by Ceph
  - Erasure coded pools with full support for overwrites
- ► CephFS:
  - Multiple active MDS daemons dynamically adjustable at runtime.
  - CephFS directory fragmentation.
  - Directory subtrees pinning.

#### **Testbed**

#### We started small end of 2017:

- ▶ 3 Monitor nodes
- ▶ 3 nodes
  - SSDs for journals
  - 72 OSDs on spindles
  - Jewel release
    - CephFS finally stable.
    - Only one release away from our production cluster

## Synthetic workloads to mimic the code run by our users

- ▶ lots of metadata operations
- ▶ moving big files
- ► concurrent access/modifications of files from multiple clients

The first issues began to surface...

## Problem 1: Where to store the metadata

- ► Issue: Slow metadata access was compromising the performance of the whole cluster:
- ► Fix: We added one NVME to each node for the metadata pool and the situation got dramatically better

# Problem 2: Failing to respond to cache pressure

- ► Issue: "failing to respond to cache pressure" showed up from time to time with several different workloads.
- ► Fix: upgrading to Luminous solved the issue.

## **Key decisions**

- ▶ We did not want to integrate CephFS into the existing Ceph cluster.
  - New features roll out impacts only on the HPC infrastructure.
  - No need to wait for the upgrade of the main cluster.
- ▶ We wanted to use the kernel driver for performance reasons.
  - We decided to deploy Mimic ⇒ it had quota support for it!

# **Production deployment**

- ▶ 3 MONs (single socket 64 GB of RAM)
- ▶ 120 OSDs (10 servers, 12 x 8TB spindles, a 1,6 TB NVME, 256 GB of RAM)

## From previous purchases:

- ▶ 2 MDSes (existing nodes with 64 GB of RAM ⇒ big mistake)
- ▶ 40 solid state OSDs (5 servers, 5 x 1,6 TB enterprise SSDs, 32GB RAM)

We tried to get the new nodes single socket but the vendor came up with some excuses and gave us the second processor for free.

# Deployed in stages



- Jan 2019: SSDs backed FS (Replica
   for /home and /data
- 2. Feb 2019:
  HDDs backed FS (EC 4+2)
  for /scratch
- 3. May 2019: added more nodes as usage increased

## Pain point: quota

We deployed Mimic because of the quota support however:

▶ only from kernel  $4.15 \Rightarrow$  we are still working on upgrading the infrastructure

#### Our solution:

- ▶ leverage getfattr to script out excuses from our users.
- ▶ add a wrapper to show the information at login and **delay** login with a message if over quota.



# Lessons learned: Design

- ▶ provision the fastest storage you can afford for your metadata
- ► MDS should have enough RAM and computing power
  - they become single point of failure for the whole cluster (multi MDSes helps but does not do miracles)
- ► multi active MDSes work better if you can foresee the hotspots and pin directory accordingly
- ▶ using more than one filesystem is a bad idea:
  - still experimental, at least in Mimic.
  - does not provide any clear advantage (at least in our case)
- ► RocksDB partition size: 4% of the available space is not always needed but you should not be too cheap otherwise you risk spilling over to slower storage and degrade performances.

# **Lessons learned: Operations**

- ► Ceph deals with disk failures quite gracefully but you are better off with decent drives as swapping drives is no fun.
- ▶ you should not use du unless you really need to: it's painfully slow and getfattr -d -m ceph.dir.rbytes works much better.
  - ▶ the flexibility of controlling filesystem related parameters like quotas and directory pinning via extended attributes is amazingly convenient.
  - ▶ you should be extra careful about your ceph.conf as some directives can have confusing names: mds cache size and mds cache memory limit comes to mind.
  - kernel clients are not properly identified by the ceph features command:
    - to use pg-upmap on your cluster (that needs at least Luminous clients) it is enough to have a kernel > 4.13 despite what ceph features reports.

#### **Current status**

- ▶ 6 nodes
  - 384 cores
  - 18 TB of RAM
- ▶ 5 nodes
  - 40 nVidia K80
- ➤ 2 nodes (4 by the end of this year)
  - 48 cores
  - 16 nVidia V100 GPUs
  - Infiniband
- ▶ 16 nodes
  - 384 cores
  - 6 TB of RAM
  - Infiniband
- ▶ 30 cloud workers

► CephFS to serve both /home and /scratch

## **Future plans**

- ▶ Leverage the multiple data pools support in CephFS to:
  - Make it cheaper: more aggressive EC profile 6+2 or 8+2 with compression for warm data, no NVME (we would rely on the already existing metadata pool).
  - Make it simpler: deploy the all-flash tier as an additional datapool to get rid of the second filesystem.
- ► Make it more tolerant to users' mistakes: periodic user accessible snapshots to retrieve data previously deleted/modified.