

Student's Zone 2019 of the NICA Project

Saturday 01 June 2019 - Monday 30 September 2019

JINR DUBNA

__Ax.png __Ax.bb __Ax.png”

Book of Abstracts

Contents

Analysis of background radiation with a scintillation counter 82	1
Analysis of tracking efficiency and momentum resolution for MPDRoot 4	1
Android application for monitoring data from the Slow Control System for the TOF-MPD detector 14	1
Application of PROOF system to optimization processes of physical analysis for the MPD experiment 79	1
Automatic, multipoint, high precision system for temperature measurement. 39	2
Cable tester design for NICA-MPD Platform 104	2
Call for Abstracts Time synchronization of electronic devices in RACKs NICA-MPD-PLATFORM using GPS NI-9467-c-RIO 69	3
Collaboration tools for MPD 6	3
Cosmic ray measurements - using those detectors in huge physical experiments as LHC or NICA. 40	3
Data aquisition from spectrometry and dosimetry systems using LabView environment 93	4
Design and heat transfer simulations for the MPD-TOF detector cooling system 101 . . .	4
Design and heat transfer simulations for the TOF_MPD detector cooling systemDesign and heat transfer simulations for the tof-mpd detector cooling system 57	5
Development and optimization of detector visualization and MPD data 81	5
Development of software for monitoring temperature inside the MPD-TOF detector 13 .	5
Development of the PLC controller software for the Mixer module of the MPD/TOF Gas System 20	6
Development of the PLC controller software for the Recirculation module of the MPD/TOF Gas System 21	6
Development of the SCADA software for MPD/TOF Gas System in the Simens WinCC 19	6
Development of the data logging, archiving and exporting to database parameters of the MPD/TOF Gas System control software 24	7
Development of visualisation for MPD experiment 71	7

Dosimetry setup prototype design for NI myRIO embedded device 34	7
Drive r, ϕ . 45	7
Drive x, y, z. 44	8
Embedded data processing using Xilinx SoC and LabVIEW for magnetic field measurements 92	8
Emergency situations testing and error handling of the MPD/TOF Gas System control soft- ware 23	9
EqDb Equipment Database. 47	9
Experimental measurement of the level of transmutation and neutron flux density in sub- critical nuclear reactors ADS. 41	10
Feasibility studies of baryon correlations in the MPD experiment at the NICA complex 1	10
Fiber Optics splicing 37	11
Gas Supply project for the MPD/TOF Gas System 26	11
Generation of large UrQMD Monte-Carlo datasample with MPDRoot 2	11
Generation of large vHELLE datasamples with MPDRoot 3	11
Group collaboration tools for the software of MPD 31	12
Heat transfer simulation of the MPD-ITS detector 10	12
Heat transfer simulation of the MPD-TOF detector 8	12
Heat transfer simulation of the MPD-TPC detector 9	12
Heat transfer simulations for the PXI module and the CAEN module 58	13
Image taken by Fluke TiS20 visualization by LabVIEW 12	13
Implementation of THERMINATOR generator in the MpdRoot environment. 77	14
Implementation of THERMINATOR generator to the MpdRoot environment. 73	14
Implementation of algorithms for reconstruction and identification of baryons, including strange baryons, in MPD experiment 83	14
Inner tracker development 32	15
Installation and implementation of JIRA and Confluence ATLASSIAN platforms for the Engineering Support for NICA Group. 43	15
Integration of temperature monitoring software inside RACK Master and Slave 19 "cabinets for the Slow Control System for the TOF-MPD detector 15	15
Integration of temperature monitoring software inside the Master and Slave 19 " RACK cabinets for the Slow Control System of the MPD-TOF detector 86	16
Integration of the Therminator model with the MpdRoot environment 85	16

Laboratory infrastructure 46	16
Management of large-scale physics simulations 5	17
Management of the Monte Carlo simulation process in the MPD experiment on the NICA cluster 88	17
Mobile application for the MPD/TOF Gas System monitoring 17	17
Model of the MPD Multi-Detector prepared with a 3D printing method 18	18
Model of the MPD detector 33	18
Modeling of K+K- femtoscopic correlations in p+Pb collision using the Therminator2 model 11	18
Modelling Au-Au collisions in NICA collider energy spectrum using MPD programming environment 87	18
Modelling Au-Au collisions in NICA collider energy spectrum using MPD programming environment 84	19
Monitoring and stabilisation inside the testing laboratory of MPD - TOF 72	19
NICA-MPD-PLATFORM (NMP) 48	19
NMP Access Control 59	20
NMP Alpha, beta, gamma monitoring 56	20
NMP Cable tester 51	21
NMP Configurable screen for the control room. 49	21
NMP Environmental monitoring MPD 61	22
NMP GPS Synchronization 63	22
NMP Grounding monitoring 52	23
NMP IPD Intelligent Power Distributor 53	23
NMP IntelliPhy 54	24
NMP Monitoring of the Earth's magnetic field 55	24
NMP SCADA WinCC 50	25
NMP Temperature monitoring 60	25
Naming and Numbering Convention for the NICA Project Part Identification & Generic Scheme 66	26
Naming and numbering application development for Equipment Database 36	26
Non-organic surface modification with the solid state particle removal. 7	26
ON-OFF control module with thermistor , using NImyrio 67	27

Optical gate of asynchronous work interruptions of the measuring system with acoustic signaling in NiMyRIO technology 75	27
Optimization of the gas distribution system for the MPD-TOF detector module 100	27
Pressure transmitters, mass flow controllers and control valves calibration and preparation for operation 25	28
Quality Assurance of particle collision simulation in MPDRoot 80	28
R&D of the r, ϕ scanner mechanical construction for the scintillator detector background radiation measurements 90	28
Remote control development for LabVIEW projects 35	29
Setup of the NICA computing cluster 28	29
Simulation of the MPD/TOF Gas System operation in the Fluidsim environment 22	29
Software development for MPD 27	29
Software for device designed to measure radiation absorption of various materials 64	30
Studies of the MPD/TOF detector efficiency and time resolution for varying gas mixture components concentration. 16	30
Study of magnetic field in MPD surrounding 76	30
TPC detector construction 29	31
TPC read-out chambers development 30	31
Temperature sensors for controlling the drive in NiMyRIO technology 65	31
The prototype of an air based cooling system for the Slow Control System of the MPD-TOF detector 91	32
Time synchronization of electronic devices in RACKs NICA-MPD PLATFORM using GPS NI-9467 cRIO 94	32
Time synchronization of electronic devices in RACKs NICA-MPD-PLATFORM using GPS NI-9467-c-RIO 68	32
Upgrade of the MPD/TOF Test Stand Gas System and Control Software 70	33
Why did you come to Dubna? 38	33
XYZ Scanner 78	33
α, β, γ radiation monitoring in the working area of the MPD Slow Control electronic equipment 74	34

TeVFeNICA and Slow Control final presentations / 82**Analysis of background radiation with a scintillation counter**

Authors: Kamila Kempny^{None} ; Paweł Dębowski^{None} ; Anna Kierznowska^{None}

Corresponding Authors: kamilakem1@hotmail.com, pawdeb42@gmail.com, anna.kierznowska2@gmail.com

The project concerns an analysis of background radiation with a scintillation counter. It included a series of measurements in different external conditions and attitude of the device. The analysis and comparison of the results was carried out in terms of the use of the device in the NICA project. Conclusions pointed out some of device's flaws which should be taken into consideration during the final experiment.

Presentations of topics / 4**Analysis of tracking efficiency and momentum resolution for MPDRoot**

Author: Adam Kisiel¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: kisiel@if.pw.edu.pl

Analysis of tracking and PID efficiency in large Monte-Carlo simulations with MPDRoot

Presentations of topics / 14**Android application for monitoring data from the Slow Control System for the TOF-MPD detector**

Author: Krystian Roslon¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: krystian.roslon@cern.ch

Android application for monitoring data from the Slow Control System for the TOF-MPD detector

TeVFeNICA and Slow Control final presentations / 79**Application of PROOF system to optimization processes of physical analysis for the MPD experiment**

Author: Kacper Skelnik^{None}

Corresponding Author: kacske@wp.pl

Main goal of my presentation is to show: basic of developing a TSelector, automatization of processes of physical analysis (from users perspective), results (speed up, data quality, efficiency). I

going to discuss nowadays benefits of using PROOF (in the simplest version), and few ideas for the future

Presentations of topics / 39

Automatic, multipoint, high precision system for temperature measurement.

Author: Marcin Bielewicz¹

Co-authors: Krystian Roslon²; Marek Peryt³

¹ *Nacional Centre for Nuclear Research*

² *Warsaw University of Technology (PL)*

³ *Warsaw University of Technology*

Corresponding Author: marcin.bielewicz@ncbj.gov.pl

Goal:

In the nuclear processes main interest is the level of energy production. One of the methods of determining this value is a multi-point, high precision measurement of temperature change. The goal of this project is to design a measuring system that solves the problem described. Then the manual preparation of the measuring device, make a software for it and to perform a real temperature measurements. We use temperature high precision sensors type Pt 100, and LUMEL measurement modules. The set should be programmed for online working with the computer control. We will use the LabView environment for it. The set will be useful for calibration other less precision systems.

Description of the exercise:

1. Discussion of the issue of ADS reactors and temperature measurement.
2. Visiting of experimental site and the accelerators site.
3. Construction of an electronic measuring system (based on ready-made components) based on high precision PT100 platinum sensors and the RS-485 protocol.
4. Create Measuring system software (or upgrade of existing software) using the LabView environment.
5. Calibration of the measuring system.
6. Temperature measurements, normalization of results and their comparison with other results - practical analysis of the obtained results.
7. Preparation the own speech at the end of the student practice and for the conference after that, and preparation the publication together with the practice supervisor based on the obtained results.

Requirements for the students:

The subject is addressed to students interested in electronics, practical measuring systems and nuclear physics.

Basic knowledge of electronic layout.

Basic skills in using Excel program and the LabView environment.

Exercise for up to 4 students

TeFeNICA and Slow Control final presentations / 104

Cable tester design for NICA-MPD Platform

Authors: Grzegorz Nakielny¹; Marek Peryt¹

Co-authors: Marcin Bielewicz²; Daniel Dabrowski³; Nikita Dunin⁴; Adam Kisiel³; Michalina Milewicz-Zalewska⁵; Krystian Roslon³

¹ *Warsaw University of Technology*

² *Nacional Centre for Nuclear Research*

³ *Warsaw University of Technology (PL)*

⁴ *JINR*

⁵ *Joint Institute for Nuclear Reactions*

Corresponding Author: g.nakielny@gmail.com

Such big experiments as NICA-MPD come along with a lot of multi-device connections. Therefore, the results of research may depend on quality and correct connection of signal cables. In this talk a complete design of cable tester for the NICA-MPD Platform will be shown, including software, electrical, and mechanical aspects of the device. The project layout has been optimized to provide possibility to check and validate the most popular signal cables. The device assembly process has been designed to meet the requirements of application in standard RACK cabinets.

TeVFeNICA and Slow Control final presentations / 69

Call for Abstracts Time synchronization of electronic devices in RACKs NICA-MPD-PLATFORM using GPS NI-9467-c-RIO

Authors: Kamil Chęć^{None}; Piotr Sawicki^{None}

Corresponding Authors: k.chech.prv@gmail.com, psrubing@gmail.com

In order to provide the same time to every devices there is a need to construct special system. In NICA project synchronization will be managed by GPS. System designers can use this module for accurate data timestamping, system clock setting, gating data acquisition based on the arrival of the PPS and synchronizing global waveform acquisition data using the FPGA.

Presentations of topics / 6

Collaboration tools for MPD

Author: Adam Kisiel¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: kisiel@if.pw.edu.pl

Development, testing, deployment and maintenance of the collaboration and management IT tools for large-scale scientific collaboration - case study for the MPD Collaboration. Evaluation of the common tools: Trello, Discourse, Wiki, etc.

Presentations of topics / 40

Cosmic ray measurements - using those detectors in huge physical experiments as LHC or NICA.

Author: Marcin Bielewicz¹

¹ *Nacional Centre for Nuclear Research*

Corresponding Author: marcin.bielewicz@ncbj.gov.pl

Goal:

Large detectors like ALICE in CERN are often equipped with additional cosmic ray detectors. These detectors are used to obtain information about which tracks inside the detector came from the passage of a particle coming from an atmospheric cascade (eg: muons), and are not a product of an internal collision. They are also very useful for calibrating detectors such as TOF or TPC. The nature of radiation changes in relation to the direction in the sky which we observe as well as the influence of very thick walls or ground. The goal of this exercise is to self build a small cosmic ray detector and making real measurements using it, and analyzed received results.

Description of the exercise:

1. Discussion of the issue of wide atmospheric showers and cosmic irradiation.
2. Construction of a small detector based on a scintillator and optical element SiPM type.
3. Carrying out measurements of cosmic radiation and determining the azimuth angle and the environment dependence.
4. Understanding the "arduino" control system and its programming.
5. Presentation the Cosmic Watch and CREDO program and the new cosmic radiation detector for the NICA collider (MCORD).
6. Preparation the own speech at the end of the student practice and for the conference after that, and preparation the publication together with the practice supervisor based on the obtained results.

Requirements for the students:

The subject is addressed to students interested: practical measurement systems, astrophysics, nuclear physics and electronics.
Basic knowledge of electronic layout.
Basic skills in using Excel program.

TeVFeNICA and Slow Control final presentations / 93

Data acquisition from spectrometry and dosimetry systems using LabView environment

Authors: Urszula Dąbrowska¹ ; Ewelina Kołpa¹ ; Paulina Zawadzka¹

¹ *Warsaw University of Technology*

Corresponding Authors: ula.dabrowska.95@gmail.com, ewelina.kolpa2204@gmail.com, paulina.konstancja612@gmail.com

During one month of work we focused on completing two main tasks. One of them was to modify existing software programs for three types of detectors: SiPM spectrometer, Geiger- Mueller counter and Gamma-Scout dosimeters. All the programming was done in LabView graphical development environment. Our second assignment was to measure radiation intensity in three different surroundings: inside the rack, inside the building and outside the building. The aim was to measure the background radiation which would be needed for correct interpretation of data acquired during NICA experiment. We used dosimeters connected to computers by USB interface. All data was compared and statistically analysed. Except that, we connected all dosimeters to Ethernet to extend range of future measurements.

TeVFeNICA and Slow Control final presentations / 101

Design and heat transfer simulations for the MPD-TOF detector cooling system

Authors: Agata Ptak¹ ; Maciej Czarnynoga^{None} ; Krystian Roslon^{None}

Co-authors: Marcin Bielewicz ; Daniel Dąbrowski ; Nikita Dunin ; Adam Kisiel ; Michalina Milewicz-Zalewska ; Marek Peryt

¹ WUT

Corresponding Author: agataptak3114@gmail.com

Electronic devices' overheating may cause functioning problems and production of inaccurate data in the experiment's detectors. The aim of the project was to design the most optimal and efficient way of cooling the MPD-TOF detector's module, to ensure the optimal operating condition for the Front End Electronics. The work consisted of preparing detailed CAD model of the existing module and proposed cooling system, and performing CFD simulations of heat transfer inside the module.

Presentations of topics / 57

Design and heat transfer simulations for the TOF_MPD detector cooling system

Author: Maciej Czarnynoga¹

¹ Politechnika Warszawska

Corresponding Author: maciejczarnynoga@gmail.com

Design and heat transfer simulations for the TOF-MPD detector cooling system

TeFeNICA and Slow Control final presentations / 81

Development and optimization of detector visualization and MPD data

Author: Arkadiusz Czarnecki¹

¹ Warsaw University of Technology

Corresponding Author: a.czar200@gmail.com

To properly simulate what happens after two particles collide in a detector one needs a properly modeled geometry of said machine. For later physical analysis it is important to know exactly what are its dimensions, where is it located in space, where are the particles located, what tracks did they leave. Also knowing how to add new detector or detector parts and where to put them in the code is important as well.

Presentations of topics / 13

Development of software for monitoring temperature inside the MPD-TOF detector

Author: Krystian Roslon¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: krystian.roslon@cern.ch

The main task of the student will be to design the execution and software of the electronic system for measuring and monitoring the temperature of the detector elements based on platinum Pt100 thermoresistors. In order to acquire data, the student should use LabVIEW software and LUMEL SM1 modules. As part of the implementation of the subject of engineering work, there should also be a PCB design that implements the multiplexer task, which will be used in measuring the temperature inside the MPD-TOF detector.

Presentations of topics / 20

Development of the PLC controller software for the Mixer module of the MPD/TOF Gas System

Author: Daniel Dabrowski¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: daniel.dabrowski@cern.ch

Development of the PLC controller software for the Mixer module of the MPD/TOF Gas System

Presentations of topics / 21

Development of the PLC controller software for the Recirculation module of the MPD/TOF Gas System

Author: Daniel Dabrowski¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: daniel.dabrowski@cern.ch

Development of the PLC controller software for the Recirculation module of the MPD/TOF Gas System

Presentations of topics / 19

Development of the SCADA software for MPD/TOF Gas System in the Simens WinCC

Author: Daniel Dabrowski¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: daniel.dabrowski@cern.ch

Development of the SCADA software for MPD/TOF Gas System in the Simens WinCC

Presentations of topics / 24**Development of the data logging, archiving and exporting to database parameters of the MPD/TOF Gas System control software**

Author: Daniel Dabrowski¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: daniel.dabrowski@cern.ch

Development of the data logging, archiving and exporting to database parameters of the MPD/TOF Gas System control software

TeVFeNICA and Slow Control final presentations / 71**Development of visualisation for MPD experiment**

Authors: Mateusz Kowal¹ ; Adam Kisiel²

Co-authors: Michalina Milewicz-Zalewska³ ; Marek Peryt⁴ ; Nikita Dunin⁵ ; Krystian Roslon² ; Maciej Czarnynoga⁶ ; Daniel Dabrowski²

¹ *Faculty of Physics, Warsaw University of Technology*

² *Warsaw University of Technology (PL)*

³ *Joint Institute for Nuclear Reactions*

⁴ *Warsaw University of Technology*

⁵ *JINR*

⁶ *Politechnika Warszawska*

Corresponding Author: mati.ko@wp.pl

Monte Carlo simulation plays a significant role in particle physics. Therefore, it is important that the geometry of MPD components in software needs to be as close to real as possible. Visualising simulations helps to create actual projection of detector and generated particles. The Cosmic Ray Detector reduces the amount of muons counted for analysis by detecting cosmic radiation. With given geometry and functional code it can be added to MPD simulation.

During presentation geometry of MPD will be shown as well as exemplary visualisation of collisions. The process of simulating events will be explained.

Presentations of topics / 34**Dosimetry setup prototype design for NI myRIO embedded device**

Author: Nikita Dunin^{None}

Corresponding Author:

Design of Geiger counter module for nuclear and radiation safety using myRIO embedded controller

Presentations of topics / 45**Drive r, φ .**

Authors: Adam Kisiel¹ ; Maciej Czarnynoga² ; Marek Peryt³ ; Michalina Milewicz-Zalewska⁴ ; Viacheslav Golovatyuk⁵

Co-authors: Daniel Dabrowski³ ; Krystian Roslon ; Marcin Bielewicz⁶ ; Nikita Dunin⁷

¹ *Warsaw University of Technology (PL)*

² *Politechnika Warszawska*

³ *Warsaw University of Technology*

⁴ *Joint Institute for Nuclear Reactions*

⁵ *Joint Institute for Nuclear Research (RU)*

⁶ *Nacional Centre for Nuclear Research*

⁷ *JINR*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) and implementation of a real prototype drive system for various sensors in the coordinate system: r, φ . We expect that a solution made in the technology of BOSCH aluminum profiles will be proposed, easy to adapt to various applications. We expect the designed solution to study areas up to $3\text{mb} \times 2\pi$. The drive system is National Instruments stepper motors, LabView control, Ethernet interfaces.

Presentations of topics / 44**Drive x, y, z.**

Authors: Adam Kisiel¹ ; Bartłomiej Juruc^{None} ; Daniel Dabrowski² ; Krystian Roslon^{None} ; Maciej Czarnynoga³ ; Marcin Bielewicz⁴ ; Marek Peryt² ; Michalina Milewicz-Zalewska⁵ ; Nikita Dunin⁶ ; Vadim Babkin⁷ ; Viacheslav Golovatyuk⁷

¹ *Warsaw University of Technology (PL)*

² *Warsaw University of Technology*

³ *Politechnika Warszawska*

⁴ *Nacional Centre for Nuclear Research*

⁵ *Joint Institute for Nuclear Reactions*

⁶ *JINR*

⁷ *Joint Institute for Nuclear Research (RU)*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) we expect that a solution made in the technology of BOSCH aluminum profiles will be proposed, easy to adapt to various applications. We expect that the designed solution will allow to study areas up to $3 \times 3 \times 10\text{mb}$. The drive system is National Instruments stepper motors, LabView control, Ethernet interfaces.

TeFeNICA and Slow Control final presentations / 92**Embedded data processing using Xilinx SoC and LabVIEW for magnetic field measurements**

Authors: Hanna Gałach^{None} ; Nikita Dunin¹

Co-authors: Marcin Bielewicz² ; Daniel Dabrowski³ ; Adam Kisiel³ ; Michalina Milewicz-Zalewska⁴ ; Marek Peryt⁵ ; Krystian Roslon³

¹ *JINR*

² *Nacional Centre for Nuclear Research*

³ *Warsaw University of Technology (PL)*

⁴ *Joint Institute for Nuclear Reactions*

⁵ *Warsaw University of Technology*

Corresponding Author: hagonia654@gmail.com

The task concerned the improvement of operation of the magnetic field measurement system, containing the MAG3110 magnetometer. LCD screen has been connected to the system in order to display the measurement results. Data logging to a USB drive connected directly to the MyRIO system has been configured.

The sensor has been calibrated.

Presentations of topics / 23

Emergency situations testing and error handling of the MPD/TOF Gas System control software

Author: Daniel Dabrowski¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: daniel.dabrowski@cern.ch

Emergency situations testing and error handling of the MPD/TOF Gas System control software

Presentations of topics / 47

EqDb Equipment Database.

Authors: Viacheslav Golovatyuk¹ ; Adam Kisiel² ; Michalina Milewicz-Zalewska³ ; Marek Peryt⁴ ; Tomasz Traczyk²

Co-authors: Vadim Babkin⁵ ; Marcin Bielewicz⁶ ; Maciej Czarnynoga⁷ ; Daniel Dabrowski⁴ ; Nikita Dunin⁵ ; Krystian Roslon

¹ *Joint Institute for Nuclear Research (RU)*

² *Warsaw University of Technology (PL)*

³ *Joint Institute for Nuclear Reactions*

⁴ *Warsaw University of Technology*

⁵ *JINR*

⁶ *Nacional Centre for Nuclear Research*

⁷ *Politechnika Warszawska*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) of EqDb Equipment Database, associated with the NICA Project. The Database Equipment database is at the stage of implementation and data filling. Test designed forms and the idea of data and process organization. Propose and test data recording from and to the Slow Control System.

Presentations of topics / 41

Experimental measurement of the level of transmutation and neutron flux density in subcritical nuclear reactors ADS.

Author: Marcin Bielewicz¹

¹ *Nacional Centre for Nuclear Research*

Corresponding Author: marcin.bielewicz@ncbj.gov.pl

Goal:

Nuclear reactors type III and III + dominate on the world, currently. Safety considerations, as well as the increasing requirements, are reason on intensive research on type IV reactors. An example of it, is the subcritical nuclear reactor controlled by a beam from the accelerator "ADS". The key issue in the design of such reactors is the knowledge of the neutron flux density values inside the reactor. Consider methods for determining the level of transmutation in subcritical reactors by using nuclear threshold reactions to determine the density of fast neutron fluxes. The goal will be to perform practical measurements using germanium detectors, calibration of results and their analysis.

Description of the exercise:

1. Discussion of the differences (advantage and disadvantage) of various types of nuclear reactors compared to subcritical accelerator-controlled reactors
2. Participation in the experiment (if such will take place during the practice), and visiting of experimental site and the accelerators site.
3. Measurements of the samples gamma spectrum on germanium detector and detector calibration procedure. Samples irradiated in time of the experiment.
4. Analysis of obtained gamma spectra (Deimos program) and identification of isotopes.
5. Determination of the isotope content in the samples.
6. Normalization of results and their comparison with other results - practical analysis of the results obtained.
7. Determination of neutron flux density with energy above 10 MeV.
8. Preparation the own speech at the end of the student practice and for the conference after that, and preparation the publication together with the practice supervisor based on the obtained results.

Requirements for the students:

The topic is addressed to students interested in nuclear experimental physics using large research equipment and/or nuclear energetic.
Basic knowledge of nuclear physics
Basic skills in using Excel program.

Presentations of topics / 1

Feasibility studies of baryon correlations in the MPD experiment at the NICA complex

Author: Adam Kisiel¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: kisiel@if.pw.edu.pl

Monte-Carlo simulations of the baryon correlations with the MPD detector

Presentations of topics / 37

Fiber Optics splicing

Author: Michalina Milewicz-Zalewska^{None}

Corresponding Author:

Fiber Optics preparation, measurement and splicing.

Presentations of topics / 26

Gas Supply project for the MPD/TOF Gas System

Author: Daniel Dabrowski¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: daniel.dabrowski@cern.ch

Gas Supply project for the MPD/TOF Gas System

Presentations of topics / 2

Generation of large UrQMD Monte-Carlo datasample with MPD-Root

Author: Adam Kisiel¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: kisiel@if.pw.edu.pl

Generation of large datasamples using the UrQMD generator for selected collision energies, with the MPDRoot software

Presentations of topics / 3

Generation of large vHELLE datasamples with MPDRoot

Author: Adam Kisiel¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: kisiel@if.pw.edu.pl

Generation of the large sample of Monte-Carlo events with the vHELLE model, using the MPDRoot software and the GEANT simulation package.

Presentations of topics / 31

Group collaboration tools for the software of MPD

Author: Oleg Vasilievich Rogachevsky^{None}

Corresponding Author:

Group collaboration tools for the software of MPD

Presentations of topics / 10

Heat transfer simulation of the MPD-ITS detector

Authors: Krystian Roslon¹ ; Maciej Czarnynoga²

¹ *Warsaw University of Technology (PL)*

² *Politechnika Warszawska*

Corresponding Authors: krystian.roslon@cern.ch, maciejczarnynoga@gmail.com

The student should examine the influence of the mesh density used simulation at the maximum temperature inside the detector and determine its optimal value. Then the simulations should be compared with the actual results measured with the FLUKE TiS-20 thermal imaging camera and with the results obtained during temperature measurements with Pt-100 thermistors.

Presentations of topics / 8

Heat transfer simulation of the MPD-TOF detector

Authors: Krystian Roslon¹ ; Maciej Czarnynoga²

¹ *Warsaw University of Technology (PL)*

² *Politechnika Warszawska*

Corresponding Authors: krystian.roslon@cern.ch, maciejczarnynoga@gmail.com

The student should examine the influence of the mesh density used simulation at the maximum temperature inside the detector and determine its optimal value. Then the simulations should be compared with the actual results measured with the FLUKE TiS-20 thermal imaging camera and with the results obtained during temperature measurements with Pt-100 thermistors.

Presentations of topics / 9

Heat transfer simulation of the MPD-TPC detector

Authors: Krystian Roslon¹ ; Maciej Czarnynoga²

¹ *Warsaw University of Technology (PL)*

² *Politechnika Warszawska*

Corresponding Authors: krystian.roslon@cern.ch, maciejczarnynoga@gmail.com

The student should examine the influence of the mesh density used simulation at the maximum temperature inside the detector and determine its optimal value. Then the simulations should be compared with the actual results measured with the FLUKE TiS-20 thermal imaging camera and with the results obtained during temperature measurements with Pt-100 thermistors.

Presentations of topics / 58

Heat transfer simulations for the PXI module and the CAEN module

Author: Maciej Czarnynoga¹

¹ *Politechnika Warszawska*

Corresponding Author: maciejczarnynoga@gmail.com

heat flow simulations for the Pxi module and the CAEN module

Presentations of topics / 12

Image taken by Fluke TiS20 visualization by LabVIEW

Author: Krystian Roslon¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: krystian.roslon@cern.ch

An interface is a shared boundary across which two or more separate components of a computer system exchange information. The exchange can be between software, computer hardware, peripheral devices, humans and combinations of these. Some computer hardware devices, such as a touchscreen, can both send and receive data through the interface, while others such as a mouse or microphone may only provide an interface to send data to a given system

Hardware interfaces exist in many of the components, such as the various buses, storage devices, other I/O devices, etc. A hardware interface is described by the mechanical, electrical and logical signals at the interface and the protocol for sequencing them (sometimes called signaling)

Software interfaces provide access to computer resources (such as memory, CPU, storage, etc.) of the underlying computer system; direct access (i.e. not through well designed interfaces) to such resources by software can have major ramifications—sometimes disastrous ones—for functionality and stability.

The Fluke Ti20 Imager (hereafter, “the Imager”) is a state-of-the-art, lightweight, pistol- grip style thermal imaging unit. Using the Imager, you can obtain instant and accurate thermal images and radiometric readings from distant targets. The Imager is ergonomically designed for right-hand or left-hand use, and captures thermal images and data with a simple trigger press. The Imager can store up to 50 images that can be downloaded to your personal computer for storage, analysis, and report preparation.

The InsideIR companion software application, lets you display, examine, and analyze your images

and data to determine qualitative and quantitative trends associated with the target equipment. You can also use InsideIR to define maintenance databases based on your equipment conditions, monitoring, and asset management needs.

The Imager provides high performance thermal imaging and is designed for industrial use. The Ti20:

- Uses new detection technology to provide a clear thermal image with accurate temperature measurements up to 350 °C (662 °F).
- Is protected against dust and moisture (IP54 rated) for use in harsh industrial environments.
- Provides a minimum of 3 hours of continuous battery life.

TeFeNICA and Slow Control final presentations / 77

Implementation of THERMINATOR generator in the MpdRoot environment.

Author: Filip Jakubczak^{None}

Co-authors: Maksymilian Odziemczyk ; Adam Kisiel ¹

¹ *Warsaw University of Technology (PL)*

Corresponding Authors: filip.jakubczak97@gmail.com, maksymilian.odziemczyk@gmail.com, kisiel@if.pw.edu.pl

Presentation will be about how THERMINATOR generator was implemented in the MpdRoot environment, how to use it and perspectives for the future. Results accomplished with THERMINATOR will be presented as well. If applicable, audience will be able to ask some questions.

TeFeNICA and Slow Control final presentations / 73

Implementation of THERMINATOR generator to the MpdRoot environment.

Author: Maksymilian Odziemczyk^{None}

Co-author: Adam Kisiel ¹

¹ *Warsaw University of Technology (PL)*

Corresponding Authors: maksymilian.odziemczyk@gmail.com, kisiel@if.pw.edu.pl

Presentation will be about how THERMINATOR generator was connected to the MpdRoot environment, how to use it itself with/and possible perspectives. Results accomplished from using THERMINATOR will be presented as well. If applicable, audience will be able to ask a several questions.

TeFeNICA and Slow Control final presentations / 83

Implementation of algorithms for reconstruction and identification of baryons, including strange baryons, in MPD experiment

Author: Jakub Zielinski¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: jakub.stanislaw.zielinski@cern.ch

In experiments like MPD, that study behaviour of particles, it is important to correctly identify registered particles. One problem is the identification of particles that generate signal in detector. Second is the reconstruction of baryons, that have life span too short to reach detectors.

The presentation will start with brief explanation of particle physics that was used in studies. The process of identification and the idea behind reconstructing strange baryons from the data available will be explained. Main findings of the study will be presented. In conclusion will be presented possible improvements in both processes.

Presentations of topics / 32

Inner tracker development

Author: Yuriy Andreevich Murin^{None}

Corresponding Author:

Inner tracker development

Presentations of topics / 43

Installation and implementation of JIRA and Confluence ATLAS-SIAN platforms for the Engineering Support for NICA Group.

Authors: Viacheslav Golovatyuk¹; Adam Kisiel²; Michalina Milewicz-Zalewska³; Marek Peryt⁴; Krystian Roslon^{None}

Co-authors: Vadim Babkin⁵; Marcin Bielewicz⁶; Maciej Czarnynoga⁷; Daniel Dabrowski⁴; Nikita Dunin⁵; Bartłomiej Juruc

¹ *Joint Institute for Nuclear Research (RU)*

² *Warsaw University of Technology (PL)*

³ *Joint Institute for Nuclear Reactions*

⁴ *Warsaw University of Technology*

⁵ *JINR*

⁶ *Nacional Centre for Nuclear Research*

⁷ *Politechnika Warszawska*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) works and installation of the Jira and Confluence ATLAS-SIAN platform, implementation of the NICA-MPD-PLATFORM project management system.

Presentations of topics / 15

Integration of temperature monitoring software inside RACK Master and Slave 19 "cabinets for the Slow Control System for the TOF-MPD detector

Author: Krystian Roslon¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: krystian.roslon@cern.ch

Integration of temperature monitoring software inside RACK Master and Slave 19 “cabinets for the Slow Control System for the TOF-MPD detector

TeVFNICA and Slow Control final presentations / 86

Integration of temperature monitoring software inside the Master and Slave 19 ” RACK cabinets for the Slow Control System of the MPD-TOF detector

Authors: Monika Kutyla¹ ; Krystian Roslon^{None}

Co-authors: Michalina Milewicz-Zalewska ² ; Marek Peryt ¹ ; Marcin Bielewicz ³ ; Nikita Dunin ⁴ ; Daniel Dabrowski ¹

¹ *Warsaw University of Technology*

² *Joint Institute for Nuclear Reactions*

³ *Nacional Centre for Nuclear Research*

⁴ *JINR*

Corresponding Author: kutyla.m44@gmail.com

To avoid getting dust inside RACKs it was decided to close them as hermetically as possible and provide the closed air loop ventilation. In each cabinet there are temperature and humidity transducers , fans modules and radiators. Using RS-485 standard based on the MODBUS protocol and modules of logic outputs, fans are being switched on and off depending on temperature inside each RACK and their work time. The cabinets are working in master-slave configuration. Software is easy to adjust to load settings from database.

85

Integration of the Therminator model with the MpdRoot environment

Author: Robert Mikoś^{None}

Corresponding Author: robertmikos11@gmail.com

THERMal heavy-IoN generATOR (Therminator) is a model of Monte Carlo event generator for simulating collisions of heavy particles. The code is written in the object-oriented c++ language. In the MpdROOT environment simulations were launched for one and two events. Small code changes have been made to improve Therminator efficiency. Work is underway on the proper functioning of it on the Cluster. There are plans for the future to optimization of MpdTherminatorGenerator source and header file.

Presentations of topics / 46

Laboratory infrastructure

Authors: Daniel Dabrowski¹ ; Krystian Roslon^{None} ; Maciej Czarnynoga² ; Marcin Bielewicz³ ; Marek Peryt¹ ; Michalina Milewicz-Zalewska⁴ ; Nikita Dunin⁵

Co-authors: Adam Kisiel⁶ ; Vadim Babkin⁵ ; Viacheslav Golovatyuk⁷

¹ *Warsaw University of Technology*

² *Politechnika Warszawska*

³ *Nacional Centre for Nuclear Research*

⁴ *Joint Institute for Nuclear Reactions*

⁵ *JINR*

⁶ *Warsaw University of Technology (PL)*

⁷ *Joint Institute for Nuclear Research (RU)*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) and implementation, and modernization of installations making up the Laboratory's infrastructure. The task includes: laying of cables, IT and earthing pipes. Designing and laying routes and cable tunnels for the entire Lab42 installation, detectors and devices dedicated to the experiment.

Presentations of topics / 5

Management of large-scale physics simulations

Author: Adam Kisiel¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: kisiel@if.pw.edu.pl

Development of tools for running and monitoring large-scale Monte-Carlo simulations of physics events, using existing physics models and large-scale computing infrastructure of JINR (LIT, NICA Cluster, others).

88

Management of the Monte Carlo simulation process in the MPD experiment on the NICA cluster

Author: Lukasz Sawicki^{None}

Corresponding Author: l.saw99@outlook.com

The presentation shows the problem of mass simulation and generation of Monte Carlo particle collisions in the MPD experiment. It contains information about the tools used and how to solve the problem, next stages of work, the current outline of the program and a summary of the amount of simulated data were described.

Presentations of topics / 17

Mobile application for the MPD/TOF Gas System monitoring

Author: Daniel Dabrowski¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: daniel.dabrowski@cern.ch

Mobile application for the MPD/TOF Gas System monitoring

Presentations of topics / 18

Model of the MPD Multi-Detector prepared with a 3D printing method

Author: Daniel Dabrowski¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: daniel.dabrowski@cern.ch

Model of the MPD Multi-Detector prepared with a 3D printing method

Presentations of topics / 33

Model of the MPD detector

Author: Bartłomiej Juruć^{None}

Corresponding Author:

Complementation of the MPD detector's technical sketches and simplified parts in 2D and 3D programs

Opis ćwiczenia.

Based on the actual dimensions of the MPD detector, make a model of it on an appropriate scale.

Presentations of topics / 11

Modeling of K+K- femtoscopic correlations in p+Pb collision using the Therminator2 model

Author: Krystian Roslon¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: krystian.roslon@cern.ch

Modeling of K+K- femtoscopic correlations in p+Pb collision using the Therminator2 model

TeVFeNICA and Slow Control final presentations / 87**Modelling Au-Au collisions in NICA collider energy spectrum using MPD programming environment****Authors:** Marta Monikowska^{None} ; Maja Tureczek-Zakrzewska^{None}**Corresponding Authors:** marta.monikowska@samorzad.if.pw.edu.pl, majatureczekzakrzewska@gmail.com

The main goal of this work was to perform Au+Au collisions generated within UrQMD model for different energies of NICA beam energy range. In order to obtain events generations, as well as physical analysis MPDroot environment was used. All the work was automatized via created macros and performed at NICA cluster. Simulations were held for intermediate energies of 4,7,9 and 11GeV.

TeVFeNICA and Slow Control final presentations / 84**Modelling Au-Au collisions in NICA collider energy spectrum using MPD programming environment****Authors:** Marta Monikowska^{None} ; Maja Tureczek-Zakrzewska^{None}**Corresponding Authors:** marta.monikowska@samorzad.if.pw.edu.pl, majatureczekzakrzewska@gmail.com

The main goal of this work was to perform Au+Au collisions generated within UrQMD model for different energies of NICA beam energy range. In order to obtain events generations, as well as physical analysis MPDroot environment was used. All the work was automatized via created macros and performed at NICA cluster. Simulations were held for intermediate energies of 4,7,9 and 11GeV.

TeVFeNICA and Slow Control final presentations / 72**Monitoring and stabilisation inside the testing laboratory of MPD - TOF****Authors:** Klaudia Pachulska¹ ; Jędrzej Kołaś^{None}**Co-author:** Krystian Roslon ²¹ *Warsaw University of Technology*² *Warsaw University of Technology (PL)***Corresponding Authors:** pachulskaklaudia0@gmail.com, gosciu0987654321@gmail.com

- General description of the whole system, list of it's components and the importance of the system in the NICA project.
- Schematics of the temperature and humidity monitoring system inside 19" RACK cabinets.

Presentations of topics / 48**NICA-MPD-PLATFORM (NMP)****Authors:** Daniel Dabrowski¹ ; Viacheslav Golovatyuk² ; Marek Peryt¹ ; Krystian Roslon^{None}

Co-authors: Vadim Babkin³; Marcin Bielewicz⁴; Maciej Czarnynoga⁵; Nikita Dunin³; Bartłomiej Juruc; Adam Kisiel⁶; Maciej Lawrynczuk⁷; Michalina Milewicz-Zalewska⁸; Tomasz Traczyk⁶

¹ *Warsaw University of Technology*

² *Joint Institute for Nuclear Research (RU)*

³ *JINR*

⁴ *Nacional Centre for Nuclear Research*

⁵ *Politechnika Warszawska*

⁶ *Warsaw University of Technology (PL)*

⁷ *Institute of Control and Computation Engineering, Warsaw University of Technology*

⁸ *Joint Institute for Nuclear Reactions*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) substantive and practical implementation of Students in design work NICA-MPD-PLATFORM. This is currently the largest project implemented in the Engineering Support group. The designed RACKs will include all power and control of the MPD detector.

Presentations of topics / 59

NMP Access Control

Authors: Jan Sobolewski¹; Marek Peryt²; Tomasz Traczyk³; Viacheslav Golovatyuk⁴; Wojciech Lis¹

Co-authors: Adam Kisiel³; Daniel Dabrowski²; Krystian Rosłon; Maciej Czarnynoga⁵; Maciej Lawrynczuk⁶; Marcin Bielewicz⁷; Michalina Milewicz-Zalewska⁸; Nikita Dunin⁹; Vadim Babkin⁹

¹ *R&M*

² *Warsaw University of Technology*

³ *Warsaw University of Technology (PL)*

⁴ *Joint Institute for Nuclear Research (RU)*

⁵ *Politechnika Warszawska*

⁶ *Institute of Control and Computation Engineering, Warsaw University of Technology*

⁷ *Nacional Centre for Nuclear Research*

⁸ *Joint Institute for Nuclear Reactions*

⁹ *JINR*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) and implementation of the ACS prototype for NICA-MPD-PLATFORM.

Presentations of topics / 56

NMP Alpha, beta, gamma monitoring

Authors: Adam Kisiel¹; Krystian Rosłon^{None}; Marcin Bielewicz²; Marek Peryt³; Nikita Dunin⁴; Viacheslav Golovatyuk⁵

Co-authors: Daniel Dabrowski³; Maciej Czarnynoga⁶; Maciej Lawrynczuk⁷; Michalina Milewicz-Zalewska⁸; Tomasz Traczyk¹; Vadim Babkin⁴

¹ *Warsaw University of Technology (PL)*

² *Nacional Centre for Nuclear Research*

³ *Warsaw University of Technology*

⁴ *JINR*

⁵ *Joint Institute for Nuclear Research (RU)*

⁶ *Politechnika Warszawska*

⁷ *Institute of Control and Computation Engineering, Warsaw University of Technology*

⁸ *Joint Institute for Nuclear Reactions*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) and implementation of the alpha, beta and gamma radiation monitoring system and dosimetry for NICA-MPD-PLATFORM.

Presentations of topics / 51

NMP Cable tester

Authors: Daniel Dabrowski¹ ; Krystian Roslon^{None} ; Maciej Czarnynoga² ; Marcin Bielewicz³ ; Marek Peryt¹ ; Michalina Milewicz-Zalewska⁴ ; Nikita Dunin⁵ ; Vadim Babkin⁵ ; Viacheslav Golovatyuk⁶

Co-authors: Adam Kisiel⁷ ; Maciej Lawrynczuk⁸ ; Tomasz Traczyk⁷

¹ *Warsaw University of Technology*

² *Politechnika Warszawska*

³ *Nacional Centre for Nuclear Research*

⁴ *Joint Institute for Nuclear Reactions*

⁵ *JINR*

⁶ *Joint Institute for Nuclear Research (RU)*

⁷ *Warsaw University of Technology (PL)*

⁸ *Institute of Control and Computation Engineering, Warsaw University of Technology*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) and implementation of the cable tester prototype for NICA-MPD-PLATFORM.

Presentations of topics / 49

NMP Configurable screen for the control room.

Authors: Adam Kisiel¹ ; Maciej Lawrynczuk² ; Marek Peryt³ ; Tomasz Traczyk¹ ; Viacheslav Golovatyuk⁴

Co-authors: Daniel Dabrowski³ ; Krystian Roslon ; Maciej Czarnynoga⁵ ; Marcin Bielewicz⁶ ; Michalina Milewicz-Zalewska⁷ ; Nikita Dunin⁸ ; Vadim Babkin⁸

¹ *Warsaw University of Technology (PL)*

² *Institute of Control and Computation Engineering, Warsaw University of Technology*

³ *Warsaw University of Technology*

⁴ *Joint Institute for Nuclear Research (RU)*

⁵ *Politechnika Warszawska*

⁶ *Nacional Centre for Nuclear Research*

⁷ *Joint Institute for Nuclear Reactions*

⁸ *JINR*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) a prototype of a large screen presenter, composed of at least 4x3 (ie 12 screens), easily switched and configured in various tables for data presentation and processes in the Slow Control System for NICA-MPD-PLATFORM.

Presentations of topics / 61

NMP Environmental monitoring MPD

Authors: Adam Kisiel¹ ; Maciej Czarnynoga² ; Maciej Lawrynczuk³ ; Marek Peryt⁴ ; Tomasz Traczyk¹ ; Viacheslav Golovatyuk⁵

Co-authors: Daniel Dabrowski⁴ ; Krystian Roslon ; Marcin Bielewicz⁶ ; Michalina Milewicz-Zalewska⁷ ; Nikita Dunin⁸ ; Vadim Babkin⁸

¹ *Warsaw University of Technology (PL)*

² *Politechnika Warszawska*

³ *Institute of Control and Computation Engineering, Warsaw University of Technology*

⁴ *Warsaw University of Technology*

⁵ *Joint Institute for Nuclear Research (RU)*

⁶ *Nacional Centre for Nuclear Research*

⁷ *Joint Institute for Nuclear Reactions*

⁸ *JINR*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) stabilization of environmental conditions for NICA-MPD-PLATFORM.

Presentations of topics / 63

NMP GPS Synchronization

Authors: Adam Kisiel¹ ; Maciej Czarnynoga² ; Maciej Lawrynczuk³ ; Marek Peryt⁴ ; Tomasz Traczyk¹ ; Viacheslav Golovatyuk⁵

Co-authors: Daniel Dabrowski⁴ ; Krystian Roslon ; Marcin Bielewicz⁶ ; Michalina Milewicz-Zalewska⁷ ; Nikita Dunin⁸ ; Vadim Babkin⁸

¹ *Warsaw University of Technology (PL)*

² *Politechnika Warszawska*

³ *Institute of Control and Computation Engineering, Warsaw University of Technology*

⁴ *Warsaw University of Technology*

⁵ *Joint Institute for Nuclear Research (RU)*

⁶ *Nacional Centre for Nuclear Research*

⁷ *Joint Institute for Nuclear Reactions*

⁸ *JINR*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) and implementation of a time synchronization system for c-RIO cassettes operating in real time, using synchronization and GPS servers, for NICA-MPD-PLATFORM.

Presentations of topics / 52

NMP Grounding monitoring

Authors: Viacheslav Golovatyuk¹ ; Adam Kisiel² ; Maciej Lawrynczuk³ ; Marek Peryt⁴ ; Tomasz Traczyk²

Co-authors: Vadim Babkin⁵ ; Marcin Bielewicz⁶ ; Maciej Czarnynoga⁷ ; Daniel Dabrowski⁴ ; Nikita Dunin⁵ ; Michalina Milewicz-Zalewska⁸ ; Krystian Roslon

¹ *Joint Institute for Nuclear Research (RU)*

² *Warsaw University of Technology (PL)*

³ *Institute of Control and Computation Engineering, Warsaw University of Technology*

⁴ *Warsaw University of Technology*

⁵ *JINR*

⁶ *Nacional Centre for Nuclear Research*

⁷ *Politechnika Warszawska*

⁸ *Joint Institute for Nuclear Reactions*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) and implementation of a prototype of the earth circuit monitoring system for NICA-MPD-PLATFORM.

Presentations of topics / 53

NMP IPD Intelligent Power Distributor

Authors: Maciej Lawrynczuk¹ ; Marek Peryt² ; Rami Faraj^{None} ; Tomasz Kowalski^{None} ; Viacheslav Golovatyuk³

Co-authors: Adam Kisiel⁴ ; Daniel Dabrowski² ; Krystian Roslon ; Maciej Czarnynoga⁵ ; Marcin Bielewicz⁶ ; Michalina Milewicz-Zalewska⁷ ; Nikita Dunin⁸ ; Tomasz Traczyk⁴ ; Vadim Babkin⁸

¹ *Institute of Control and Computation Engineering, Warsaw University of Technology*

² *Warsaw University of Technology*

³ *Joint Institute for Nuclear Research (RU)*

⁴ *Warsaw University of Technology (PL)*

⁵ *Politechnika Warszawska*

⁶ *Nacional Centre for Nuclear Research*

⁷ *Joint Institute for Nuclear Reactions*

⁸ *JINR*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development), functional measurements and operational tests of the Intelligent Power Distributor for NICA-MPD-PLATFORM.

Presentations of topics / 54

NMP IntelliPhy

Authors: Wojciech Lis¹ ; Adam Kisiel² ; Maciej Lawrynczuk³ ; Marek Peryt⁴ ; Nikita Dunin⁵ ; Tomasz Traczyk² ; Viacheslav Golovatyuk⁶ ; Jan Sobolewski¹

Co-authors: Daniel Dabrowski⁴ ; Krystian Roslon ; Maciej Czarnynoga⁷ ; Marcin Bielewicz⁸ ; Michalina Milewicz-Zalewska⁹ ; Vadim Babkin⁵

¹ *R&M*

² *Warsaw University of Technology (PL)*

³ *Institute of Control and Computation Engineering, Warsaw University of Technology*

⁴ *Warsaw University of Technology*

⁵ *JINR*

⁶ *Joint Institute for Nuclear Research (RU)*

⁷ *Politechnika Warszawska*

⁸ *Nacional Centre for Nuclear Research*

⁹ *Joint Institute for Nuclear Reactions*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) implementation of a cable connection monitoring system for NICA-MPD-PLATFORM.

Presentations of topics / 55

NMP Monitoring of the Earth's magnetic field

Authors: Adam Kisiel¹ ; Konrad Krawczyk^{None} ; Marek Peryt² ; Viacheslav Golovatyuk³

Co-authors: Daniel Dabrowski² ; Krystian Roslon ; Maciej Czarnynoga⁴ ; Maciej Lawrynczuk⁵ ; Marcin Bielewicz⁶ ; Michalina Milewicz-Zalewska⁷ ; Nikita Dunin⁸ ; Tomasz Traczyk¹ ; Vadim Babkin⁸

¹ *Warsaw University of Technology (PL)*

² *Warsaw University of Technology*

³ *Joint Institute for Nuclear Research (RU)*

⁴ *Politechnika Warszawska*

⁵ *Institute of Control and Computation Engineering, Warsaw University of Technology*

⁶ *Nacional Centre for Nuclear Research*

⁷ *Joint Institute for Nuclear Reactions*

⁸ *JINR*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) and implementation of the Earth's magnetic field monitoring system for NICA-MPD-PLATFORM.

Presentations of topics / 50

NMP SCADA WinCC

Authors: Adam Kisiel¹; Maciej Lawrynczuk²; Marek Peryt³; Viacheslav Golovatyuk⁴

Co-authors: Daniel Dabrowski³; Krystian Roslon; Maciej Czarnynoga⁵; Marcin Bielewicz⁶; Michalina Milewicz-Zalewska⁷; Nikita Dunin⁸; Tomasz Traczyk¹; Vadim Babkin⁸

¹ *Warsaw University of Technology (PL)*

² *Institute of Control and Computation Engineering, Warsaw University of Technology*

³ *Warsaw University of Technology*

⁴ *Joint Institute for Nuclear Research (RU)*

⁵ *Politechnika Warszawska*

⁶ *Nacional Centre for Nuclear Research*

⁷ *Joint Institute for Nuclear Reactions*

⁸ *JINR*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) and implementation of a control system, data presentation and processes on the SCADA WinCC platform, using the SIMENS industrial controllers for the NICA-MPD-PLATFORM.

Presentations of topics / 60

NMP Temperature monitoring

Authors: Krystian Roslon^{None}; Maciej Czarnynoga¹; Maciej Lawrynczuk²; Marek Peryt³; Viacheslav Golovatyuk⁴

Co-authors: Adam Kisiel⁵; Daniel Dabrowski³; Marcin Bielewicz⁶; Michalina Milewicz-Zalewska⁷; Nikita Dunin⁸; Tomasz Traczyk⁵; Vadim Babkin⁸

¹ *Politechnika Warszawska*

² *Institute of Control and Computation Engineering, Warsaw University of Technology*

³ *Warsaw University of Technology*

⁴ *Joint Institute for Nuclear Research (RU)*

⁵ *Warsaw University of Technology (PL)*

⁶ *Nacional Centre for Nuclear Research*

⁷ *Joint Institute for Nuclear Reactions*

⁸ *JINR*

Corresponding Author: marekperyt@if.pw.edu.pl

Goal:

R & D (research and development) and implementation of temperature monitoring system for NICA-MPD-PLATFORM.

TeFeNICA and Slow Control final presentations / 66

Naming and Numbering Convention for the NICA Project Part Identification & Generic Scheme

Authors: Jakub Mrówczyński¹ ; Adam Biegański¹ ; Michalina Milewicz-Zalewska²

¹ *Warsaw University of Technology*

² *Joint Institute of Nuclear Research*

Corresponding Authors: kuba.mrowka1@gmail.com, bieganski19@gmail.com

Aim of our project was to create a multi-platform application which will enable identifying and stock-taking every single component used in NICA project. To achieve that we created Windows and Android mobile application which allows user to get acquaintance with NICA coding convention and generate or decode unique 10-character code of component given according to coding lists. Thanks to the application performing EqDb database shall become much more efficient and safer.

Presentations of topics / 36

Naming and numbering application development for Equipment Database

Author: Michalina Milewicz-Zalewska^{None}

Corresponding Author: milevich@jinr.ru

Development of an offline application in Python (preferably) for IOS, Android and Windows. Application should generate part identifiers according to naming and numbering convention of the NICA project.

Presentations of topics / 7

Non-organic surface modification with the solid state particle removal.

Author: Krystian Roslon¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: krystian.roslon@cern.ch

Non-organic surface modification with the solid state particle removal. The surface will be used as an undercurrent for ongoing experiments.

TeFeNICA and Slow Control final presentations / 67

ON-OFF control module with thermistor , using NImyrio

Author: Paweł Duda^{None}

Co-author: Marek Peryt¹

¹ *JINR*

Corresponding Author: pawel.ludwik.duda@gmail.com

Title: ON-OFF control module with thermistor , using NImyrio

The presentation talks about using a thermistor to measure the temperature, using the Steinhart-Hart equation. It can be used to control components such as LEDs , buzzers etc.

TeFeNICA and Slow Control final presentations / 75

Optical gate of asynchronous work interruptions of the measuring system with acoustic signaling in NIMyRIO technology

Author: Tomasz Gniazdowski¹

Co-authors: Marek Peryt² ; Krystian Roslon³ ; Michalina Milewicz-Zalewska⁴ ; Daniel Dabrowski³ ; Adam Kisiel³ ; Jan Marian Pluta³ ; Maciej Czarnynoga⁵

¹ *Warsaw University of Technology*

² *JINR*

³ *Warsaw University of Technology (PL)*

⁴ *Joint Institute for Nuclear Reactions*

⁵ *Politechnika Warszawska*

Corresponding Author: t.gniazdowski15@gmail.com

Presentation contains information about created interrupting system. It is focused on hardware configuration, technology used in project, principle of operation, software created in LabVIEW and applicability in other electronic systems.

TeFeNICA and Slow Control final presentations / 100

Optimization of the gas distribution system for the MPD-TOF detector module

Authors: Andrzej Ryczek^{None} ; Krystian Roslon^{None} ; Maciej Czarnynoga^{None}

Co-authors: Marcin Bielewicz ; Daniel Dąbrowski ; Nikita Dunin ; Adam Kisiel ; Michalina Milewicz-Zalewska ; Marek Peryt

Corresponding Author:

The MPD-TOF detector is a gas detector in which an optimized gas distribution system plays a key role. The main task of this system is to ensure an even, laminar flow of the working fluid throughout the detector volume. During the work, various variants of the gas distribution system were prepared inside the MPD-TOF detector module. Next, flow simulations were carried out for each variant using the CFD method. Based on the results obtained, the optimal option was selected.

Presentations of topics / 25**Pressure transmitters, mass flow controllers and control valves calibration and preparation for operation****Author:** Daniel Dabrowski¹¹ *Warsaw University of Technology (PL)***Corresponding Author:** daniel.dabrowski@cern.ch

Pressure transmitters, mass flow controllers and control valves calibration and preparation for operation

TeVFeNICA and Slow Control final presentations / 80**Quality Assurance of particle collision simulation in MPDRoot****Author:** Aleksandra Mazur^{None}**Corresponding Author:** ollaleksandra@wp.pl

Program to analyze simulated data from .root files, which are available on PCs or NICA cluster system (2 versions) by creating histograms of:

- multiplicity
- transverse momentum
- polar angle
- pseudorapidity
- pseudorapidity in a function of polar angle.

TeVFeNICA and Slow Control final presentations / 90**R&D of the r , φ scanner mechanical construction for the scintillator detector background radiation measurements****Authors:** Marek Peryt¹ ; Maciej Czarnynoga² ; Monika Nadolna^{None} ; Martyna Winnik^{None}**Co-authors:** Marcin Bielewicz³ ; Daniel Dabrowski¹ ; Nikita Dunin⁴ ; Adam Kisiel⁵ ; Michalina Milewicz-Zalewska⁶ ; Krystian Roslon⁵¹ *Warsaw University of Technology*² *Politechnika Warszawska*³ *Nacional Centre for Nuclear Research*⁴ *JINR*⁵ *Warsaw University of Technology (PL)*⁶ *Joint Institute for Nuclear Reactions*

Corresponding Authors: monikanadolna1313@interia.pl, martyna.wnk@gmail.com

The aim of this project is the introduction to research and development of a prototype drive system for various sensors in the r, φ coordinate system. The device was designed for extensive solutions, but in this case, the focus was particularly on the cosmic ray measurement system. An extremely important issue was the easiest possible adaptability to various applications, therefore the proposed solution was made mostly in the technology of aluminum profiles. The designed solution is expected to study areas up to 1m in length and 2π angle. After auspicious prototype tests and meeting the primary assumptions, the final device is assumed to examine the expanse up to 3m in length and 2π angle. The continuation and further progress of the project will consist of the manual preparation of the measuring device, software development and real cosmic ray measurements performance.

Presentations of topics / 35

Remote control development for LabVIEW projects

Author: Nikita Dunin^{None}

Corresponding Author:

Creating software for remote control of LabVIEW projects(using web servers solutions or LabVIEW NXG) and basic integration with existed systems include fire protection system, magnetic measurements, Geiger counters and temperature sensors

Presentations of topics / 28

Setup of the NICA computing cluster

Authors: Yuriy Konstantinovich Potrebyennikov^{None} ; Boris Georgyevich Shchinov^{None} ; Ilya Vyacheslavovich Slepnev^{None} ; Andrey Genadyevich Dolbilov^{None}

Corresponding Author:

Setup of the NICA computing cluster

Presentations of topics / 22

Simulation of the MPD/TOF Gas System operation in the Fluidsim environment

Author: Daniel Dabrowski¹

¹ *Warsaw University of Technology (PL)*

Corresponding Author: daniel.dabrowski@cern.ch

Simulation of the MPD/TOF Gas System operation in the Fluidsim environment

Presentations of topics / 27

Software development for MPD

Author: Yuriy Konstantinovich Potryebennikov^{None}

Corresponding Author:

Software development for MPD

TeFeNICA and Slow Control final presentations / 64

Software for device designed to measure radiation absorption of various materials

Authors: Maciej Marcinkiewicz^{None} ; Michał Foltys¹

Co-author: Marek Peryt²

¹ WUT

² JINR

Corresponding Authors: marcinkiewicz.maciej1998@gmail.com, michalf06@gmail.com

Presentation about software that was made on Slow Control Summer Practise 2019.

Written in LabView, allows both common user and enginner to fully control the device designed to measure radiation absorption of various materials.

Main functions:

- Start and stop measure
- Reset the device
- Read and save measure data
- Que the measures

Presentations of topics / 16

Studies of the MPD/TOF detector efficiency and time resolution for varying gas mixture components concentration.

Author: Daniel Dabrowski¹

¹ Warsaw University of Technology (PL)

Corresponding Author: daniel.dabrowski@cern.ch

Studies of the MPD/TOF detector efficiency and time resolution for varying gas mixture components concentration.

TeFeNICA and Slow Control final presentations / 76

Study of magnetic field in MPD surrounding

Authors: Paulina Marikin¹ ; Jakub Gluch^{None} ; Marek Peryt²

Co-authors: Adam Kisiel³ ; Michalina Milewicz-Zalewska⁴ ; Nikita Dunin⁵ ; Maciej Czarnynoga⁶ ; Krystian Roslon³ ; Daniel Dabrowski³

¹ Faculty of Physics of Warsaw University of Technology

² Warsaw University of Technology

³ Warsaw University of Technology (PL)

⁴ Joint Institute for Nuclear Reactions

⁵ JINR

⁶ Politechnika Warszawska

Corresponding Authors: paulinamarikin@gmail.com, kkuba53@yahoo.pl

Research and development of monitoring software to measure and save data of the Earth's magnetic field for NICA-MPD-PLATFORM. Creation of system with use of magnetometer MAG3110 and NI myRio. Creation of the software to collect, record magnetic field and calibrate measurements.

Presentations of topics / 29

TPC detector construction

Author: Sergey Aleksandrovich Movchan^{None}

Corresponding Author:

TPC detector construction

Presentations of topics / 30

TPC read-out chambers development

Author: Sergey Aleksandrovich Movchan^{None}

Corresponding Author:

TPC read-out chambers development

TeFeNICA and Slow Control final presentations / 65

Temperature sensors for controlling the drive in NiMyRIO technology

Author: Mateusz Samsel¹

Co-author: Marek Peryt²

¹ Warsaw University of Technology

² JINR

Corresponding Author: 291561@pw.edu.pl

The presentation talks about the designed device, based on NiMyRio technology, which can control the motor drive using the PWM signal, based on the measurements of temperature. It presents the technological solutions used in project to get the basic functionalities and also to increase the stability of the device.

TeVFeNICA and Slow Control final presentations / 91**The prototype of an air based cooling system for the Slow Control System of the MPD-TOF detector**

Authors: Anna Szumigala^{None} ; Michał Maciałowicz^{None} ; Krystian Roslon¹

Co-authors: Marcin Bielewicz² ; Daniel Dabrowski¹ ; Nikita Dunin³ ; Adam Kisiel¹ ; Michalina Milewicz-Zalewska⁴ ; Marek Peryt³

¹ *Warsaw University of Technology (PL)*

² *Nacional Centre for Nuclear Research*

³ *JINR*

⁴ *Joint Institute for Nuclear Reactions*

Corresponding Authors: anna.szumigala@gmail.com, michal.macialowicz@gmail.com

In order to keep RACKs clean of any dust and other particles, the decision has been made to hermetically close them off from the environment. This however can lead to overheating of electronic devices inside. Due to that, a special cooling system was designed. It consists of two sets of fans, two transducers (measuring temperature and humidity) and radiators. All the elements are connected to a computer with the usage of RS-485 wires and the MODBUS protocol. The main goal of this project was to prepare, assemble and install all of the aforementioned equipment.

TeVFeNICA and Slow Control final presentations / 94**Time synchronization of electronic devices in RACKs NICA-MPD PLATFORM using GPS NI-9467 cRIO**

Authors: Marek Peryt¹ ; Monika Wasilewska^{None} ; Jacek Palczewski²

Co-authors: Marcin Bielewicz³ ; Daniel Dabrowski⁴ ; Nikita Dunin¹ ; Adam Kisiel⁵ ; Michalina Milewicz-Zalewska⁶ ; Krystian Roslon⁵

¹ *JINR*

² *University of Warmia and Mazury*

³ *Nacional Centre for Nuclear Research*

⁴ *Warsaw University of Technology*

⁵ *Warsaw University of Technology (PL)*

⁶ *Joint Institute for Nuclear Reactions*

Corresponding Authors: wasilewska642@gmail.com, jpalczewski@gmail.com

The aim of this project is to provide reflexive insight into the problem of time synchronization of electronic devices in the NICA MPD PLATFORM. The method which we propose is the Precision Time Protocol (PTP), as an addition to GPS, to provide time from independent authority. It gives the possibility to achieve nanosecond synchronization which makes it suitable for measurement and improve system control. We also briefly discuss advantages and disadvantages of proposed techniques which may have an impact on the use and operation of the project.

TeVFeNICA and Slow Control final presentations / 68**Time synchronization of electronic devices in RACKs NICA-MPD-PLATFORM using GPS NI-9467-c-RIO**

Authors: Piotr Sawicki^{None} ; Kamil Chęć^{None}

Corresponding Authors: psrubing@gmail.com, k.chec.prv@gmail.com

In order to provide the same time to every devices there is a need to construct special system. In NICA project synchronization will be managed by GPS. System designers can use this module for accurate data timestamping, system clock setting, gating data acquisition based on the arrival of the PPS and synchronizing global waveform acquisition data using the FPGA.

TeFeNICA and Slow Control final presentations / 70

Upgrade of the MPD/TOF Test Stand Gas System and Control Software

Author: Filip Mąkowski^{None}

Co-author: Daniel Dabrowski ¹

¹ *Warsaw University of Technology*

Corresponding Author: f.makolski@gmail.com

During my practice I was developing the gas system for MPD/TOF test stand, and it's control software. I've modified some elements in the gas instalation. In order to provide proper functioning of the devices they needed PID controllers. To choose proper settings of the PID controllers I've used the Ziegler-Nichols method. Conducted software tests turned positive. System works properly and can be further developed.

General information / 38

Why did you come to Dubna?

Author: Marek Peryt¹

¹ *Warsaw University of Technology*

Corresponding Author: marekperyt@if.pw.edu.pl

Organizational matters, what we do in Dubna in JINR.

TeFeNICA and Slow Control final presentations / 78

XYZ Scanner

Author: Witold Olech^{None}

Co-author: Marek Peryt ¹

¹ *Warsaw University of Technology*

Corresponding Author: witold.olech@gmail.com

Topic of presentation is XYZ Scanner. There is a mechanical structure which allows to place a gauge (eg. Magnetometer) in a specified point in space. Motion is realised by step motors.

TeFeNICA and Slow Control final presentations / 74 **α , β , γ radiation monitoring in the working area of the MPD Slow Control electronic equipment**

Authors: Alicja Jakubowska¹ ; Marta Robak^{None} ; Anita Zagrobelna^{None} ; Nikita Dunin²

Co-authors: Marcin Bielewicz³ ; Daniel Dabrowski⁴ ; Adam Kisiel⁴ ; Michalina Milewicz-Zalewska⁵ ; Marek Peryt² ; Krystian Roslon⁴

¹ *Warsaw University of Technology*

² *JINR*

³ *Nacional Centre for Nuclear Research*

⁴ *Warsaw University of Technology (PL)*

⁵ *Joint Institute for Nuclear Reactions*

Corresponding Authors: ala.jakubowska@op.pl, martarobak12@gmail.com, a.zagrobelna97@gmail.com

Project focuses on α , β , γ radiation monitoring. Firstly, three Gamma-Scout detectors were tested whether the measurements taken in the same location are equal within 5% uncertainty. Next, detectors were moved to three different locations. Data collected from those locations in three available working modes (detection of γ , $\beta+\gamma$ and $\alpha+\beta+\gamma$ radiation) was analyzed to determine potential influence of the rack's case on radiation levels. Also, based on received data of radioactive sources (Eu-152 and Thorium), tested using Radateh photoelectronic detector, three spectrograms were generated and compared, to conclude best utility of each type of detector. Further tasks involved developing software for a self-built Geiger-Müller counter using NI myDAQ and LabVIEW environment.