W mass combination discussion
CDF smearing tuning and validation

Chris Hays & Yubin Zhong, Oxford University,
Ashutosh Kotwal, Duke University

LHC & Tevatron combination meeting
15 February 2019

Overview

Smearing functions uploaded to git and described in January 11 meeting

Tuning histograms

- Z mass: electron scale and resolution parameters
- Z p_T: Pythia tune
- Z p_T-recoil balance: recoil response
- Z p_T-recoil balance spread: recoil resolution

Validation histograms

- W $u_{\parallel}$
- W $u_{\perp}$
- W m_T
- W p_T(e)
- W p_T(ν)

Electron scale and resolution

Adjusted scale to better match simulation

1.0412 changed to 1.038




```
// Electron

// constant terms from PRD 89 072003 -- can adjust to absorb missing resolution from secondaries
C1 = 0.006; // constant term towers 1-8
C2 = 0.011; // constant term tower 0

// leakage distribution from NIM A729 25
TF1 *GeantElectronLeakage = new TF1("GeantElectronLeakage","x*x*x*x*x*exp(-x)",0,15);
GeantElectronLeakage->SetNpx(10000);

// energy scale correction accounting for leakage
lscale = 1.0412; // approximate
leakageconst = 1.8;
```

Increased resolution to cover missing term from secondaries:

C1 = 0.013 and C2 = 0.013

Pythia tuning



Recoil response




```
// recoil response function parameters from PRD 89 072003
a = 0.645;
b = 8.2;
c = 5.1;
```

Modified parameters:

a = 0.632

b = 17

c = 3

Recoil resolution

```
// recoil resolution
recoil_res = 0.82; // sampling
underlying_energy = 5.2; // extracted from eta-xi balance plots (Fig 31 of PRD 89 072003) -- needs tuning
lepton_hole = 0.185; // needed for upar comparisons

// Angular smearing functions, adjusted using Fig 31 of PRD 89 072003 -- need tuning
angular_turn = 18.;
angular_start = 0.44;
angular_decrease = 0.30;
```





Recoil angular resolution







alpha = 0.315

beta = 0.195

gamma = 0.152