



Contribution ID: 31

Type: **not specified**

## Anisotropic inflation with coupled $p$ -forms

*Friday 31 May 2019 15:30 (15 minutes)*

We study the cosmology in the presence of arbitrary couplings between  $p$ -forms in 4-dimensional space-time for a general action respecting gauge symmetry and parity invariance. The interaction between 0-form (scalar field  $\phi$ ) and 3-form fields gives rise to an effective potential  $V_{\text{eff}}(\phi)$  for the former after integrating out the contribution of the latter. We explore the dynamics of inflation on an anisotropic cosmological background for a coupled system of 0-, 1-, and 2-forms. In the absence of interactions between 1- and 2-forms, we derive conditions under which the anisotropic shear endowed with nearly constant energy densities of 1- and 2-forms survives during slow-roll inflation for an arbitrary scalar potential  $V_{\text{eff}}(\phi)$ . If 1- and 2-forms are coupled to each other, we show the existence of a new class of anisotropic inflationary solutions in which the energy density of 2-form is sustained by that of 1-form through their interactions.

**Primary authors:** GUARNIZO, Alejandro; BELTRAN, Juan Pablo (Universidad Antonio Nariño); TSUJIKAWA, Shinji (Tokyo University of Science); KASE, Ryotaro (Tokyo University of Science); VALENZUELA-TOLEDO, Cesar A. (Universidad del Valle)

**Presenter:** GUARNIZO, Alejandro

**Session Classification:** Cosmology