

W mass combination discussion

CDF smearing tuning and validation

Chris Hays & Yubin Zhong, Oxford University,
Ashutosh Kotwal, Duke University

LHC & Tevatron combination meeting
15 March 2019

Overview

Smearing functions uploaded to git and described in January 11 meeting

Tuning histograms

Z mass: electron scale and resolution parameters

$Z p_T$: Pythia tune

$Z p_T$ -recoil balance: recoil response

$Z p_T$ -recoil balance spread: recoil resolution

Validation histograms

$W u_{||}$

$W u_{\perp}$


$W m_T$

$W p_T(e)$


$W p_T(\nu)$

Electron scale and resolution


Adjusted scale to better match simulation
1.0412 changed to 1.038



Pythia tuning





Recoil response






Recoil resolution

```
// recoil resolution
recoil_res = 0.82; // sampling
underlying_energy = 5.2; // extracted from eta-xi balance plots (Fig 31 of PRD 89 072003) -- needs tuning
lepton_hole = 0.185; // needed for upar comparisons

// Angular smearing functions, adjusted using Fig 31 of PRD 89 072003 -- need tuning
angular_turn = 18.;
angular_start = 0.44;
angular_decrease = 0.30;
```




Recoil angular resolution




Angular smearing:
alpha = 0.31
beta = 0.195
gamma = 0.15


$p_T(e)$ in W events




$p_T(v)$ in W events




m_T in W events



u_T in W events



$u_{||}$ in W events



u_{\perp} in W events

