Adding New Volumes in Geant4 Baseline Geometry

Status of Agreement AA366/10

Apr 25, 2019



WP1: "Adding New Volumes in Geant4 Baseline Geometry"


To -do List

- 1. Flexible Chains (sec 11) Current Project
- 2. Flexible Chains (sec 15)
- 3. GAP Outer Services
- 4. JD Services (sec 13)
- 5. GAP Middle Services Moved to WP2
- 6. CALO Services
- 7. Platforms in missing Sectors


WP1: "Adding New Volumes in Geant4 Baseline Geometry"

Deliverables:

- 1. Technical reports of Simplification
- 2. XML code
- 3. Technical reports of Integration Conflicts Checking




Volume (m ³)	0.2562
Mass (kg)	2'049
Material	Stainless Steel
Density (kg/m³)	8000



Volume (m ³)	0.256
Mass (kg)	2'048
Material	Stainless Steel
Density (kg/m³)	8000


Flexible Chains (sec 11-15)



Status of Agreement AA366/10; Apr 25, 2019

Flexible Cain sec11 - Current






Volume (m ³)	0.518
Mass (kg)	4'193.92
Material	Stainless Steel/Cooper
Density (kg/m³)	8'000/8960

Diff: 0 Kg

~			· C.	1		1	1
N I	ım	nı	111	മവ	m	\cap	
<u>.</u>	im	נע	ш	cu	111	υu	
		L					




Volume (m ³)	0.518
Mass (kg)	4'193.92
Material	Stainless Steel/Cooper
Density (kg/m³)	8'000/8960

Flexible Cain sec11 - Current


```
I<AGDD>
                        = "Flexible Chain"
                version
                        = "0.0"
                        = "13-09-2017"
               date
                        - "Besik Kekelia"
                author
               top_volume = "Flexible_Chain">
       <!-- Flexible Chain (Sec 11) -->
                                                                                     dZx"23.">
        <!-- Piece-->
                                                                                     X.Y.Za"4112.; 94.; 3."/7
X.Y.Za"100.2; 6.; 620."/7
X.Y.Za"200.; 6.; 620."/7
      <box name="Piece Box" material="ShieldSteel" X Y Z="242.; 629.5; 1041."/>
                                                                                    <box name="Piece_cutBox" material="ShieldSteel" X Y Z="217.; 600.; 1042."/>
     ]<subtraction name="Piece subtro" >
     <posXYZ volume="Piece Box" X Y Z=" 0.; 0.; 0." rot=" 0.; 0.;0."/>
                                                                                          38.8; 282.4" rote" 0.; 0.; 0."/7
8; 458.8; 282.5" rote" 0.; 0.; 0."/7
8; 458.8; 282.5" rote" 0.; 0.; 0."/7
     <posXYZ volume="Piece_cutBox" X_Y_Z=" 0.; 0.; 0." rot=" 0.; 0.;0."/>
     -</subtraction>
                                                                                                    -282.5" rote" 0.: 0.: 0."/7
-282.5" rote" 0.: 180.: 0."/7
    /<composition name="Piece" >
                                                                                                              " 0: 180: 0."/7
      </composition>
    <!-- End Piece-->
                                                                   <!--Support-->
   <!--Cenrtal Support-->
                                                                 7<composition name="Cable" >
                                                                  <box name="plate of support1" material="ShieldSteel" X Y Z="4300</pre>
 ]<gvxy name="cut_of_plate" material="ShieldSteel" dZ="4315.">
                                                                <box name="plate_of_Pipes1" material="ShieldSteel" X_Y_Z="4609.; 240.; 16."/>
   <gvxy_point X_Y="-247.5; -53."/>
                                                                ctubs name="plate_of_Pipes2" material="ShieldSteel" Rio_Z="409.; 425.; 240." profile="180.; 90." nbPhi="36"/>
cbox name="plate_of_Pipes3" material="ShieldSteel" X_Y_Z="16.; 240.; 3282."/>
   <gvxy point X Y="-247.5; 53.775"/>
   <gvxy_point X Y="-50.; 53.775"/>
                                                               <gvxy point X Y="-50.; -1.175"/>
  <gvxy point X Y="-42.5; -1.175"/>
                                                              -</composition>
  <gvxy point X Y="-42.5; 53.775"/>
  <gvxy point X Y="42.5; 53.775"/>
                                                                                        X_Y_Z=" -163.09; 324.89; -180." rot=" 0.; 0.; 0."/>
X_Y_Z=" -163.09; 324.89; 180." rot=" 180.; 0.; 0."/>
                                                               <posXYZ volume="Pipes assembly"
<posXYZ volume="Pipes assembly"</pre>
 <gvxy point X Y="42.5; -1.175"/>
                                                               </composition>
 <gvxy point X Y="50.; -1.175"/>
                                                              <!--End Pipes-->
 <gvxy point X Y="50.; 53.775"/>
 <gvxy_point X_Y="247.5; 53.775"/>
                                                             <gvxy point X Y="247.5; -53."/>
                                                              </composition>
                                                -- Left-F
                                                           ]<composition name="Flexible Chain" >
                                                 ox name=
                                                            ox names
                                                 ox name
                                                 ox name
                                                          -</composition>
XML code of Flexible Chain sec11
```

</section>

Flexible Cain sec11 - Current




There are Integration Conflict Between Flexible chain(sec 11) and CalorimeterSaddle




Clash = 14.71mm

Upcoming - GAP Outer Services



Status of Agreement AA366/10; Apr 25, 2019

Upcoming - JD Services (sec 13)




Upcoming - GAP Middle Services



Moved to WP2


Status of Agreement AA366/10; Apr 25, 2019

Upcoming - CALO Services



Status of Agreement AA366/10; Apr 25, 2019

Upcoming - Platforms in missing Sectors



Status of Agreement AA366/10; Apr 25, 2019

Thank you for your Attention



Besik Kekelia

Georgian Technical University

Besik.kekelia@cern.ch