

Day 1

References

- [1] G. Arutyunov, “Elements of classical and quantum integrable systems”, Springer, 2019
- [2] O. Babelon, D. Bernard and M. Talon, “Introduction to Classical Integrable Systems,” Cambridge University Press, 2003
- [3] D. Bombardelli *et al.*, “An integrability primer for the gauge-gravity correspondence: An introduction,” J. Phys. A **49** (2016) no.32, 320301 [arXiv:1606.02945 [hep-th]].
- [4] M. Dunajski, “Integrable systems”, University of Cambridge Lecture Notes, 2012 [<http://www.damtp.cam.ac.uk/user/md327/teaching.html>]
- [5] A. Torrielli, “Lectures on Classical Integrability,” J. Phys. A **49** (2016) no.32, 323001 [arXiv:1606.02946 [hep-th]].

Day 2

References

- [1] A. A. Belavin and V. G. Drinfeld, “Solutions of the classical Yang-Baxter equation for simple Lie algebras”, Funct. Anal. Appl. **16** (1982), 159
- [2] A. A. Belavin and V. G. Drinfeld, “Triangle equation for simple Lie algebras”, Mathematical Physics Reviews (ed. Novikov et al.) Harwood, New York (1984), 93
- [3] A. A. Belavin and V. G. Drinfeld, “Classical Yang-Baxter equation for simple Lie algebras”, Funct. Anal. Appl. **17** (1983), 220
- [4] L. D. Faddeev and L. A. Takhtajan, “Hamiltonian Methods in the Theory of Solitons,” Berlin: Springer (1987)
- [5] P. Etingof and O. Schiffman, “Lectures on Quantum Groups,” Lectures in Mathematical Physics, International Press, Boston, 1998
- [6] E. K. Sklyanin, “Quantum version of the method of inverse scattering problem,” J. Sov. Math. **19** (1982) 1546 [*Zap. Nauchn. Semin.* **95** (1980) 55].
- [7] A. B. Shabat and V. E. Zakharov, “Exact theory of two-dimensional self-focusing and one-dimensional self-modulation of waves in nonlinear media,” Soviet Physics JETP **34** (1972) 62.

Day 3

References

- [1] V. Chari and A. Pressley, “A guide to quantum groups,” Cambridge, UK: Univ. Pr., 1994
- [2] L. D. Faddeev, “How algebraic Bethe ansatz works for integrable model,” Les Houches lectures, 1995 [hep-th/9605187].
- [3] C. Kassel, “Quantum Groups”, Springer, 1995
- [4] F. Levkovich-Maslyuk, “The Bethe ansatz,” J. Phys. A **49** (2016) no.32, 323004 [arXiv:1606.02950 [hep-th]].
- [5] H. B. Thacker, “Exact Integrability in Quantum Field Theory and Statistical Systems,” Rev. Mod. Phys. **53** (1981) 253.

Day 4

References

- [1] D. Bombardelli, “S-matrices and integrability,” J. Phys. A **49** (2016) no.32, 323003 [arXiv:1606.02949 [hep-th]].
- [2] N. Beisert, “Introduction to Integrability,” ETH Lecture Notes, 2013-17
- [3] P. Dorey, “Exact S matrices,” hep-th/9810026.
- [4] M. F. Paulos, J. Penedones, J. Toledo, B. C. van Rees and P. Vieira, “The S-matrix bootstrap II: two dimensional amplitudes,” JHEP **1711** (2017) 143 [arXiv:1607.06110 [hep-th]].
- [5] A. B. Zamolodchikov and A. B. Zamolodchikov, “Factorized S-Matrices in Two-Dimensions as the Exact Solutions of Certain Relativistic Quantum Field Models,” Annals Phys. **120** (1979) 253.

References

- [1] R. J. Baxter, “Exactly solved models in statistical mechanics,” Courier, 2007
- [2] E. Brezin, C. Itzykson, J. Zinn-Justin and J. B. Zuber, “Remarks About the Existence of Nonlocal Charges in Two-Dimensional Models,” *Phys. Lett.* **82B** (1979) 442.
- [3] J. Cai, S. Wang, K. Wu and C. Xiong, ‘Universal $-$ matrix of the Super Yangian Double $DY(gl(1|1))$,’ *Comm. Theor. Phys.* **29** (1998) 173.
- [4] P. Fendley and H. Saleur, “Massless integrable quantum field theories and massless scattering in (1+1)-dimensions,” hep-th/9310058.
- [5] S. M. Khoroshkin, V. N. Tolstoy, “Yangian double,” *Lett. Math. Phys.* **36** (1996) 373
- [6] K. K. Kozłowski, E. Sklyanin and A. Torrielli, “Quantization of the Kadomtsev–Petviashvili equation,” *Theor. Math. Phys.* **192** (2017) no.2, 1162 [arXiv:1607.07685 [nlin.SI]].
- [7] F. Loebbert, “Lectures on Yangian Symmetry,” *J. Phys. A* **49** (2016) no.32, 323002 [arXiv:1606.02947 [hep-th]].
- [8] N. J. MacKay, “On the classical origins of Yangian symmetry in integrable field theory,” *Phys. Lett. B* **281** (1992) 90 Erratum: [*Phys. Lett. B* **308** (1993) 444].
- [9] W. Sutherland, “Beautiful models,” World Scientific, 2004
- [10] A. B. Zamolodchikov, “From tricritical Ising to critical Ising by thermodynamic Bethe ansatz,” *Nucl. Phys. B* **358** (1991) 524.