


PY410 / 505
Computational Physics 1

Salvatore Rappoccio

C++: Inheritance

- You've already seen inheritance:
 - std::istream is a PARENT of std::ifstream
- Base (parent) classes are more general
- Derived (child) classes are more specific



C++: Inheritance

- Distinguish between “has a” and “is a” relationships
- Example:
 - A Honda HAS A motor
 - A Honda IS A car
- Now: make this into a data model



C++: Inheritance

- Example: StudentRecord
- From your homework, you looked at StudentRecord.
- StudentRecord HAS A first name
- StudentRecord HAS A last name
- StudentRecord HAS A score

```
class StudentRecord {  
    . . .  
    std::string firstname_;  
    std::string lastname_;  
    double score_;  
  
};
```

C++: Inheritance

- Now try to make this into an interface with **SPECIALIZED** attributes
- Suppose we have a special StudentRecord, i.e. a record with a student's score in a specific class (say, Physics).
- How do we generalize?
 - Make a **BASE CLASS** out of StudentRecord
 - Make **DERIVED CLASSES** to implement the specifics

C++: Inheritance

- Syntax:

```
class StudentRecord {  
    . . .  
};
```

Base Class

```
class StudentRecordForAlgebra :  
    public StudentRecord {  
    . . .  
};
```

Derived Class

Inherits PUBLICLY from StudentRecord
(can have private but don't worry about it)

C++: Inheritance

- What's the use?
 - Generalization!
- Suppose you have a base class, “Car”, and two derived classes “Honda” and “Chevy”. You want to write code to have a robot fill up the gas tank.
- The logic is really about Cars, not Hondas or Chevies.
 - So something like:

```
class Car {  
    bool fill(Gas const & gas);  
};  
class Chevy : public Car {???};  
class Honda : public Car {???};
```

C++: Inheritance

- Syntax is to make the function **VIRTUAL** in the base class:

```
class Car {  
    virtual bool fill(Gas const & gas);  
};
```

- Then **OVERRIDE** them in the derived classes and fill in relevant details:

```
class Chevy : public Car {  
    virtual bool fill(Gas const & gas) {  
        fillLeftSide(gas);  
    }  
};  
class Honda : public Car {  
    virtual bool fill(Gas const & gas) {  
        fillRightSide(gas);  
    }  
};
```

C++: Inheritance

- In C++:

- Use “virtual” keyword

```
class Chevy : public Car {  
    virtual bool fill(Gas const & gas) {  
        fillLeftSide(gas);  
    }  
};
```

- In C++11 and later: can use “override” keyword:

```
class Chevy : public Car {  
    bool fill(Gas const & gas) override {  
        fillLeftSide(gas);  
    }  
};
```

This is a bit stricter, requires that the function be exactly the same as a virtual function in the base class.

C++: Inheritance

- Now we understand “public”, “protected”, and “private”:
- Public: available to all code
- Protected: available to “this” class and any derived classes
- Private: available only to “this” class

C++: Inheritance

- With inheritance, you can use polymorphism:
 - Call code from the DERIVED class by accessing through the BASE class

```
std::vector< Car *> cars;  
Chevy malibu;  
Honda accord;  
cars.push_back( &malibu );  
cars.push_back( &accord );
```

Can make BASE CLASS POINTERS
to the derived class objects

```
for ( Car * pcar : cars ) {  
    pcar->Fill(gas);  
}
```

Then treat them the same way in code
without having to know specific details!

C++: Inheritance

- This works through the VIRTUAL TABLE (vtable)
 - Pointer to code that is defined at RUN TIME
 - “Dynamic binding” or “late binding”
 - To call derived classes, need to DEREFERENCE the pointer in the vtable
 - This can sometimes lead to poorer performance... more later
 - Depending on run-time value of objects, looks at a different class

- Example:

```
std::vector< Car *> cars;  
Car * pcar_1 = get_car_from_user();  
Car * pcar_2 = get_car_from_user();  
cars.push_back( pcar_1 );  
cars.push_back( pcar_2 );
```

```
for ( Car * pcar : cars ) {  
    pcar->Fill(gas);  
}
```

C++: Inheritance

- If your base class doesn't actually refer to a real type, it is a PURE INTERFACE
- Also known as an “abstract base class”
- In our “Car” example, there is no such model of “Car” that is just “Car”. You need to have a Honda or a BMW or a Toyota or a Chevy or a Ford.
 - Therefore Car should be abstract!
- Syntax: provide virtual DECLARATION of a function, with no DEFINITION, set it equal to zero:

```
class Car {  
    virtual bool fill(Gas const & gas) = 0;  
};
```

C++: Inheritance

- Example of generalizing StudentRecord:
- Suppose we have a specialized cases of StudentRecord:
 - StudentRecordPhysics : inputs TWO scores
 - StudentRecordLiterature : inputs THREE scores
- To make generic: make “base” class have a `vector<double>` to represent scores

C++: Friend Classes

- Data access:
 - Protected : derived classes
- What about OTHER classes or functions you want to be able to access?
 - Friends!
 - Yes, really.
- One common use : `operator<<` and `operator>>`

C++: Friend classes

- Syntax is pretty simple: in your class definition, just like the Mines of Moria:
- speak friend, and enter

```
class A{  
public:
```

```
    friend class B;  
};
```

B now has access to all of A's private and protected data



C++: Friend Classes

- Often use for operator<< and operator>>:

- In header (.h) file:

```
class StudentRecord {  
public:  
    . . .
```

```
friend std::ostream & operator<<( std::ostream & out, StudentRecord const & );  
friend std::istream & operator>>( std::istream & in , StudentRecord const &);  
}
```

- In source (.cc) file:

```
std::ostream & operator<<( std::ostream & out, StudentRecord const &right )  
{ right.print(out); return out; }
```

```
std::istream & operator>>( std::istream & in, StudentRecord &right )  
{ right.input(in); return in; }
```

Hands on

- Folder “InheritanceExample”
- Type “make” and you get the executable

C++: Templates

- We've been using templates since last week:
- Operates on ANY class
- `std::vector<int>`, `std::vector<double>`,
`std::vector<StudentRecordPhysics>`, etc
- Now let's look a bit deeper

C++: Class Templates

Cookie
template



Cookie

Class
template

```
template< class T >  
class Storage
```

```
Storage<int> s( 2 );
```

Class

C++: Class Templates

- Similar to function templates, declare with “template <class T>”
- Then the code you write has a PLACEHOLDER value called “T”. “T” is not a class. It is a dummy. It does not exist.
- This defines an INTERFACE to operate on the class object

C++: Class Templates

- So `std::vector<T>` is a template
- It doesn't matter if "T" is a float or an int (or a `StudentRecord`), the operations of "std::vector" are unchanged!
- Class template `std::vector<T>`, then make classes like `std::vector<int>`, `std::vector<StudentRecordPhysics>`, etc.

C++: Class Templates

- If you do not correctly set up your templates, you will get sixty-seven pages of compiler warnings
- It issues the warnings for EVERY instance of the class template
- Usually the first one is the one you care about, and it is actually usually descriptive, so **READ THEM!**

C++: Class Templates

- Can also have MULTIPLE template parameters
- Example: Associative container “std::map”
 - Like a vector, but has an abstract KEY and can be sorted in any way you like “Compare”

```
template<
    class Key,
    class T,
    class Compare = std::less<Key>,
    class Allocator = std::allocator<std::pair<const Key, T> >
> class map;
```

- Example: “Maps”