

Radiative capture in the $^4\text{He} + ^2\text{H}$ system in the framework of a microscopic approach

The nuclear $^4\text{He} + ^2\text{H}$ system is of great importance to nuclear astrophysics. Radiative capture proceeding in this system is responsible for production of the ^6Li nuclei during the primordial nucleosynthesis. In this work, the $^4\text{He} + ^2\text{H}$ radiative capture is considered from the microscopic viewpoint within a developed approach [1, 2] based on cluster aspects of nuclear structure and dynamics and formalism of expansions over the oscillator basis. Cross section and astrophysical S factor of the reaction are calculated. Low-energy dependence of these quantities serves as a source of information that can be useful for the so-called second "lithium puzzle". A comparison of the calculated results with experimental data is performed.

1. A.S. Solov'yev and S.Yu. Igashov, Phys. Rev. C **96**, 064605 (2017).
2. A.S. Solov'yev and S.Yu. Igashov, Phys. Rev. C **99**, 054618 (2019).

Primary author: Dr SOLOV'YEV, Alexander (Dukhov Automatics Research Institute (VNIIA))

Presenter: Dr SOLOV'YEV, Alexander (Dukhov Automatics Research Institute (VNIIA))

Session Classification: Will not participate

Track Classification: Section 2. Experimental and theoretical studies of nuclear reactions.