


# Higgs Strahlung – Theory

Robert Harlander  
for the  $WH/ZH$  working group

Uni Wuppertal

Freiburg, April 12-13, 2010


# Higgs Strahlung



- used to be
  - main search mode for Tevatron

[Tev Higgs WG '00]



# Higgs Strahlung



- used to be
  - main search mode for Tevatron

[Tev Higgs WG '00]


# Higgs Strahlung




- used to be

- main search mode for Tevatron
- considered useless for Higgs search at LHC


# Higgs Strahlung




- used to be
  - main search mode for Tevatron
  - considered useless for Higgs search at LHC
- use jet sub-structure:
  - [Butterworth *et al.* 08]
  - promising for  $M_H \approx 120$  GeV




# Higgs Strahlung



- used to be
  - main search mode for Tevatron
  - considered useless for Higgs search at LHC
- use jet sub-structure:
  - [Butterworth *et al.* 08]
  - promising for  $M_H \approx 120$  GeV
  - needs kinematical distributions




# Theory



$$\frac{d\sigma}{dk^2}(pp \rightarrow HV) = \sigma(pp \rightarrow V^*) \frac{d\Gamma}{dk^2}(V^* \rightarrow HV)$$


# Theory



$$\frac{d\sigma}{dk^2}(pp \rightarrow HV) = \sigma(pp \rightarrow V^*) \frac{d\Gamma}{dk^2}(V^* \rightarrow HV)$$

- valid through NLO


# Theory



$$\frac{d\sigma}{dk^2}(pp \rightarrow HV) = \sigma(pp \rightarrow V^*) \frac{d\Gamma}{dk^2}(V^* \rightarrow HV)$$

- valid through NLO
- $\sigma(pp \rightarrow V^*)$ : Drell-Yan  
known to NNLO [Hamberg, Matsuura, v. Neerven '91]  
→ numerical program `zwprod.f` [v. Neerven]


# Theory



$$\frac{d\sigma}{dk^2}(pp \rightarrow HV) = \sigma(pp \rightarrow V^*) \frac{d\Gamma}{dk^2}(V^* \rightarrow HV)$$


- valid through NLO
- $\sigma(pp \rightarrow V^*)$ : Drell-Yan
  - known to NNLO [Hamberg, Matsuura, v. Neerven '91]
  - numerical program `zwprod.f` [v. Neerven]
- NLO [Han, Willenbrock '90]
  - available as numerical code `v2HV` [Spira]

# NLO Distributions



[Hamilton, Richardson, Tully '09]


# Theory




$$\frac{d\sigma}{dk^2}(pp \rightarrow HV) = \sigma(pp \rightarrow V^*) \frac{d\Gamma}{dk^2}(V^* \rightarrow HV)$$

- valid through NLO

# Theory





*HZ :*




$$\frac{d\sigma}{dk^2}(pp \rightarrow HV) = \sigma(pp \rightarrow V^*) \frac{d\Gamma}{dk^2}(V^* \rightarrow HV)$$



- valid through NLO
- NNLO [Brein, Djouadi, Harlander '04]  
based on `zwprod.f`  
→ working on public version









# Higgs Strahlung



[Han, Willenbrock '90]

$$\frac{M_{WH}}{3} \leq \mu_R, \mu_R \leq 3M_{WH}$$

# Higgs Strahlung




[Brein, Djouadi, R.H. '03]

[Han, Willenbrock '90]

$$\frac{M_{WH}}{3} \leq \mu_R, \mu_R \leq 3M_{WH}$$


# Electro-weak corrections



[Ciccolini, Dittmaier, Krämer '03]

- how to combine EW and QCD?

# Electro-weak corrections




[Ciccolini, Dittmaier, Krämer '03]

- how to combine EW and QCD?

$$\sigma^{\text{n.f.}} = \sigma_{\text{QCD}} + \delta_{\text{EW}} \cdot \sigma_{\text{LO}}$$

# Electro-weak corrections





[Ciccolini, Dittmaier, Krämer '03]

- how to combine EW and QCD?

$$\sigma^{\text{n.f.}} = \sigma_{\text{QCD}} + \delta_{\text{EW}} \cdot \sigma_{\text{LO}}$$

$$\sigma^{\text{c.f.}} = \sigma_{\text{QCD}} (1 + \delta_{\text{EW}})$$



# Higgs Strahlung



[Brein, Djouadi, R.H. '03]

[Han, Willenbrock '90]

# Higgs Strahlung





[Brein, Djouadi, R.H. '03]

[Han, Willenbrock '90]

[Ciccolini, Dittmaier, Krämer '03]

# Higgs Strahlung



[Brein, Djouadi, R.H. '03]

[Han, Willenbrock '90]

[Ciccolini, Dittmaier, Krämer '03]

# Conclusions and Plans

- NLO QCD: ok  
V2HV, MCFM, MC@NLO, POWHEG

# Conclusions and Plans

- NLO QCD: ok  
V2HV, MCFM, MC@NLO, POWHEG
- goal: public programs for inclusive cross sections  
NNLO QCD + EW

# Conclusions and Plans

- NLO QCD: ok  
V2HV, MCFM, MC@NLO, POWHEG
- goal: public programs for inclusive cross sections  
NNLO QCD + EW
- distributions:

$$d\sigma_{\text{NLO}} \stackrel{?}{\approx} K^{\text{NLO}} \times d\sigma_{\text{LO}}$$

# Conclusions and Plans

- NLO QCD: ok  
V2HV, MCFM, MC@NLO, POWHEG
- goal: public programs for inclusive cross sections  
NNLO QCD + EW
- distributions:

$$d\sigma_{\text{NNLO}} \stackrel{?}{\approx} K^{\text{NNLO}} \times d\sigma_{\text{LO}}$$

# Conclusions and Plans

- NLO QCD: ok  
V2HV, MCFM, MC@NLO, POWHEG
- goal: public programs for inclusive cross sections  
NNLO QCD + EW
- distributions:  
$$d\sigma_{\text{NNLO}} \stackrel{?}{\approx} K^{\text{NNLO}} \times d\sigma_{\text{LO}}$$
- combining EW and QCD, inclusive and distributions?

# Conclusions and Plans

- NLO QCD: ok  
V2HV, MCFM, MC@NLO, POWHEG
- goal: public programs for inclusive cross sections  
NNLO QCD + EW
- distributions:

$$d\sigma_{\text{NNLO}} \stackrel{?}{\approx} K^{\text{NNLO}} \times d\sigma_{\text{LO}}$$

- combining EW and QCD, inclusive and distributions?
- detailed study of uncertainties

# Conclusions and Plans

- NLO QCD: ok  
V2HV, MCFM, MC@NLO, POWHEG
- goal: public programs for inclusive cross sections  
NNLO QCD + EW
- distributions:

$$d\sigma_{\text{NNLO}} \stackrel{?}{\approx} K^{\text{NNLO}} \times d\sigma_{\text{LO}}$$

- combining EW and QCD, inclusive and distributions?
- detailed study of uncertainties
- NNLO fully differential?