

Real-time flavour tagging selection in ATLAS

Friday, July 31, 2020 12:10 PM (15 minutes)

In high-energy physics experiments, online selection is crucial to select interesting collisions from the large data volume. ATLAS b-jet triggers are designed to identify heavy-flavour content in real-time and provide the only option to efficiently record events with fully hadronic final states containing b-jets. In doing so, two different, but related, challenges are faced. The physics goal is to optimise as far as possible the rejection of light jets, while retaining a high efficiency on selecting b-jets and maintaining affordable trigger rates without raising jet energy thresholds. This maps into a challenging computing task, as tracks and their corresponding vertexes must be reconstructed and analysed for each jet above the desired threshold, regardless of the increasingly harsh pile-up conditions. We present an overview of the ATLAS strategy for online b-jet selection for the LHC Run 2, including the use of novel methods and sophisticated algorithms designed to face the above mentioned challenges. The evolution of the performance of b-jet triggers in Run 2 data is presented, including the use of novel triggers designed to select events containing heavy flavour jets in heavy ion collisions.

I read the instructions

Secondary track (number)

Author: VARNI, Carlo

Presenter: VARNI, Carlo

Session Classification: Operation, Performance and Upgrade of Present Detectors

Track Classification: 12. Operation, Performance and Upgrade of Present Detectors