

The Scintillating Bubble Chamber (SBC) Experiment for Dark Matter and Reactor CEvNS

Wednesday, July 29, 2020 3:55 PM (25 minutes)

The Scintillating Bubble Chamber (SBC) experiment is a novel low-background technique aimed at detecting low-mass ($0.7-7 \text{ GeV}/c^2$) WIMP interactions and coherent scattering of reactor neutrinos (CEvNS). The detector consists of a quartz-jar filled liquid Argon (LAr), which is spiked with 100 ppm of liquid Xenon (LXe) acting as a wavelength shifter. The target fluid is de-pressurized into a super-heated state by a mechanically controlled piston. Particles interacting with the LAr+100ppmLXe can generate heat (bubbles) and scintillation light, depending on the energy intensity and density. The detector is further equipped with cameras to take pictures of the bubbles, Silicon-Photo-Multipliers to measure the scintillation light, and piezo-acoustic sensors to listen to bubble's formation. By combining these observables, the SBC detector is aiming to reach a threshold for nuclear recoils of 100 eV and a projected WIMP-sensitivity of $3.0 \times 10^{-43} \text{ cm}^2$, for a WIMP mass of $0.7 \text{ GeV}/c^2$.

In this talk, I will present the design of the SBC experiment and provide an update on the ongoing construction and commissioning at Fermilab. Finally, I will discuss the collaboration's plans for the SNOLAB installation/operation and the reactor CEvNS search.

Secondary track (number)

Author: GIAMPA, Pietro

Presenter: GIAMPA, Pietro

Session Classification: Dark Matter Detection

Track Classification: 09. Dark Matter Detection