



Contribution ID: 88

Type: **not specified**

## Searching for long-lived light neutralinos at future lepton colliders

*Tuesday, 24 August 2021 14:55 (25 minutes)*

Future lepton colliders such as the Circular Electron Positron Collider (CEPC) and FCC (Future Circular Collider)-ee would run as high-luminosity  $Z$ -boson factories, which offer a unique opportunity to study long-lived particles which couple to  $Z$ -bosons. We consider the long-lived lightest neutralinos in the R-parity-violating supersymmetry, produced from  $Z$ -boson decays, and show the sensitivity limits of not only the near detectors at the CEPC and FCC-ee but also proposed far-detector experiments at these colliders. We find the near detectors at the future  $Z$ -factories can outperform the ATLAS experiment at the high-luminosity Large Hadron Collider (LHC) and the proposed LHC experiments with far detectors (AL3X, CODEX-b, FASER, and MATHUSLA), and that new experiments with far detectors at future lepton colliders may extend and complement the sensitivity reaches of the default near detectors.

**Primary authors:** WANG, Kechen (Wuhan University of Technology); WANG, Zeren Simon (National Tsing Hua University)

**Presenter:** WANG, Zeren Simon (National Tsing Hua University)

**Session Classification:** Lepton Colliders

**Track Classification:** Lepton Colliders