



## ■ Characteristics :

- Family company
- One chairman for the two companies
- Middle company of 21 persons
- Two plants (on 5000 m<sup>2</sup>)
- Turnover in 2019 : 7 040 k€




## ■ The main dates :

- 1934 : creation of TUBEXACT
- 1977 : creation of INOXTUBE
- 1998 : certification ISO 9002
- 2003 : certification ISO 9001




## ■ Drawing tubes



Tube in length

Tube in coils

## ■ Available sizes



## ■ Material

Copper

Brass

Aluminium alloys

Low carbon steel

## ■ Complementary operation



Degreasing of tubes and parts

Cut to length

Bend according to drawn

## ■ Instrumentations Tubes :

- Grades : 304L, 321, 316L, 317L, 316Ti, 310S, 904L, Duplex, Super Duplex, 254 SMO, 1.4404, 1.4435
- Nickel alloys : Alloy 825, Alloy 600, Alloy 400, Alloy C276, Alloy 800HT
- Cold drawn, Bright annealed
- Standards : ASTM A213/A269, Nace MR 0175, EN 10216-5
- Length : 6 meters
- Metric and hydraulic sizes :
  - O.D. 2 to 54 mm
  - W.T. 0,5 to 5 mm
- Imperial sizes :
  - O.D. 1/16" (1.59 mm) to 2" (50.8 mm)
  - W.T. 0,3 mm to 3,2 mm



## ■ AINSI, ASME, Iso and Gas tubes :

- Grades : 304L, 316L, 316Ti, 310
- Cold drawn, pickled, annealed
- Standards : ASTM A312, EN 10216-5
- Length : 5 to 7 meters
- Sizes :
  - Ainsi/Asme from 1/8" sch 5s to 12" Sch 160 s
  - Metric, Iso and Gas from DN 10 to DN 100

## ■ Precision on specific production :

- Austenitic grades : 304L, 310S, 321, 316L, 316Ti, 1.4404, 1.4435, 904L
- Nickel alloys grades : Alloy 400, Alloy 600, Alloy 625, Alloy 825, Alloy C276
- Precision seamless tubes on specific production
- Form : Straight lengths and coils
- Standards according to your specification
- Condition : Annealed or hard
- O.D. : from 1 mm to 84 mm
- W.T. : from 0.2 mm to 5 mm



## ■ Tubing on coils :

- Standard : ASTM A269
- Type : Cold seamless drawn
- Condition : Bright annealed
- Minimum quantity : 50 meters
  - Grade : 316L

## ■ Coils from stock :

- |            |               |
|------------|---------------|
| ● 3 x 0,5  | ● 1,59 x 0,3  |
| ● 3 x 1    | ● 3,17 x 0,51 |
| ● 4 x 0,5  | ● 3,17 x 0,71 |
| ● 4 x 1    | ● 3,17 x 0,89 |
| ● 6 x 0,5  | ● 6,35 x 0,89 |
| ● 6 x 1    | ● 9,52 x 0,89 |
| ● 8 x 1    | ● 9,52 x 1,24 |
| ● 10 x 1   | ● 9,52 x 1,65 |
| ● 10 x 1,5 | ● 12,7 x 0,89 |
| ● 12 x 1   |               |
| ● 12 x 1,5 |               |

