



Contribution ID: 938

Type: Oral presentation

Two-particle azimuthal correlations in photo-nuclear Pb+Pb collisions with ATLAS

Wednesday, 6 April 2022 11:30 (20 minutes)

The ultra-peripheral collisions (UPC) of relativistic heavy ion beams lead to a diverse set of photon-nucleus interactions.

The measurements of particles and their interaction produced in photo-nuclear reactions can shed light on the QCD dynamics of novel, extremely asymmetric colliding systems, with energies between those available at RHIC and the LHC.

Understanding the hadronic fluctuation spectrum of the photon in this fashion is also critical for maximizing the precision of measurements at the future Electron-Ion Collider.

This talk presents the final measurement of two-particle long-range azimuthal correlations in photo-nuclear collisions using 5.02 TeV Pb+Pb data collected in 2018 by ATLAS, with a dedicated photo-nuclear event trigger.

Candidate photo-nuclear events are selected using a combination of the single-sided zero-degree calorimeter activity and reconstructed pseudorapidity gaps constructed from calorimeter clusters and charged-particle tracks.

Correlation functions are constructed using charged-particle tracks, separated in pseudorapidity. A template fitting procedure is utilized to subtract the non-flow contribution.

Elliptic and triangular flow coefficients are presented as a function of charged-particle multiplicity and transverse momentum, and significant non-zero values of the flow coefficients are observed.

The results are compared to flow coefficients obtained in pp and $p+Pb$ collisions in similar multiplicity ranges, and to quantitative theoretical expectations.

Primary author: ATLAS COLLABORATION

Presenter: PEREPELITSA, Dennis (University of Colorado Boulder)

Session Classification: Parallel Session T05: QGP in small and medium systems

Track Classification: QGP in small and medium systems