



Contribution ID: 819

Type: Poster

Global polarization of Λ hyperons in Au+Au $\sqrt{s_{NN}} = 7.2$ GeV collisions with fixed-target mode at RHIC-STAR experiment

Wednesday 6 April 2022 18:50 (4 minutes)

Non-central heavy-ion collisions produce a large angular momentum that leads to vorticity of the created system. Due to the spin-orbit coupling, spin directions of particles are aligned with the orbital angular momentum of the system. Global polarization of Λ and $\bar{\Lambda}$ hyperons has been measured in Au+Au collisions from $\sqrt{s_{NN}} = 7.7$ GeV to 5.02 TeV [1-3]. The STAR fixed target program provides an opportunity to extend such measurements at even lower energies. In this poster, differential measurements such as centrality, rapidity, and transverse momentum dependence of global polarization of Λ hyperons in Au+Au collisions at $\sqrt{s_{NN}} = 7.2$ GeV with the fixed-target configuration are reported.

L.Adamczyk et al.(STAR) Nature 548 62 (2017).

J.Adam et al.(STAR), Phys. Rev. C 98 14910 (2018)

S.Acharya et al.(ALICE), Phys. Rev. C 101, 044611 (2020)

Primary author: OKUBO, Kosuke

Co-author: STAR COLLABORATION

Presenter: OKUBO, Kosuke

Session Classification: Poster Session 2 T02

Track Classification: Chirality, vorticity and spin polarization