



Contribution ID: 957

Type: Poster

Observation of top-quark pair production in proton-lead collisions in ATLAS

Friday 8 April 2022 14:12 (4 minutes)

Top-quarks, tau leptons, and Higgs boson are the only elementary particles that have not been observed in heavy-ion collisions in the ATLAS detector yet. In particular top quarks, the heaviest elementary particles carrying colour charges, have been argued to be attractive candidates for probing the quark-gluon plasma produced in heavy-ion collisions. In proton-lead collisions, top-quark production is expected to be sensitive to nuclear modifications of parton distribution functions (PDF) at high Bjorken- x values which are hard to access experimentally using other probes available so far. In 2016 the ATLAS experiment collected proton-lead collisions at centre-of-mass energy of 8.16 TeV per nucleon pair. The high integrated luminosity of the sample amounting to 164 nb⁻¹ allows for top-quark pair production measurement for the first time in this data set with ATLAS. In this poster, we discuss the inclusive cross-section measurement for the top-quark pairs production using dilepton and lepton+jet decay modes with electrons and muons in ATLAS. The measurement will be compared to the NNLO predictions for top-quark production using various PDF sets.

Primary author: ATLAS COLLABORATION

Presenter: MONDAL, Santu (Czech Technical University in Prague (CZ))

Session Classification: Poster Session 3 T11_5

Track Classification: Heavy flavors, quarkonia, and strangeness production