

Charting the Fifth Force Landscape

Hannah Banks

DAMTP, University of Cambridge


Based on 2009.12399 with Matthew McCullough

Motivation

Could light neutral states from hidden sectors open a window to the Dark Universe?

 Exchange of new light states between ordinary nucleons generates a "fifth" force

e.g. The Yukawa Potential



Forces are "long-range": cannot use EFT to generalise effects on observables
 ⇒ searches operate on a model-by-model basis

Can we find a general framework?

The Framework

• Consider SM states of mass M coupled weakly to a scalar composite operator \mathcal{O}_{DS} :

$$\mathcal{L}_{\mathrm{int}} = \lambda \bar{\Psi}_{SM} \Psi_{SM} \mathcal{O}_{DS}$$

• At $\mathcal{O}(\lambda^2)$ this generates a potential


$$V(\boldsymbol{r}) = -rac{1}{4M^2} \int d^3 \boldsymbol{q} \; rac{\mathcal{M}^{\mathrm{NR}}}{(2\pi)^3} e^{i \boldsymbol{q} \cdot \boldsymbol{r}} \;\; ,$$

(Born Approx.)

where

$$i\mathcal{M}^{NR} = -4i\lambda^2 M^2 \langle \mathcal{O}_{DS}(x)\mathcal{O}_{DS}(y)\rangle^{NR}$$

$$\equiv \Delta(q)$$



Unitarity, Causality, Locality

$$\Delta(q)=2\int_0^\infty \mu d\mu \; \frac{\rho(\mu^2)}{q^2-\mu^2+i\epsilon} \quad \text{for } \rho(\mu^2) \text{ real and positive-definite}.$$

Born

Approx.
$$V(r) = -\frac{\lambda^2}{2\pi r} \int_0^\infty \mu d\mu \; \rho(\mu^2) e^{-\mu r} \quad .$$

$$ho \ge 0 \implies 1$$
. Attractive Force
2. No turning points

points

Most general form of the potential from scalar operator exchange within QFT!

Valid whatever the form of the hidden sector: perturbative, strongly coupled, minimal, complex

$$\rho(q^2) = -\frac{1}{\pi} \operatorname{Im}\{\Delta(q)\}\$$


Results from loop exchange obtained simply via optical theorem – no need for loop calculations!


All experimental observables can be re-cast in terms of ρ



Straightforward to extract limits on any model

The Experimental Landscape






Yukawa


Beyond QFT?

What happens if positivity of $ho(\mu^2)$ relaxed? i.e. violations of causality, unitarity ...





If b> a potential develops a **turning point** in *r*



Caveat: similar effects could arise from different spin operators interfering...

Summary and Conclusions

- 1. All possible scalar fifth forces can be encapsulated by a single, real, positive definite spectral function
- 2. Potentials from loop exchange can be obtained easily
- 3. Observables can be expressed in completely general terms ⇒ straightforward extraction of limits to any model
- 4. Unique opportunity to consider more speculative scenarios such as violation of QFT fundamentals
- 5. The landscape of possible scalar fifth forces is much richer than the simple Yukawa scenario and worth pursuing!