# DIRAC - a global workload management system

Daniela Bauer







#### Overview

- What is DIRAC and what is it being used for ?
- Providing a DIRAC server: Admin perspective
- DIRAC from a user perspective:
  - How do different communities use DIRAC



#### Overview

- DIRAC is a software originally developed by LHCb that comprises of:
  - Workload Management System ("Global batch system")
  - File Catalog
  - Workflow Management System
  - Documentation: <a href="https://dirac.readthedocs.io/en/latest/">https://dirac.readthedocs.io/en/latest/</a>
- Provides a standardized user interface to multiple compute and storage resources
- Written in Python (for Linux)
  - OpenSource: <a href="https://github.com/DIRACGrid/DIRAC">https://github.com/DIRACGrid/DIRAC</a>
- Apart from LHCb it is used by a number of communities to manage the various aspects of their data processing:
  - Experiment specific: e.g. Belle2, ILC, Cherenkov Telescope Array, NICA (JINR), BES (Beijing), biomed
  - Multi-Community: e.g GridPP, France-Grilles, EGI




## Background: GridPP/DIRAC

- GridPP: A collaboration of 19 UK universities
- Focus on providing computing resources to the big LHC experiments
- Dedicated "other experiment" component: GridPP DIRAC instance is provided as a means for non-LHC experiments to access GridPP (and other compatible) resources

t2k.org user

gridpp user

pheno user



mice user

dune user

vo.moedal.org user

0.3%


0.1%

0.0%

hyperk.org user

Imperial College London 0.0%

### Example: The GridPP DIRAC implementation




Imperial College London





#### **DIRAC: Admin view**







## No such thing as a free lunch: Support effort

- Disclaimer: This is the GridPP experience, supporting ~6 active communities at any one time; one or two new communities a year.
- Core software development is driven by LHCb
  - But: Active developer group (~10 people) drawing from all communities
- Two research software engineers at approximately ½ FTE each to provide a production level service:
  - Maintenance/upgrades
  - Bug fixes/Coding new features (first) needed by local communities
  - DIRAC→Resource provider debugging
  - User assistance



#### User interactions with DIRAC

#### DIRAC as a 'direct' user interface:

- Command line tools from DIRAC UI:
  - Once a DIRAC server is set up, it can be used with minimal setup (on the users' side
    - Job submission
    - Data access
- DIRAC Python API:
  - Because "by hand submission/shell scripts" don't scale
- Ganga:
  - https://ganga.readthedocs.io/en/latest/
- Web interface to monitor jobs status etc

#### Restricted/production usage:

 Community developed submission interfaces build on the DIRAC Python API







## The LZ job submission interface

#### Key features:


- Only valid combinations of software versions can be selected.
- Requests require approval by a production manager before submission.
- Database keeps track of status of individual requests that might consist of hundreds of jobs.




#### LZ: Job submission interface



#### LZ Production Requests



#### Advanced DIRAC features: Workflow management



Workflow: Any raw data uploaded to the 'near' storage element is automatically processed and copied to the 'far' storage element. Must account for temporary unavailability of target storage.

- (1) Raw data uploaded from DAQ to near storage
- (2) File is registered in catalog.
- (3) Transformation System detects new file:
  - (a) TS Client intercepts request -or-
  - (b) InputDataAgent runs regular metadata query.

(Combination of the two is possible.)

- (4) Transformation Agent applies rules and creates processing tasks.
- (5) Workload manager submit jobs to process file.

## Thanks for listening

- Questions?
- Further reading:
  - DIRAC: <a href="https://dirac.readthedocs.io/en/latest/">https://dirac.readthedocs.io/en/latest/</a>
  - Multi-VO DIRAC: Bauer D, Fayer S, 2017, GridPP DIRAC: Supporting non-LHC VOs on LHC centric resources, J. Phys.: Conf. Ser. 898 052003 (Link)
  - The LZ UK Data Centre (CHEP 2018)




## Backup slides






#### What the users see: "raw" data




### Hardware: The GridPP DIRAC server setup







## Jobs by site







## NA62 Workflow Management Interface

NA62 Simulations 3 Reconstruction Analysis Jobs 334 Files Transfers Stats Wiki Tools

Jobs - 324 running, 59 started, 4 waiting, 6 submitted

									Show more   Default view   Expand					
	Job number	Decay type	Number of events	NA62 s/w version	Submission Date/Time	Submitted by	Site			ved Files		Grid job -	Guiput	
								JDL	Mac	Exe	Out Err	status	log files*	
	1372047	31 ▼	2000	v22/v1.0.1	03 Oct 13:16:49	protopop	CERN	Z	Ø	Z		STARTED	-	
	1372046	31 ▼	2000	v22/v1.0.1	03 Oct 13:16:38	protopop	CERN	Ø	Ø	Ø		SUBMITTED		
	1372045	31 ▼	2000	v22/v1.0.1	03 Oct 13:16:27	protopop	CERN	Ø	Ø	Ø		STARTED	-	
	1372044	31 ▼	2000	v22/v1.0.1	03 Oct 13:16:16	protopop	CERN	Ø	Ø	Ø		STARTED	(3)	
	1372043	31 ▼	2000	v22/v1.0.1	03 Oct 13:16:06	protopop	CERN	Ø	Ø	Ø		STARTED	-	
	1372042	31 ▼	2000	v22/v1.0.1	03 Oct 13:15:54	protopop	CERN	C	Ø	Ø		SUBMITTED	570	
	1372041	31 ▼	2000	v22/v1.0.1	03 Oct 13:15:43	protopop	CERN	Ø	Ø	Ø		SUBMITTED	-	
	1372040	31 ▼	2000	v22/v1.0.1	03 Oct 13:15:32	protopop	CERN	Ø	Ø	Ø		STARTED	21	
	1372039	31 ▼	2000	v22/v1.0.1	03 Oct 13:15:22	protopop	CERN	Ø	Ø	Ø		STARTED		
	1372038	31 ▼	2000	v22/v1.0.1	03 Oct 13:15:11	protopop	CERN	C	C	Z		STARTED	-	
	1372037	31 ▼	2000	v22/v1.0.1	03 Oct 13:14:55	protopop	CERN	Ø	Ø	Ø		SUBMITTED	-	
	1372036	31 ▼	2000	v22/v1.0.1	03 Oct 13:14:45	protopop	CERN	Ø	Ø	Ø		STARTED	-	
	1372035	31 ▼	2000	v22/v1.0.1	03 Oct 13:14:35	protopop	CERN	Ø	Ø	Ø		STARTED	-	
	1372034	31 ▼	2000	v22/v1.0.1	03 Oct 13:14:24	protopop	CERN	Ø	Ø	Ø		STARTED	1997	
	1372033	31 ▼	2000	v22/v1.0.1	03 Oct 13:14:13	protopop	CERN	Ø	Ø	Ø		STARTED	-	
	1372032	31 ▼	2000	v22/v1.0.1	03 Oct 13:14:01	protopop	CERN	Ø	Ø	Ø		STARTED	-	
	1372031	31 ▼	2000	v22/v1.0.1	03 Oct 13:13:49	protopop	CERN	Ø	Ø	Ø		SUBMITTED	-	
	1372030	31 ▼	2000	v22/v1.0.1	03 Oct 13:13:38	protopop	CERN	Ø	Ø	Ø		STARTED	ev.	
	1372029	31 ▼	2000	v22/v1.0.1	03 Oct 13:13:27	protopop	CERN	Ø	Ø	Ø		STARTED	1.7.1	
	1372028	31 ▼	2000	v22/v1.0.1	03 Oct 13:13:16	protopop	CERN	C	Ø	Ø		SUBMITTED	100	
Tota	l: 20 runs, 4	10000 ev	ents.									<u>1</u> 2345	6789 >	





## **DIRAC Speak**

#### From the DIRAC Overview page:

https://dirac.readthedocs.io/en/stable/AdministratorGuide/SetupStructure/index.html

#### Databases:

Keep the persistent state of a *System*. They are accessed by Services and Agents as a kind of shared memory. The GridPP DIRAC instance currently has 15 Databases and counting.

#### Services:

Are passive components listening to incoming client requests and reacting accordingly by serving requested information from the *Database* backend or inserting requests on the *Database* backend. Services themselves can be clients of other Services from the same DIRAC System or from other Systems.

#### Agents:

Are the active components which are running continuously invoking periodically their execution methods. Agents are animating the whole system by executing actions, sending requests to the DIRAC or third party services.

#### System:

Is delivering a complex functionality to the rest of DIRAC, providing a solution for a given class of tasks. Examples of *Systems* are Workload Management System or Configuration System.



