



Contribution ID: 158

Type: Poster

BSM physics explanations of a_μ in light of the FNAL muon $g - 2$ measurement

Monday, 10 January 2022 16:16 (1 minute)

The Fermilab Muon $g-2$ experiment reported the results of its Run-1 measurement of the anomalous magnetic moment a_μ^{FNAL} , which is in full agreement with the previous BNL measurement and pushes the world average deviation Δa_μ^{2021} from the Standard Model to a significance of 4.2σ . In this talk I will present an extensive survey of its impact on beyond the Standard Model physics, based on the work in Ref. [1]. In this work we used state-of-the-art calculations and a sophisticated set of tools to make predictions for a_μ , dark matter and LHC searches. We examined a wide range of simple models with up to three new fields, that represent some of the few ways that large Δa_μ can be explained. The results show that the new measurement excludes a large number of models and provides crucial constraints on others. Generally, these models provide viable explanations of the a_μ result only by using rather small masses and/or large couplings with chirality flip enhancements, which can lead to conflicts with limits from LHC and dark matter experiments. I will present results for a range of models extending the standard model by one, two and three new fields including scalar leptoquarks and simple models constructed to explain dark matter and $g-2$ simultaneously.

[1] Athron P, Balázs C, Jacob D H, Kotlarski W, Stöckinger D and Stöckinger-Kim H 2021 (Preprint 2104.03691)

Primary authors: BALAZS, Csaba (Monash University); JACOB, Douglas (Monash University); STOECKINGER, Dominik (TU Dresden); STOECKINGER-KIM, Hyejung (TU Dresden); ATHRON, Peter; KOTLARSKI, Wojciech (TU - Dresden)

Presenter: JACOB, Douglas (Monash University)

Session Classification: Dark Matter

Track Classification: Dark Matter