



Questionnaire results

Electromagnetic interactions and thresholds

Electromagnetic interactions and thresholds

- Let a 10-MeV e- beam impinge on a region filled with water. Suppose you need to score energy deposition with a USRBIN with bins of volume $50 \times 50 \times 50 \mu\text{m}^3$. Considering that the ranges of 1-MeV and 10-keV electrons in water are $\sim 1 \text{ mm}$ and $\sim 1 \mu\text{m}$ respectively, which of the following values would you pick as electron production threshold?
 - A. 10 MeV: 0 (0.00%)
 - B. 1 MeV: 3 (12.50%)
 - C. 10 keV: 18 (75.00%)
 - D. It does not matter: 3 (12.50%)
- Delta-ray-production and transport threshold values...
 - A. ...are not written in the output files.: 2 (8.33%)
 - B. ...are written in the .err file.: 0 (0.00%)
 - C. ...are written in the .log file.: 4 (16.67%)
 - D. ...are written in the .out file.: 18 (75.00%)

Electromagnetic interactions and thresholds

- Spikes and steps in energy-deposition spectra in thin slabs...
 - A. ...are not artefacts: they are physical.: 0 (0.00%)
 - B. ...can be removed by correctly setting transport thresholds.: 5 (20.83%)
 - C. ...can be removed by correctly setting delta-ray production thresholds.: 3 (12.50%)
 - D. ...can be removed by requesting single scattering near geometry boundaries as well as in conditions where the Moliere theory does not apply, and by limiting the maximum step size.: 16 (66.67%)
- When performing particle tracking in the condensed history approximation, ...
 - A. delta-rays are explicitly generated when the energy transfer is small.: 2 (8.33%)
 - B. small ionisation losses are taken into account in terms of their cumulative effect along the particle step. : 3 (12.50%)
 - C. elastic scattering events are individually sampled.: 3 (13.04%)
 - D. the Moliere theory is applicable in case of thin layers as well as transport in low density gas. : 5 (20.83%)

Electromagnetic interactions and thresholds

- Select the correct sentences
 - A. Delta-ray production thresholds can be set by regions.: 8 (17.02%)
 - B. For electrons, positrons and photons, transport thresholds are set by regions with the EMFCUT card.: 21 (44.68%)
 - C. The PART-THR card sets the transport threshold for all particles.: 4 (8.51%)
 - D. If the transport of electrons, positrons, and photons is off, their energy is deposited on the spot.: 14 (29.79%)

