

Validation of single-particle test samples with SDHCAL and comparison with AHCal

ILD software & analysis meeting

SDHCAL group meeting

08/10/20

C. Carrillo for the SDHCAL group



GOBIERNO
DE ESPAÑA

MINISTERIO
DE CIENCIA
E INNOVACIÓN

Ciemat

Centro de Investigaciones
Energéticas, Medioambientales
y Tecnológicas



The second test-dataset for the SDHCAL validation and AHCAL comparison

- This presentation is a follow up of our previous report
<https://agenda.linearcollider.org/event/8559/>
- Details about the ILD confluence production for the **second** test production with the latest ilcsoft v02-01-02.
<https://ild.ngt.ndu.ac.jp/elog/dbd-prod/323>
- We are interested again in K_L^0 particles
- For the first test production we presented results using high level objects (Physics objects). Now we have a working recipe that give us access to the low level objects (SDHCAL hits).


First look at the second test-dataset for the SDHCAL validation and AHCAL comparison, K_L^0

- **o2** Energy range: (1,2,5,10,20,30,40,50,60,70,80,90,100,110) GeV.
`/ilc/prod/ilc/mc-opt/ild/dst-merged/1-calib/
single/ILD_15_o2_v02_nobg/v02-01-02`
- **o1** Energy range: (1,2,5,10,20,30,40,50,**60,70,80,90,100,110**) GeV.
(single particle dataset, in blue new datasets wrt first test sample)
`/ilc/prod/ilc/mc-opt/ild/dst-merged/1-calib/
single/ILD_15_o1_v02_nobg/v02-01-02`
- We made a full copy of both datasets to our local cluster in CIEMAT dedicated to CALICE/ILD analysis by accessing the dataset via DIRAC.
- Using the same ilcsoft version v02-**01**-02 → `/cvmfs/ilc.desy.
de/sw/x86_64_gcc82_s16/v02-01-02/init_ilcsoft.sh`
as for the central production we have produced the corresponding LCTuples.
- `/pool/calice3/data/MonteCarlo/sdhcal_validation/
second_test_production/o1/dstm`


DST-merged datasets look different

First a remark about the LCtuples:

v02-00-02



v02-01-02



The nmcpt variable accounts for the number of MC particles in a given event. In the default LCtuple this variable appears always at zero in this second test-production.


links with all results, please explore yourself:

- first test production

- http:
[//wwwae.ciemat.es/~carrillo/calice/indexk0o1.html](http://wwwae.ciemat.es/~carrillo/calice/indexk0o1.html)
- http:
[//wwwae.ciemat.es/~carrillo/calice/indexk0o2.html](http://wwwae.ciemat.es/~carrillo/calice/indexk0o2.html)

- second test production


- http://wwwae.ciemat.es/~carrillo/calice/
indexk0o1v2.html
- http://wwwae.ciemat.es/~carrillo/calice/
indexk0o2v2.html




Comparison o1/o2 \otimes 1st/2nd Test Production, K_L^0 110 GeV






AHCAL(o1)
110 GeV Sum reco energy(GeV)






SDHCAL(o2)
110 GeV Sum reco energy(GeV)



Comparison o1/o2 \otimes 1st/2nd Test Production, K_L^0 70 GeV

1stTP2ndTP

Comparison o1/o2 \otimes 1st/2nd Test Production, K_L^0 20 GeV

1stTP2ndTP

resolution and discrepancy for o1 and o2, fit results

1stTP

sim p (GeV)	mean (GeV)	sigma (GeV)	resolution (%)	discrepancy(%)
			o1	
1	0.85	0.34	39.6%	15.1%
2	1.64	0.61	37.2%	18.3%
5	4.37	1.19	27.3%	12.5%
10	9.11	1.80	19.7%	8.9%
20	19.68	2.31	11.7%	1.6%
30	29.75	2.91	9.8%	0.8%
40	39.75	3.39	8.5%	0.6%
50	49.50	3.94	7.9%	1.0%
70	69.95	4.90	7.0%	0.1%

o2

1	0.79	0.31	38.6%	20.8%
2	1.48	0.56	38.2%	26.2%
5	3.86	1.14	29.6%	22.9%
10	8.28	1.88	22.7%	17.2%
20	19.24	3.18	16.5%	3.8%
30	29.51	4.11	13.9%	1.6%
40	39.27	4.85	12.4%	1.8%
60	58.95	6.27	10.6%	1.8%
70	68.88	6.90	10.0%	1.6%
80	78.77	7.62	9.7%	1.5%
90	88.45	8.40	9.5%	1.7%
100	98.50	8.91	9.0%	1.5%

$$\text{resolution} = \frac{\text{sigma}}{\text{mean}}, \text{discrepancy} = \frac{\text{sim p} - \text{mean}}{\text{sim p}}$$

2ndTP


sim p (GeV)	mean (GeV)	sigma (GeV)	resolution (%) o1	discrepancy(%)
-------------	------------	-------------	----------------------	----------------

1	0.66	0.23	34.9%	34.0%
2	1.63	0.62	37.9%	18.5%
5	4.37	1.19	27.4%	12.7%
10	9.12	1.79	19.6%	8.9%
20	19.66	2.35	12.0%	1.7%
30	29.73	2.90	9.7%	0.9%
40	39.76	3.37	8.5%	0.6%
50	49.71	3.90	7.8%	0.6%
60	59.82	4.33	8.7%	17.2%
70	69.94	4.84	8.1%	14.5%
80	80.13	5.46	7.8%	12.6%
90	90.63	6.02	7.5%	11.0%
100	101.20	6.71	7.4%	9.4%
110	112.00	7.21	7.1%	8.0%

o2

1	0.81	0.31	38.4%	19.1%
2	1.51	0.56	37.2%	24.5%
5	3.92	1.16	29.6%	21.7%
10	8.40	1.90	22.6%	16.0%
20	19.49	3.19	16.4%	2.6%
30	29.86	4.09	13.7%	0.5%
40	39.74	4.80	12.1%	0.6%
50	49.64	5.56	11.2%	0.7%
60	59.63	6.31	10.6%	0.6%
70	69.68	6.96	10.0%	0.5%
80	79.63	7.70	9.7%	0.5%
90	89.66	8.40	9.4%	0.4%
100	98.50	10.09	10.2%	1.5%
110	109.70	9.87	9.0%	0.3%

Resolution for the four scenarios: o1/o2 \otimes 1st/2nd TP




SDHCAL Hit Level Analysis


- For the single-hit level analysis, the dst datasets are not enough. The hit information is skimmed.
- An analysis of the rec dataset was needed.
- A copy of the rec dataset to CIEMAT was done.
- `/pool/calice3/data/MonteCarlo/sdhcal_validation/second_test_production/rec/o2v2`
- A customized LCTuple was produced out of rec dataset including the single hit information.
- As a reminder each hit in the SDHCAL tell us if the read energy on a given pad has passed one, two or three pre-set threshold.

SDHCAL Hit Level Analysis 110 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 100 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 090 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 080 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 070 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 060 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 050 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 040 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 030 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 020 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 010 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 005 GeV

SDHCAL hits per threshold distribution




SDHCAL hits per threshold distribution, barrel




SDHCAL Hit Level Analysis 002 GeV

SDHCAL hits per threshold distribution



SDHCAL hits per threshold distribution, barrel



Conclusions

- No relevant difference has been observed with the new test-sample for the SDHCAL/AHCAL performance.
- Next steps:
 - extra variables to check the SDHCAL calibration are under scrutiny.
 - study the SDHCAL local reconstructed objects (cluster performance).
- key point about SDHCAL in ilcsoft¹:
 - Geant4 physics model used in ilcsoft is QGSP-Bert which is not ideal to simulate SDHCAL.
 - FTF-BIC is the more appropriate for SDHCAL.


¹<https://geant4.web.cern.ch/node/155>

Backup

Backup




Only SDHCAL resolution observed in test-beams



CALICE collaboration, First results of the CALICE SDHCAL technological prototype, JINST **11** (2016) P04001.

Comparison for the two scenarios, discrepancy.

energy discrepancy



Crystalball fit

$$f(x; \alpha, n, \bar{x}, \sigma) = N \cdot \begin{cases} \exp\left(-\frac{(x-\bar{x})^2}{2\sigma^2}\right), & \text{for } \frac{x-\bar{x}}{\sigma} > -\alpha \\ A \cdot (B - \frac{x-\bar{x}}{\sigma})^{-n}, & \text{for } \frac{x-\bar{x}}{\sigma} \leq -\alpha \end{cases}$$

$$A = \left(\frac{n}{|\alpha|}\right)^n \cdot \exp\left(-\frac{|\alpha|^2}{2}\right),$$

$$B = \frac{n}{|\alpha|} - |\alpha|,$$

$$N = \frac{1}{\sigma(C + D)},$$





$$C = \frac{n}{|\alpha|} \cdot \frac{1}{n-1} \cdot \exp\left(-\frac{|\alpha|^2}{2}\right),$$

$$D = \sqrt{\frac{\pi}{2}} \left(1 + \operatorname{erf}\left(\frac{|\alpha|}{\sqrt{2}}\right)\right).$$

FCN=342.074 FROM MIGRAD		STATUS=CONVERGED		184 CALLS	185 TOTAL		
		EDM=2.61519e-08	STRATEGY=	1	ERROR MATRIX UNCERTAINTY	0.3 per cent	
EXT PARAMETER	NO.	NAME	VALUE	STEP	FIRST		
1	N	2.00731e+03	9.14867e+00	-2.32131e-02	2.47481e-05		
2	mean	5.83022e+01	2.70121e-02	2.65898e-05	-4.92050e-03		
3	sigma	6.59899e+00	2.21181e-02	1.22279e-04	1.43070e-02		
4	alpha	1.80238e+00	2.83231e-02	7.01543e-05	-6.05402e-03		
5	n	1.97606e+00	1.01879e-01	-9.94635e-05	1.27298e-03		
60 GeV thismax2.1e+03 mean=58 sigma=6.6 error=11%							

https://en.wikipedia.org/wiki/Crystal_Ball_function

Crystalball fit, K_L^0 , o2




Summary, K_L^0 , o2




sim energy (GeV)	CB \bar{x} (GeV)	CB σ (GeV)	$\frac{\sigma}{E}$ (%)
1	0.79	0.3	30
2	1.4	0.53	26
5	3.5	1.2	25
10	7.8	2.1	21
20	19	3.5	18
30	29	4.4	15
40	39	5.2	13
60	58	6.6	11
70	68	7.2	10
80	78	7.9	9.8
90	87	8.6	9.6
100	97	9.2	9.2

Summary Resolution, K_L^0

energy resolution



First look at the datasets for the SDHCAL validation, event display K_L^0 110 GeV, energy deposit in SDHCAL



List of variables available in the standard LCTuple

```

    roctv[41]; // [nrec]
    rcvts[41]; // [nrec]
    rcvte[41]; // [nrec]
    rccom[41]; // [nrec]
    npid;
    ptyp[212]; // [npid]
    pipdg[212]; // [npid]
    pilhs[212]; // [npid]
    pmsk[212]; // [npid]
    trori[36]; // [ntrk]
    trtyp[36]; // [ntrk]
    trch2[36]; // [ntrk]
    trndf[36]; // [ntrk]
    tredx[36]; // [ntrk]
    trded[36]; // [ntrk]
    trih[36]; // [ntrk]
    trshn[36][12]; // [ntrk]
    trnts[36]; // [ntrk]
    trfft[36]; // [ntrk]
    trsg[36]; // [ntrk]
    trsth[36]; // [ntrk]
    trslb[36]; // [ntrk]
    trsca[36]; // [ntrk]
    ntrst;
    tsloc[144]; // [nrat]
    tsdze[144]; // [nrat]
    tsephi[144]; // [nrat]
    tsome[144]; // [nrat]
    tszze[144]; // [nrat]
    tctnl[144]; // [nrat]
    ssone[144][15]; // [nratst]
    tsrxp[144]; // [nrat]
    tsrpy[144]; // [nrat]
    tsrpz[144]; // [nrat]
    nath;
    stor1[1]; // [nath]
    stci0[1]; // [nath]
    stcl1[1]; // [nath]
    stpxo[1]; // [nath]
    stpoy[1]; // [nath]
    stpox[1]; // [nath]
    sttm1[1]; // [nath]
    stmxo[1]; // [nath]
    stmoy[1]; // [nath]
    stmos[1]; // [nath]
    stptl[1]; // [nath]
    stmcg[1]; // [nath]
    nsch;
    scori[1]; // [nsch]
    scci0[1]; // [nsch]
    sccl1[1]; // [nsch]
    scpol[1]; // [nsch]
    scopy[1]; // [nsch]
    scpos[1]; // [nsch]
    scene[1]; // [nsch]
    r2mnrel;
    r2mf[169]; // [/r2mnrel]
    r2mt[169]; // [/r2mnrel]
    r2mw[169]; // [/r2mnrel]

```