

# **Classifying Standard Model Extensions Effectively with Precision Observables**

**Joydeep Chakraborty**  
**IIT Kanpur, India**

**The EFT WG Area 5 meeting**

**8 February 2021**

## Talk is based on:

### **1. Classifying Standard Model Extensions Effectively with Precision Observables**

Supratim Das Bakshi, Joydeep Chakraborty, Michael Spannowsky  
arXiv:2012.03839 [hep-ph]

### **2. CoDEx: Wilson coefficient calculator connecting SMEFT to UV theory**

Supratim Das Bakshi, Joydeep Chakraborty, Sunando Kumar Patra  
arXiv:1808.04403 [hep-ph].  
Eur.Phys.J. C79 (2019) no.1, 21.

### **3. A Step Toward Model Comparison: Connecting Electroweak-Scale Observables to BSM through EFT and Bayesian Statistics**


Anisha, Supratim Das Bakshi, Joydeep Chakraborty, Sunando Kumar Patra  
arXiv:2010.04088 [hep-ph]

## Points to note...

- ❖ **Bottom-Up vs Top-Down**
- ❖ **BSMs as Effective Theories**
- ❖ **Observables (set of operators) as “Response Screen”**
- ❖ **Classifications of BSMs**
- ❖ **Future directions: Relying on the presence of new particle(s)**
- ❖ **Operator driven BSM construction: Reverse engineering**


# Bottom-Up approach: *SMEFT*

- ★ Knowledge of exact nature of new physics is not required
- ♣ Wilson coefficients are free parameters: *origin-less*



# Top-Down approach: *SMEFT*

- ★ The Wilson coefficients known in terms of BSM parameters
- ♣ The UV complete Lagrangian must be known





## CoDEx : Wilson coefficient calculator

**Complete 1-loop Wilson coefficients within seconds !**


Manually matching BSMs to SMEFT is involved.

Package for automization is much needed.


**CoDEx: Wilson coefficient calculator connecting SMEFT to UV theory**

Supratim Das Bakshi, JC, S K Patra

Eur.Phys.J.C 79 (2019) 1, 21 • e-Print: 1808.04403



<https://effexteam.github.io/CoDEx/>



**CoDEX: Wilson coefficient calculator connecting SMEFT to UV theory**  
 Supratim Das Bakshi, Joydeep Chakraborty, Sunando Kumar Patra  
 Eur.Phys.J.C 79 (2019) 1, 21 ; e-Print: 1808.04403 [hep-ph]

**Available at:** <https://effexteam.github.io/CoDEX/>

With “**CoDEX**” and “**GrIP**” in arsenal one can use effective field theory to connect **UV** and **IR** theories very easily and of course automatically.

**Characters and Group Invariant Polynomials of (Super)fields: Road to "Lagrangian"**  
 Upalaparna Banerjee, Joydeep Chakraborty, Suraj Prakash, Shakeel Ur Rahaman  
 Accepted in Eur. Phys. J. C ; e-print: 2004.12830[hep-ph]

**Available at:** <https://teamgrip.github.io/GrIP/>

# Observable-Operator correspondance

EWPO-LO :  $\{Q_{HD}, Q_{HWB}, Q_{Hq}^{(1)}, Q_{Hq}^{(3)}, Q_{Hl}^{(1)}, Q_{Hl}^{(3)}, Q_{He}, Q_{Hu}, Q_{Hd}, Q_{ll}\}$

EWPO-NLO-I :  $\{Q_{HB}, Q_{HW}, Q_{H\Box}\}$

Higgs Signal Strength (HSS) : EWPO-LO + EWPO-NLO-I +  $\{Q_H, Q_{uH}, Q_{dH}, Q_{eH}, Q_G, Q_{HG}\}$

EWPO-NLO-II :  $\{Q_{ed}, Q_{ee}, Q_{eu}, Q_{lu}, Q_{ld}, Q_{le}, Q_{lq}^{(1)}, Q_{lq}^{(3)}, Q_{qe}, Q_{uB}, Q_{uW}, Q_W, Q_{qd}^{(1)}, Q_{qq}^{(1)}, Q_{qq}^{(3)}, Q_{qu}^{(1)}, Q_{ud}^{(1)}, Q_{uu}, Q_{dd}\}$

Additional Operators (AdOps) :  $\{Q_{ud}^{(8)}, Q_{qd}^{(8)}, Q_{qu}^{(8)}, Q_{quqd}^{(1)}, Q_{lequ}^{(1)}, Q_{quqd}^{(8)}, Q_{ledq}\}$

B,L violating Operators (BLV) :  $\{Q_{qqq}, Q_{duu}, Q_{qqu}, Q_{duq}\}$

S Dawson, P P Giardino  
arXiv:1909.02000

B Grzadkowski, M Iskrzynski, M Misiak, J Rosiek  
arXiv:1008.4884

J Ellis, C Murphy, V Sanz, T You  
arXiv:1803.03252

# BSM Classifications

SM  
+  
Heavy Scalars

BSMs	$\mathcal{S}$	$\mathcal{S}_2$	$\Delta$	$\mathcal{H}_2$	$\Delta_1$	$\Sigma$
$\mathcal{G}_{3,2,1}$	<b>1,1,0</b>	<b>1,1,2</b>	<b>1,3,0</b>	<b>1,2,-1/2</b>	<b>1,3,1</b>	<b>1,4,1/2</b>

Color-singlets





BSMs	$\varphi_1$	$\varphi_2$	$\Theta_1$	$\Theta_2$	$\Omega$	$\chi_1$	$\chi_2$	$\chi_3$	$\chi_4$
$\mathcal{G}_{3,2,1}$	<b>3,1,-1/3</b>	<b>3,1,-4/3</b>	<b>3,2,1/6</b>	<b>3,2,7/6</b>	<b>3,3,-1/3</b>	<b>6,3,1/3</b>	<b>6,1,4/3</b>	<b>6,1,-2/3</b>	<b>6,1,1/3</b>

Colored



# Unfurling the Effective Vertex





		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
Heavy BSM fields	$\mathcal{G}_{3,2,1}$	$Q_{HD}$	$Q_{ll}$	$Q_{Hu}$	$Q_{Hd}$	$Q_{He}$	$Q_{Hq}^{(1)}$	$Q_{Hl}^{(1)}$	$Q_{Hl}^{(3)}$	$Q_{Hq}^{(3)}$	$Q_{HWB}$	$Q_{H\Box}$	$Q_{HB}$	$Q_{HW}$	$Q_H$	$Q_G$	$Q_{HG}$	$Q_{eH}$	$Q_{uH}$	$Q_{dH}$	
$\mathcal{S}$	(1,1,0)	HL	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	HL	T	HL	HL	T	$\times$	$\times$	HL	HL	HL	
$\mathcal{S}_2$	(1,1,2)	HH	HH	HH	HH	HH	HH	HH	$\times$	$\times$	$\times$	HH	HH	$\times$	HH	$\times$	$\times$	$\times$	$\times$	$\times$	
$\Delta$	(1,3,0)	T	HH	$\times$	$\times$	$\times$	$\times$	$\times$	HH	HH	HL	T	HL	HH	T	$\times$	$\times$	T	T	T	
$\mathcal{H}_2$	(1,2,- $\frac{1}{2}$ )	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	T	$\times$	$\times$	T	T	T	
$\Delta_1$	(1,3,1)	T	T	HH	HH	HH	HH	HH	HH	HH	HH	T	HH	HH	T	$\times$	$\times$	T	T	T	
$\Sigma$	(1,4, $\frac{1}{2}$ )	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	$\times$	$\times$	HH	HH	HH	
$\varphi_1$	(3,1,- $\frac{1}{3}$ )	HH	HH	HH	HH	HH	HH	HH	$\times$	$\times$	$\times$	HH	HH	$\times$	HH	HH	HH	$\times$	$\times$	$\times$	
$\varphi_2$	(3,1,- $\frac{4}{3}$ )	HH	HH	HH	HH	HH	HH	HH	$\times$	$\times$	$\times$	HH	HH	$\times$	HH	HH	HH	$\times$	$\times$	$\times$	
$\Theta_1$	(3,2, $\frac{1}{6}$ )	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH
$\Theta_2$	(3,2, $\frac{7}{6}$ )	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH
$\Omega$	(3,3,- $\frac{1}{3}$ )	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH
$\chi_1$	(6,3, $\frac{1}{3}$ )	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH
$\chi_2$	(6,1, $\frac{4}{3}$ )	HH	HH	HH	HH	HH	HH	HH	$\times$	$\times$	$\times$	HH	HH	$\times$	HH	HH	HH	$\times$	$\times$	$\times$	
$\chi_3$	(6,1,- $\frac{2}{3}$ )	HH	HH	HH	HH	HH	HH	HH	$\times$	$\times$	$\times$	HH	HH	$\times$	HH	HH	HH	$\times$	$\times$	$\times$	
$\chi_4$	(6,1, $\frac{1}{3}$ )	HH	HH	HH	HH	HH	HH	HH	$\times$	$\times$	$\times$	HH	HH	$\times$	HH	HH	HH	$\times$	$\times$	$\times$	

Class-I:  $\{\mathcal{H}_2, \Delta_1, \Sigma, \Theta_1, \Theta_2, \Omega, \chi_1\}$


Class-II:  $\{\mathcal{S}_2, \phi_1, \phi_2, \chi_2, \chi_3, \chi_4\}$

Class-III:  $\{\Delta\}$


Class-IV:  $\{\mathcal{S}\}$

Class-A:  $\{\mathcal{S}, \Delta, \mathcal{H}_2, \Delta_1, \Sigma, \Theta_1, \Theta_2, \Omega, \chi_1\}$


Class-B:  $\{\mathcal{S}_2, \phi_1, \phi_2, \chi_2, \chi_3, \chi_4\}$




(A) EWPO-LO




(B) EWPO-NLO-I






	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	
Heavy BSM fields	$Q_{qq}^{(1)}$	$Q_{qq}^{(3)}$	$Q_{uu}$	$Q_{dd}$	$Q_{ud}^{(1)}$	$Q_{lq}^{(1)}$	$Q_{ee}$	$Q_{eu}$	$Q_{ed}$	$Q_{le}$	$Q_{lu}$	$Q_{ld}$	$Q_{qe}$	$Q_{qu}^{(1)}$	$Q_{qd}^{(1)}$	$Q_{lq}^{(3)}$	$Q_W$	$Q_{ud}^{(8)}$	$Q_{qd}^{(8)}$	$Q_{qu}^{(8)}$	$Q_{quqd}^{(1)}$	$Q_{lequ}^{(1)}$	$Q_{quqd}^{(8)}$	$Q_{ledq}$	$Q_{qqq}$	$Q_{duu}$	$Q_{qqu}$	$Q_{duq}$	
$\mathcal{S}$	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
$\mathcal{S}_2$	HH	X	HH	HH	HH	HH	T	HH	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X						
$\Delta$	X	HH	X	X	X	X	X	X	X	X	X	X	X	X	X	HH	X	X	X	X	X	X	X	X	X	X	X	X	X
$\mathcal{H}_2$	HH	HH	HH	HH	HH	HH	HH	HH	HH	T	HH	HH	HH	T	T	HH	HH	X	X	X	T	T	X	T	X	X	X	X	X
$\Delta_1$	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	X	X	X	X	X	X	X	X	X	X	X	X
$\Sigma$	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	X	X	X	X	X	X	X	X	X	X	X	X
$\varphi_1$	HH	HH	HH	HH	HH	HH	HH	T	HH	HH	HH	HH	HH	HH	HH	HH	T	X	HH	HH	HH	X	X	X	X	T	T	T	T
$\varphi_2$	HH	HH	HH	HH	HH	HH	HH	HH	T	HH	HH	HH	HH	HH	HH	HH	HH	X	HH	HH	HH	X	X	X	X	X	T	X	X
$\Theta_1$	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	T	HH	HH	HH	HH	HH	HH	HH	HH	X	X	X	X	X	X	X	X	X
$\Theta_2$	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	T	HH	T	HH	HH	HH	HH	HH	HH	HH	X	X	X	X	X	X	X	X	X
$\Omega$	HH	HH	HH	HH	HH	T	HH	HH	HH	T	HH	HH	HH	X	X	X	X	T	X	X	X	X							
$\chi_1$	T	T	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	X	X	X	X	X	X	X	X	X
$\chi_2$	HH	HH	T	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	X	X	HH	HH	HH	X	X	X	X	X	X	X	X
$\chi_3$	HH	HH	HH	T	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	X	X	HH	HH	HH	X	X	X	X	X	X	X	X
$\chi_4$	T	T	HH	HH	T	HH	HH	HH	HH	HH	HH	HH	HH	HH	HH	X	X	T	HH	HH	T	X	T	X	X	X	X	X	X

# BSM Classification based on Observables





# BSM Classification based on Observables




# Tag match: $\{BSM_i\}$ vs Bottom-Up

Anisha, S D Bakshi, JC, S K Patra


arXiv:2010.04088





❖ **New particle and BSMEFT**









- ★ SM extended by multiple heavy fields
- ★ Integrate-out heavy field according to spectrum hierarchy: **CoDEX**
- ★ BSMEFT for desired symmetry and particle content: **GrIP**





❖ **Operator driven Heavy Fields**

Effective Operator	Lorentz invariant structures	Single heavy field extensions of the SM	Operators & Heavy fields representations $SU(3)_C \otimes SU(2)_L \otimes U(1)_Y$
$\psi^2 \phi^3$ 			$Q_{eH} \left[ 1, 2, \frac{1}{2} \right]_{\Phi} \left[ 1, 1, 0 \right]_{\Psi}$ $Q_{uH} \left[ 3, 1, -\frac{1}{3} \right]_{\Phi} \left[ 3, 3, -\frac{1}{3} \right]_{\Psi}$ $Q_{dH} \left[ 6, 1, \frac{1}{3} \right]_{\Phi} \left[ 3, 2, \frac{7}{6} \right]_{\Psi}$
$\psi^4$ 			$Q_{qu}^{(1)} \left[ 3, 1, -\frac{1}{3} \right]_{\Phi} \left[ 3, 2, \frac{7}{6} \right]_{\Psi}$ $Q_{le} \left[ 3, 2, \frac{7}{6} \right]_{\Phi} \left[ 1, 2, \frac{1}{2} \right]_{\Psi}$ $Q_{ee} \left[ \{1, R_C\}, \{1, R_L\}, Y \right]_{\Phi, \Psi}$

# Backup slides

EWPO:

$$M_Z, \Gamma_Z, \sigma_{had}^0, R_l^0, A_{FB}^{0,l}, A_l, \sin^2\theta_{eff}^l, A_c, A_b, A_{FB}^{0,c}, A_{FB}^{0,b}, R_c^0, R_b^0$$

1803.01853

Higgs  
signal-strength  
data:

Higgs signal strengths		References with arXiv #
7 and 8 TeV Run-I data	Combined ATLAS & CMS measurements	Table 8 of 1606.02266
	Combined ATLAS & CMS measurement of $\mu_{pp}^{\mu\mu}$	Table 13 of 1606.02266
	ATLAS measurement of $\mu_{pp}^{Z\gamma}$	Figure 1 of 1507.04548
13 TeV ATLAS Run-II data	$H \rightarrow ZZ^*$ at $139 fb^{-1}$	Table 8 of 2004.03447
	Measurement of $\mu_{pp}^{Z\gamma}$ at $139 fb^{-1}$	2005.05382
	Measurement of $\mu_{pp}^{\mu\mu}$ at $139 fb^{-1}$	2007.07830
	$VH \rightarrow H \rightarrow b\bar{b}$ at $139 fb^{-1}$	2008.02508
	Measurements for Higgs production through gluon and vector boson fusions at $80 fb^{-1}$	Figure 5 of 1909.02845 [Correlations in Figure 6]
	Associated production of Higgs with $t\bar{t}$	1712.08891, 1806.00425
13 TeV CMS Run-II data	$VH \rightarrow H \rightarrow WW^*$ at $36.1 fb^{-1}$	1903.10052
	Signal strengths data up to $35.9 fb^{-1}$	table 3 of 1809.10733 [Correlations in auxiliary material]
Run-II data	Measurements of $\mu_{ZH}^{cc}$ and $\mu_{WH}^{cc}$	1912.01662

**SMEFT operators 59  $\supset$  18 (EWPO + Higgs Signal)**

