Contribution ID: 511 Contribution code: WED-PO2-613-09

Type: Poster

## In-field evaluation of REBCO superconducting joint

Wednesday, 17 November 2021 10:30 (20 minutes)

The superconducting joint is one of key technologies to evolve high temperature superconducting (HTS) conductors and their applications. Various joint techniques have been proposed in these years [1]. To evaluate developed joint efficiently, we developed a resistance evaluation system for superconducting joints [2]. The system consists of a superconductor sample with a joint, a copper coil to inject (induce) current to the sample, and a superconducting magnet for external fields applied to the joint. Using this system, joint resistance  $(R_j)$  ranging  $10^{-15}$ - $10^{-7}$   $\Omega$  can be quantitatively evaluated as a function of injected current  $(I_{in})$  magnitude, temperature, and external magnetic field. In addition,  $I_c$  and  $T_c$  of the joint can be evaluated. In this paper, we report the evaluation results of the REBCO superconducting joint [3]. At 4.2 K without external field,  $R_j$  stayed  $\tilde{10}^{-14}$   $\Omega$  at  $I_{in}$  up to  $\tilde{10}^{-300}$  A. This indicates that the  $I_c$  of the joint is sufficiently larger than 300 A. At 77 K,  $I_{in}$  of  $\tilde{15}^{-150}$  A rapidly decreased to  $\tilde{11}^{-160}$  A and evaluated  $R_j$  was  $\tilde{10}^{-120}$   $\Omega$ . This higher  $R_j$  is considered to be due to a high load factor of  $\tilde{100}^{-100}$  at the joint.  $R_j$  at 4.2 K showed almost no dependence on external field ranging  $0 \leq B \leq 3$  T. Even at 77 K and 3 T, the junction carried  $I_c$  of  $\tilde{17}^{-100}$  A and  $R_j$  was  $\tilde{10}^{-120}$   $\Omega$ . This work is based on results obtained from a project commissioned by JST-Mirai Program Grant Number JPMJMI17A2, Japan.

- [1] G. D. Brittles et al., Supercond. Sci. Technol. 28, 093001 (2015).
- [2] K. Kobayashi et al., IEEE Trans. Appl. Supercond. 30, 9000204 (2020).
- [3] K. Ohki et al., Supercond. Sci. Technol. 30, 115017 (2017).

**Primary authors:** KOBAYASHI, Kensuke (National Institute for Materials Science); Dr OHKI, Kotaro (Sumitomo Electric Industries, Ltd.); Dr NAGAISHI, Tatsuoki (Sumitomo Electric Industries, Ltd.); Dr UCHIDA, Akira (National Institute for Materials Science); NISHIJIMA, Gen (National Institute for Materials Science); KITAGUCHI, Hitoshi (National Institute for Materials Science (NIMS))

Presenter: KOBAYASHI, Kensuke (National Institute for Materials Science)

Session Classification: WED-PO2-613 Joints between Superconductors