


# Jet Generation with Autoencoders

Normalizing Flows Effort  
18/11/20


# VAE for sparse data generation

We test a variational autoencoder (VAE) architecture for reconstructing and generating jets.




# Dataset

- The dataset used (JEDI-net paper Moreno, Eric A. et al, [arXiv:1908.05318](https://arxiv.org/abs/1908.05318)) consists of high-momentum jets originating from gluons, light quarks, Z bosons, W bosons and top quarks.
- We utilize only the gluon jets dataset ( $\sim 177\text{K}$  jets) for the VAE splitting the data into training (70%), validation (15%) and testing (15%) subsets.



Pictorial representations of the different jet categories existing in the dataset ([arXiv:1908.05318](https://arxiv.org/abs/1908.05318)).


# Dataset



Graphical representation  
of a gluon jet  
([arXiv:1908.05318](https://arxiv.org/abs/1908.05318))

- Jets can be characterized as sparse sets of items (particles) that are intrinsically unordered.
- Although, sometimes, an ordering might be given to the data (e.g. ordering particles by decreasing  $p_T$ ), it is also important to preserve the permutation invariance in it (depending on application-specific requirements).

# Dataset



- In our VAE study, each jet is represented as a list of 100 particles with 3 features  $p_x$ ,  $p_y$ ,  $p_z$  (particle momentum in cartesian coordinates). In cases, where less than 100 particles are present in the jet, zero-padding is applied for non-existent particles up to 100.
- We apply feature-dependent standardization such that each feature ( $p_x$ ,  $p_y$ ,  $p_z$ ) has zero mean and unit variance.

# Loss function

$$L^{VAE} = L_{reco} + \beta D_{KL}$$

where

$$D_{KL}(\underbrace{q_{\phi}(z|x)}_{\sim N(\mu, \sigma)} || \underbrace{p_{\theta}(z)}_{\sim N(0, 1)})$$

The loss function of a VAE consists of two terms:

1. The reconstruction loss (e.g. traditionally a generic loss function such as the MSE or Cross-entropy between the output and the input) that penalizes the network for producing outputs (reconstructed inputs) different from the inputs.
2. The Kullback-Leibler (KL) divergence used as a loss function between the encoder's distribution  $q_{\phi}(z|x)$  and the  $p_{\theta}(z)$  that optimizes the probability distribution parameters ( $\mu$  and  $\sigma$ ) to closely resemble those of the target distribution.

# Reconstruction loss function

- We consider the use of a permutation-invariant Nearest Neighbour Distance (NND) known as the Chamfer loss ([arXiv:1906.02795](https://arxiv.org/abs/1906.02795)) for the reconstruction loss.

$$L_{reco} = \sum_i \min[d_{eucl}(X_i, \hat{X})]^2 + \sum_i \min[d_{eucl}(X, \hat{X}_i)]^2$$

- We train a VAE using the MSE for the reconstruction loss and then, we compare the results with a VAE trained with the Chamfer loss.
- Our goal is to show that training a VAE with the Chamfer reconstruction loss provides similar results to a VAE trained with an MSE reconstruction loss, whereas the Chamfer loss preserves the permutation invariance.

# Reconstruction loss function

- To impose physics constraints for our domain-specific application, we further modify the reconstruction loss by adding two extra terms, the jet mass and the jet  $p_T$ , to enforce the model to learn the jet kinematics.
- The jet mass and the jet  $p_T$  (input and reconstructed) are computed from the sum of the momenta of the particles on the jet.


$$L_{reco} = \sum_i \min[d_{eucl}(X_i, \hat{X})]^2 + \sum_i \min[d_{eucl}(X, \hat{X}_i)]^2 \\ + \sum_j [d_{eucl}(p_T^{jet}, \hat{p}_T^{jet})]^2 + \sum_j [d_{eucl}(m^{jet}, \hat{m}^{jet})]^2$$



# Analysis


- We first train the VAE and measure its reconstruction performance. In order to do so, we compare:
  - the distributions of jet features such as jet mass, jet momentum, jet eta, etc. between input and reconstructed (output) jets. The jet features are computed from the VAE input and output of the jet constituents' four-momenta.
- We then, use the decoder of the trained VAE as a generator of jet constituents when given an input  $z$  of Gaussian sampled latent variables. In the same respect, we compare:
  - the distributions of jet features between input and randomly generated output (gaussian sampled) jets. The jet features are computed from the VAE input and the randomly generated output of the jet constituents' four-momenta.

# Results – Reconstruction



- We observe that in terms of reconstruction, MSE performs better than the Chamfer loss for the jet mass.
- Both the MSE and the Chamfer reconstruction loss function provide similar performance for other jet features.
  - In that respect, it is important to highlight the capability of learning jet features that do not directly get into the loss function like the jet pseudorapidity  $\eta$  and jet azimuthal angle

# Results - Generation




- In terms of generation, we observe a lower agreement between input and randomly generated output both for the MSE and the Chamfer loss VAE model.
- MSE performs better than the Chamfer loss for the jet mass, although still with lower accuracy than in the reconstruction.
- The results are very similar for the rest of the jet features where MSE and the Chamfer loss seem to have similar performance.

# Jets Generation

- We approximate the latent distribution (prior  $p_{\theta}(z)$ ) as a Gaussian distribution, but from the VAE generation results, it seems that this might not be the best distribution to use (probably too simplistic).
- beta-KLD values did not prove adequate to acquire good results with generation.
- Idea of **Normalizing Flows** ([arXiv:1908.09257](https://arxiv.org/abs/1908.09257)) : apply a transformation on the latent space (e.g. a function of a function of a Gaussian,  $K=2$ ) to acquire a more appropriate, complex distribution to sample from.
- Next step: improving the VAE decoder's performance on jet generation by applying Normalizing Flows for learning the prior.

# Backup

# VAE architecture




- ReLU is being used as the activation function on all layers except for the last layer where linear activation is used.

# Implementation details

- Models implemented in Pytorch
- Adam optimizer
- Learning rate: 0.001
- Latent dimension: 20
- Early stopping used; patience: 80 epochs
- Physics constraints introduced in the reconstruction loss to force the VAE to learn high-level jet features are useful for our domain-specific application.
- The beta regularization term is used on the KL Divergence to weight the trade-off between reconstruction and generation of the VAE. Beta is being optimized per model.


# Qualitative Analysis



- We plot the average gluon jet image defined as an image of 100x100 pixels in the rapidity-azimuthal plane where each pixel reflects the sum of particle  $p_T$  in that pixel.
- In this way, we can qualitatively compare the reconstruction performance of the VAE models trained with MSE and Chamfer loss.



# Reconstruction results



Comparison of the distributions of the particles' features  $p_x$ ,  $p_y$ ,  $p_z$  between input and reconstructed (output) particles for the two VAE models.