Phenomenology 2021 Symposium



Contribution ID: 1244 Type: Neutrinos

Neutrino masses from a pseudo-Dirac bino and its detection prospects

Tuesday 25 May 2021 17:30 (15 minutes)

We examine the detection prospects for a long-lived bivo, a pseudo-Dirac bino which is responsible for neutrino masses, at the LHC and at dedicated long-lived particle detectors. The bivo arises in U(1)_R-symmetric supersymmetric models where the neutrino masses are generated through higher dimensional operators in an inverse seesaw mechanism. At the LHC the bivo is produced through squark decays and it subsequently decays to quarks, charged leptons and missing energy via its mixing with the Standard Model neutrinos. We consider long-lived bivos which escape the ATLAS or CMS detectors as missing energy and decay to charged leptons inside the proposed long-lived particle detectors FASER, CODEX-b, and MATHUSLA. We find the currently allowed region in the squark-bivo mass parameter space by recasting most recent LHC searches for jets+MET.We also determine the reach of MATHUSLA, CODEX-b and FASER. We find that a large region of parameter space involving squark masses, bivo mass and the messenger scale can be probed with MATH-USLA, ranging from bivo masses of 10 GeV-2 TeV and messenger scales 10^2-10^11TeV for a range of squark masses.

Summary

Primary author: GEHRLEIN, Julia

Co-author: IPEK, Seyda

Presenter: GEHRLEIN, Julia

Session Classification: Neutrino I