

A 3D cutaway diagram of an FCC-ee FF quadrupole prototype. The diagram shows a complex assembly of yellow and red components, including a central blue and white structure. The components are arranged in a series of parallel, slightly offset layers, creating a lattice-like structure. The central part of the assembly is a blue and white structure, possibly a beam pipe or a detector component. The overall design is highly symmetrical and intricate, typical of high-energy physics accelerator components.

FCC-ee FF quadrupole prototype: warm measurements

M. Koratzinos

FCC week

01/7/2021

Acknowledgements

- For the design: Glyn Kirby, Jeroen van Nugteren (author of Field)
- Manufacturing: the CERN main workshop, Karol Scibor
- Bits and pieces: the B927 boys, Pierre-Antoine Contat, Jacky Mazet
- Winding and assembly: Herman ten Kate's team in B180, Tim Mulder
- Special tools manufacturing: the CMS workshop in P5, Maf Alidra
- Warm testing: the B311 boys Carlo Petrone, Melvin Liebsch, Dmitry Akhmedyanov, Stefano Sorti
- This work would not have been possible without the support of many people. I would like to especially thank Austin Ball, Katsunobu Oide, Frank Zimmermann, Guenther Dissertori, Michael Benedikt

Final focus quadrupoles

- Two main units on each side of the IP and for each beam, e^+ (P) and e^- (E): QC1LE, QC2LE, QC1RE, QC2RE, QC1LP, QC2LP, QC1RP, QC2RP
- QC1 is inside the detector and itself comprises three units per side per beam: QC1L1P, QC1L2P, QC1L3P, QC1L1E, QC1L2E, QC1L3E
- There are $5 \times 2 \times 2 = 20$ single aperture units in total

From the FCC CDR **update** 13/12/2019, Katsunobu Oide

	Start position (m)	Length (m)	B' @Z (T/m)	B' @W (T/m)	B' @ H (T/m)	B' @ tt (T/m)
QC2L2	-8.44	1.25	25.05	43.82	61.30	69.50
QC2L1	-7.11	1.25	-0.18	0.00	7.32	56.85
QC1L3	-5.56	1.25	-19.35	-34.38	-53.08	-99.98
QC1L2	-4.23	1.25	-18.57	-32.94	-53.07	-99.98
QC1L1.1	-2.9	0.7	-40.95	-70.00	-99.71	-95.39
QC1L1.2	2.2	0.7	-40.95	-70.00	-99.71	-95.39
QC1R2	2.98	1.25	-25.44	-37.25	-51.94	-100.00
QC1R3	4.31	1.25	-19.54	-39.51	-53.65	-91.87
QC2R1	5.86	1.25	14.64	16.85	-2.65	37.19
QC2R2	7.19	1.25	19.50	44.32	67.52	94.43

M. Koratzinos

- Optics design is such that E and P quads have the same strength
- Maximum strength is 100T/m
- The most difficult element is QC1L1, the closest to the beam and where the E and P quads are closer together

The updated parameters are rather different than the CDR for QC1L1: its length is now 70cm from 120cm

I have used the CDR values

Choice of technology for QC1L1

- The pivotal requirement for the design is the close proximity of the QC1L1 quads, only 66 mm at the front tip. Moreover, the two quads are at an angle
- There should be no crosstalk between the quads, otherwise performance will be affected.
- There is not enough space to shield the two quads using an iron yoke
- All requirements are fulfilled with a CCT iron-free design



CCT accelerator magnets

- A CCT (Canted Cosine Theta) is a type of accelerator magnet where the multipole mix is a *local* attribute of a magnet. (One can trivially design a magnet which is a dipole on one side and a quadrupole in the other.)
- The QC1L1 magnets are NOT quadrupoles. They are quads minus the field due to the other aperture. But together they make two nearly perfect quadrupoles
- Other important advantages of CCTs:
 - Cheap to make – from the magnet design program to CAD to CNC machine with no manual interventions
 - Easy to make – no pre-stress! Stress management is trivial in CCTs
 - Fast to make – few steps, no expensive equipment
 - Excellent field quality – please see further


QC1L1

QC1L1 is the first and most demanding pair of quadrupoles of the final focus system of FCC-ee

Iron-free design



Inner bore: 40mm (diameter)
Fits outside the warm water-cooled
beam pipe of inner diameter 30mm




Why prototype?

- Although it works very well on paper, we need to test it in practice
- The first prototype is a single aperture magnet. So how can we test the crosstalk performance?
- The specific prototype employs a technique similar to the crosstalk compensation: edge correction
- One end of the magnet is corrected for local multipoles, which are present on every accelerator magnet design
- Exactly the same technique and tools are used for the crosstalk compensation of a double aperture design. → If the edge correction works as expected, so will the crosstalk compensation

Local edge correction


- By design, a CCT magnet has all integral multipoles vanish (with the exception of the main one).
- However, the skew (A) components of the magnetic field compensate only because they have opposite signs at the entry and exit of the magnet.
- QC1L1 sits in an area of rapidly-changing optics functions: the change of beam size between the entry and exit of the magnet is a factor of ~ 2 . \rightarrow a local correction is needed

Example: correction of A3 component, one side only. In red: corrected; in black: uncorrected



M. Koratzinos et al. [1709.08444](#) [physics.acc-ph]

QC1L1 and the prototype



The first FCC-ee Final Focus prototype is a single-aperture version of QC1L1, with identical aperture (40mm) but one-third of the length (26% of the quadrupole strength). It has asymmetric edges

$I_{max} = 725A$
Max. gradient: 100T/m

Testing at warm

- The first magnetic quality tests were performed at warm
- A rotating coil arrangement was used:
 - The magnet is powered with a current of 5 A (0.7% of maximum current) at room temperature
 - We measure the magnetic flux as the coil is rotated.
 - Each measurement is averaged over 100 revolutions
 - Then the data is post-processed to calculate the first 15 multipoles.
 - Then current is reversed and another (100-revolution) measurement is taken
 - The final numbers are the average over the two polarities – This eliminates the contribution due to the earth's magnetic field and any other static fields.
- All measurements made at a radius of 10mm
- Rotating coil length: 200mm (194mm active), width 35mm
- The rotating coil can be moved to measure the (integrated) field at different areas of the magnet: the middle, the corrected side and the uncorrected side

IPAC21 paper

MAGNETIC MEASUREMENTS AT WARM OF THE FIRST FCC-EE FINAL FOCUS QUADRUPOLE PROTOTYPE

M. Koratzinos¹, MIT, G. Kirby, C. Petrone and M. Liebsch, CERN

Abstract

The first FCC-ee final focus quadrupole prototype has been designed, manufactured, assembled and tested at warm. The prototype is a single aperture quadrupole magnet of the CCT type. One edge of the magnet was designed with local multipole cancellation, whereas the other was left with the conventional design. An optimized rotating induction-coil sensor was used. A technique was developed to take into account field distortions due to the environment of the test and distinguish them from magnet effects, demonstrating an excellent field quality for the prototype.


INTRODUCTION

The FCC project aims to deliver a high-luminosity e^+e^- storage ring with a range of energies from 45 to 182.5 GeV per beam (FCC-ee) [1] [2]. It incorporates a “crab waist”

other. The idea behind the edge correction is this: a CCT magnet has non-zero multipole components at the edges, which exactly integrate to zero when integrating over the whole magnet. However, this magnet will be placed in an area of rapidly changing optics functions, and therefore global compensation is not sufficient. Instead, all multipoles vanish locally at the edge of the magnet using the technique described in [3]. *Figure 1* shows the inner magnet former on the corrected edge.




The rotating coil




Length is 200mm nominal, 194.25 mm active, width is 35mm, split in five individual coils

- For the quadrupole magnet, the individual coils are combined in such a way, that the coil is immune to the B₂ field component, which is the dominant one, to be able to see errors in higher multipoles
- For the transfer function measurement, the coil is combined linearly

Testing arrangement



Testing arrangement




2nd measurement:
Uncorrected side

Three rotating coil measurements at the **middle**, at the **uncorrected edge** and at the **corrected edge**


Testing arrangement

3rd measurement:
Corrected side



Three rotating coil measurements at the **middle**, at the **uncorrected edge** and at the **corrected edge**

Measurement video



Nomenclature

Magnetic field of accelerator magnet: $B_z = \sum_{n=1}^{\infty} (B_n + iA_n) \left(\frac{z}{R}\right)^{n-1}$, $z = x + iy = re^{i\theta}$

The way that results are traditionally presented is as follows:


- a_n, b_n are the multipoles of order n ($n = 1$: *dipole*; $n = 2$: *quadrupole*; $n = 3$: *sextupole, etc.*) they are measured in units of 10^{-4}
- a_n are the skew components, b_n the normal components
- Definitions:
 - $b_n = \frac{B_n}{B_2} \times 10,000$ @ $R = 10\text{mm}$ where B_2 is the dominant, quadrupole component
 - Same for the skew components: $a_n = \frac{A_n}{B_2} \times 10,000$ @ $R = 10\text{mm}$
- Traditionally R is chosen as $2/3^{\text{rds}}$ aperture. Our beam pipe is 15mm radius, so we measure at 10mm

Repeatability of measurements

The first test is the (short-term) reproducibility of measurements: The plot shows two successive measurements. Repeatability is excellent, within 0.04 units or better

➔ The sensitivity of the method is at the ~ 0.02 unit level

Centre: difference between successive measurements




Difference between successive measurements compared to the expected error of the measurement.

The error is taken from the RMS spread of the 200 revolutions comprising each measurement divided by $\text{SQRT}(200)$

Centre measurement


- We need to make sure that whatever we measure is due to the magnet and not its environment
- Although the mechanical clamping of the magnet is with aluminium claws, we have also used stainless steel high-strength bolts
- At this level of precision, we need to guard against these bolts distorting the field and therefore introducing multipoles
- Do not forget that we are dealing with 10^{-5} effects




A strategy for measuring the pure magnet components

- We decided to take two measurements: one with the magnet in its proper position and the second where the magnet is rotated by ~ 45 degrees. (suggested by Glyn Kirby, CERN)
- The multipole errors due to the magnet should rotate with the magnet, but the errors due to the environment should not
- We then have two measurements and two unknowns

Original position



rotated position



In our case, ϕ was measured to be 41.87 degrees

Rotated/original measurements



	b3	a3	b4	a4	b5	a5	b6	a6	b7	a7	b8	a8
Original data (units)	-0.22	0.32	0.53	0.54	-0.16	-0.03	0.64	-0.12	0.03	0.00	0.00	-0.03
Rotated data (units)	0.08	0.43	0.49	0.66	-0.16	-0.03	0.65	-0.11	0.03	0.00	0.00	-0.03

If a multipole component comes from the magnet and not from the environment, it is expected to change under this rotation.

Example:

Rotate by 42 degrees:


magnet
environment
total



Vector rotates by (rotation angle) \times n


Results

		b3	a3	b4	a4	b5	a5	b6	a6	b7	a7	b8	a8
Raw measurements	original	-0.22	0.318	0.531	0.538	-0.162	-0.031	0.642	-0.118	0.031	-0.004	-0.002	-0.029
	rotated	0.083	0.427	0.494	0.656	-0.159	-0.034	0.65	-0.105	0.033	-0.005	0.003	-0.03
Analysis	magnet	-0.124	-0.133	0.025	-0.057	-0.001	0.002	-0.009	-0.004	0.000	0.003	0.002	0.011
	environment	-0.097	0.45	0.506	0.595	-0.161	-0.033	0.651	-0.114	0.031	-0.006	-0.003	-0.04




A big chunk of the measured multipoles can be attributed to the environment

Results - centre



All multipoles are below 0.15 units and only b3, a3 is above 0.10 units. (this is barely above the sensitivity of the method)

Field quality at the edge, without correction



@10mm radius

For this measurement we do not have rotated data

Multipoles calculated up to B15, A15, but are all zero

Carlo Petrone

3.5 units in A3, 2 units in A4

Field quality at the edge, with correction

Here there is a minor correction due to the fact that the probe was not centred along the magnetic edge of the magnet, so in the ideal case, we do not expect to have measured zero multipoles

Multipoles, corrected side (units 10^{-4})		
order	B components	A components
3	0.06 (expected 0.00)	-0.08 (expected 0.00)
4	0.11 (expected 0.00)	-0.04 (expected -0.03)
5	-0.01 (expected 0.00)	0.00 (expected 0.00)
6	0.04 (expected 0.01)	0.00 (expected 0.00)
7	0.00 (expected 0.00)	0.00 (expected 0.00)
8	0.00 (expected 0.00)	0.00 (expected 0.00)

@10mm radius


For this measurement we do not have rotated data, real magnet errors might be smaller

Multipoles calculated up to B15, A15, but are all zero

Field quality at the edge, with correction

corrected side: multipoles, normalized to full length

@10mm radius




For this measurement we do not have rotated data, real magnet errors might be smaller

Carlo Petrone

Multipoles calculated up to B15, A15, but are all zero

0.1 units maximum. An excellent result.

Field quality at the edge, comparison



preliminary

Corrected side has edge effects that are 0.1 units or less

Reduction by a factor ~50!

Carlo Petrone

Edge correction really works!

For both plots, the normalization is to the full length of QC1L1 (1200mm)

Conclusions

- The first FCC-ee final focus prototype has been designed, manufactured and the first tests at warm are available (IPAC paper [arXiv:2105.13230](https://arxiv.org/abs/2105.13230)).
- Field quality is excellent.
- All multipoles in the middle of the magnet are 0.15 units or less, approaching the accuracy of the method. These are real measurements, not simulation!
- The novel technique of locally correcting each edge for edge effects is working beautifully → this gives us confidence that the crosstalk compensation will also work.
- All multipoles of the corrected edge contribute 0.1 units or less. → this is a “perfect edge” magnet.
- The CCT technique is very well suited for the final focus quadrupoles of FCC-ee (and also CEPC...).