



# ALICE Computing TDR

Federico Carminati

June 29, 2005



# Layout

- Parameters
- Computing framework
- Distributed computing and Grid
- Project Organisation and planning
- Resources needed
- <http://aliceinfo.cern.ch/NewAlicePortal/en/Collaboration/Documents/TDR/Computing.html>





- Parameters
- Computing framework
- Distributed computing and Grid
- Project Organisation and planning
- Resources needed





# Parameters

	Unit	pp	PbPb
T1	#	7	
T2	#	23	
Size raw	MB	0.2x5	12.5
Recording rate	Hz	100	100
ESD	MB	0.04	2.50
AOD	kB	4	250
Event Catalogue	kB	10	10
Running time	s	$10^7$	$10^6$
Events / y	#	$10^9$	$10^8$
Reconstruction passes (av)	#	3	
RAW duplication	#	2	
AOD/ESD duplication	#	2	
Scheduled analysis passes / rec ev / y (av)	#	3	
Chaotic analysis passes / rec ev / y (av)	#	20	





- Parameters
- Computing framework
- Distributed computing and Grid
- Project Organisation and planning
- Resources needed





# Offline framework


- AliRoot in development since 1998
- Two main packages to install (ROOT and AliRoot)
- Ported on Linux (IA32/64 & AMD), Mac OS X (ppc & Intel), Digital True64, SunOS...
- Over 50 developers (30% CERN), one [CVS](#)
- Integration with DAQ (data recorder) and HLT (CVS)
- Abstract interfaces for modularity
- Subset of C++ used for maximum portability
- Very close integration of physicists and programmers



# AliRoot layout



EGEE+AiEn





# Software management

- Major release ~ six months, minor (tag) ~ monthly
- Emphasis on delivering production code
- Nightly produced [UML diagrams](#) [code listing](#) [coding rule violations](#) [build and tests](#)
  - No version management software
- Development of new coding tools (IRST)
  - Smell detection, aspect oriented programming, genetic testing







# Detector Construction Database (DCDB)

- Detector construction in distributed environment:
  - Sub-detector groups work independently
  - Data collected in a central repository to facilitate movement of components between groups and during integration and operation

DCDB Data Management System - Konqueror

Location: http://etna.if.pw.edu.pl:8080/app/rawSearch.do

ALICE DCDB Data Management System

Welcome Karol Stanislawek

Register Modify Defined tests


SSHAL25 Histogram

Distribution Parameters

Entries	4933
Mean	6.183
RMS	25.02

ID	Name	User code	Serial number	Existence	Quality	Details	Processes	Compositions
30000180	HAL25	HAL25_BV2_18_03	3255	B	0			
30000179	HAL25	HAL25_BV2_18_01	1231	E	0			
30000181	HAL25	HAL25_BV2_18_04	--	E	--			
30000182	HAL25	HAL25_BV2_18_05	--	E	--			
30000183	HAL25	HAL25_BV2_18_06	--	E	--			
30000184	HAL25	HAL25_BV2_18_07	--	E	--			
30000185	HAL25	HAL25_BV2_18_08	--	E	--			
30000186	HAL25	HAL25_BV2_18_09	--	E	--			
30000187	HAL25	HAL25_BV2_18_10	--	E	--			
30000189	HAL25	HAL25_BV2_19_02	--	E	--			

©2000-2004 ALICE Detector Construction Database Group, Warsaw University of Technology



- Different user interfaces
  - WEB portal
  - LabView, XML
  - ROOT for visualisation
- In production since 2002
- Important spin-offs
  - Cable Database
  - Calibration Database






# Simulation

- Simulation performed with G3 till now
- Will move to FLUKA and G4
- VMC insulates users from the transport MC
- New geometrical modeller in production
- Physics Data Challenge '05 with FLUKA
- Interface with G4 designed (4Q'05?)
- Test-beam validation activity ongoing





# The Virtual MC



QuickTime™ and a  
TIFF (Uncompressed) decompressor  
are needed to see this picture.

ime™ and a  
sed) decompressor




are needed to see this pic

me™ and a  
sed) decompressor  
are needed to see this picture.

---



# HMPID 5 GeV Pions






# Reconstruction strategy


- Very high flux, TPC occupancy up to 40%
- Maximum information approach
- Optimization of access and use of information
  - Localize relevant information
  - Keep this information until it is needed



# Tracking & PID




Sun Sep 26 12:31:15 2004



Sun Sep 26 12:28:42 2004

- PIV 3GHz – (dN/dy – 6000)
  - TPC tracking - ~ 40s
  - TPC kink finder ~ 10 s
  - ITS tracking ~ 40 s
  - TRD tracking ~ 200 s



ALICE Comp

2004



# Condition and alignment


- Heterogeneous sources periodically polled
- ROOT files with condition information created
- Published on the Grid and distributed as needed by the Grid DMS
- Files contain validity information and are identified via DMS metadata
- No need for a distributed DBMS
- Reuse of the existing Grid services







# External relations and DB connectivity



API – Application Program Interface

ALICE Computing TDR

17





# Metadata


- Essential for the selection of events
- Grid file catalogue for file-level MD
- Need event-level MetaData
- Collaboration with STAR
- Prototype in preparation for PDC'05-III





# ALICE CDC's

Date	MBytes/s	Tbytes to MSS	Offline milestone
10/2002		200	
9/2003			
5/2004 4/2005			
5/2005	750	750	(Raw digits for all detectors)
5/2006	750 (or higher)	750 (or higher)	Final test (Final system)



C and ITS

e  
v digits for

on





- Parameters
- Computing framework
- Distributed computing and Grid
- Project Organisation and planning
- Resources needed





# ALICE Physics Data Challenges

Period ( <u>milestone</u> )	Fraction of the final capacity (%)	Physics Objective
06/01-12/01	1%	pp studies, reconstruction of TPC and ITS
06/02-12/02	5%	<ul style="list-style-type: none"><li>• First test of the complete chain from simulation to reconstruction for the PPR</li><li>• Simple analysis tools</li><li>• Digits in ROOT format</li></ul>
01/04-06/04	10%	<ul style="list-style-type: none"><li>• Complete chain used for trigger studies</li><li>• Prototype of the analysis tools</li><li>• Comparison with parameterised MonteCarlo</li><li>• Simulated raw data</li></ul>
06/05-12/05	15%	Test of condition infrastructure and FLUKA To be combined with SDC 3 Speed test of distributing data from CERN
01/06-06/06?	20%	Test of the final system for reconstruction and analysis





# PDC04 schema

Production of RAW


Shipment of RAW to CERN

Reconstruction of RAW in all T1's

Analysis

← AliEn job control

← Data transfer



ALICE Computing TDR

22






# Goals, structure and tasks

- Validate the computing model with ~10% of the SDTY data
- Use the offline chain, the Grid, PROOF and the ALICE ARDA prototype
  1. Production of underlying Pb+Pb and p+p events
    - Completed June 2004
  2. Mixing of different signal events with underlying Pb+Pb events (up to 50 times)
    - Completed September 2004
  3. Distributed analysis
    - Delayed



# Phase 2 job structure




Completed Sep. 2004








# Summary



33 sites, 3 grids  
 AliEn/LCG: P1 75/25%, P2 89/11%

400 000 jobs, 6 hours/job, 750 MSi2K hours  
 9M entries in the AliEn file catalogue  
 4M physical files at 20 AliEn SEs world-wide  
 30 TB@CERN CASTOR  
 10 TB@remote SEs + 10 TB backup@CERN  
 200 TB network transfer CERN → remote centres





# Summary of PDC'04

- Computer Centres
  - Tuning of environment
  - Availability of resources
- Middleware
  - Phase 1&2 successful
  - AliEn fully functional
  - LCG not yet ready
  - No AliEn development for phase 3, LCG not ready
- Computing model validation
  - AliRoot worked well
  - Data Analysis partially tested on local CN, distributed analysis prototype demonstrated








# Development of Analysis

- ROOT & a small library on AOD's and ESD's
- Work on distributed analysis from ARDA
- Batch prototype tested at the end 2004
- Interactive prototype demonstrated end 2004
- Physics Working Groups providing requirements
- Planning for fast analysis facility at CERN





ent processing ...



# ALICE computing model

- pp
  - Quasi-online data distribution and first reconstruction at T0
  - Further reconstructions at T1's
- AA
  - Calibration, alignment and pilot reconstructions during data taking
  - Data distribution and first reconstruction at T0 during four months after AA
  - Further reconstructions at T1's
- One copy of RAW at T0 and one distributed at T1's





# ALICE computing model


- T0
  - First pass reconstruction, storage of one copy of RAW, calibration data and first-pass ESD's
- T1
  - Reconstructions and scheduled analysis, storage of the second collective copy of RAW and one copy of all data to be kept, disk replicas of ESD's and AOD's
- T2
  - Simulation and end-user analysis, disk replicas of ESD's and AOD's
- Difficult to estimate network load





# ALICE T1's & T2's

- T1 for ALICE: CERN, CCIN2P3, CNAF, GridKa, NIKHEF, NGDF, RAL, USA (under discussion)
- T2 for ALICE: CERN, CCIN2P3, Nantes, Clermont-Ferrand, Paris, Bari, Catania, Legnaro, Torino, GSI, RUSSIA, Prague, Korea, Kolkata, Wuhan, Cape Town, USA, UK Grid, Athens





# ALICE MW requirements

- Baseline Services available on LCG (in three flavours?)
- An agreed standard procedure to deploy and operate VO-specific services
- The tests of the integration of the components have started








- Parameters
- Computing framework
- Distributed computing and Grid
- Project Organisation and planning
- Resources needed





## Core Computing and Software

**Production Environment Coord.**

- Production environment (simulation, reconstruction & analysis)
- Distributed computing environment
- Database organisation

**Framework & Infrastructure Coord.**

- Framework development (simulation, reconstruction & analysis)
- Persistency technology
- Computing data challenges
- Industrial joint projects
- Tech. Tracking
- Documentation

**Simulation Coord.**


- Detector Simulation
- Physics simulation
- Physics validation
- GEANT 4 integration
- FLUKA integration
- Radiation Studies
- Geometrical modeler

**Reconstruction & Physics Soft Coord.**

- Tracking
- Detector reconstruction
- Global reconstruction
- Analysis tools
- Analysis algorithms
- Physics data challenges
- Calibration & alignment algorithms


**Offline Coordination**

- Resource planning
- Relation with funding agencies
- Relations with C-RRB







# Core Computing Staffing



- The call to the collaboration has been successful
- Four people have been sent to CERN to help with CORE Computing
- Securing few long-term position is still a very high priority



ALICE Com





# Milestones

- Jun 05: prototype of the condition infrastructure
- Jun 05: FLUKA MC in production with new geometrical modeller
- Jun 05: Computing TDR completed
- Aug 05: PDC05 simulation with Service Data Challenge 3
- Sep 05: MetaData prototype infrastructure ready
- Nov 05: Analysis of PDC05 data
- Dec 05: condition infrastructure deployed
- Dec 05: alignment and calibration algorithms for all detectors
- Jun 06: PDC 06 successfully executed (depends on SDC4)
- Jun 06: alignment and calibration final algorithms
- Dec 06: AliRoot ready for data taking





- Parameters
- Computing framework
- Distributed computing and Grid
- Project Organisation and planning
- Resources needed






# Summary of needs

	Tier0	Tier1	Tier1ex	Tier2	Tier2ex	Total	CERN
CPU (MSI2k)	8,3	18,7	12,3	21,4	14,4	35,0	8,3
			35%		41%	100%	24%
Disk (PB)	0,2	8,6	7,4	5,3	5,1	14,1	1,7
	2%	60%	52%	38%	36%	100%	12%
MS (PB/y)	2,5	8,1	6,9			10,6	3,6
	23%	77%	66%			100%	34%
Network in (Gb/s)	8,00	2,00		0,01			
Network out (Gb/s)	6,00	1,50		0,27			



# Capacity profile





# Summary pledged resources

	2005	2006	2007	2008	2009	2010
Tier1						
CPU (MSI2k)	0,48	1,03	2,91	8,94	14,88	14,81
Disk (PB)	0,09	0,50	1,53	3,48	5,70	5,88
MS (PB)	0,11	0,85	2,53	5,86	9,93	8,59
Tier2						
CPU (MSI2k)	1,82	2,92	4,81	6,18	8,34	9,01
Disk (PB)	0,28	0,61	1,07	1,68	2,58	3,41
Pledged versus required						
CPU (%)			61%	48%	56%	44%
Disk (%)			47%	37%	46%	40%
MS (%)			78%	72%	94%	63%







# Conclusions

- ALICE computing choices have been validated by experience
  - The Offline development is on schedule, although contingency is scarce
- Collaboration between physicists and computer scientists is excellent
- Integration with ROOT allows fast prototyping and development cycle
- Early availability of Baseline Grid services and their integration with the ALICE-specific services will be crucial
  - This is a major “risk factor” for ALICE readiness
  - The development of the analysis infrastructure is particularly late
- The manpower situation for the core team has been stabilised thanks to the help from the collaboration
- The availability of few CERN long-term positions is of the highest priority

